



ELIMINATOR[®]
LIGHTING



AMERICAN AUDIO[®]



EU CATALOGUE V2

JUNE 2026
ADJ Lighting Europe

ADJ LIGHTING EUROPE

ABOUT US

For more than four decades, ADJ Lighting Europe has been dedicated to providing innovative entertainment technology and dependable solutions for DJs, mobile entertainers, musicians, venues, rental companies, and event professionals across Europe, the Middle East and Africa. From humble beginnings serving the DJ market, the company has grown into one of the industry's most recognized suppliers of lighting, audio, staging accessories, and entertainment equipment.

Operating from its European headquarters and distribution center in Kerkrade, The Netherlands, ADJ Lighting Europe serves customers throughout the continent and beyond with a comprehensive portfolio of trusted brands. These include the professional lighting solutions of ADJ, the value-driven entertainment products of Eliminator Lighting, protective transportation solutions from Accu-Case, reliable connectivity products from Accu-Cable, practical support hardware from Accu-Stand, and audio equipment from American Audio.

More than simply a distribution facility, the European headquarters plays a vital role in ensuring the quality and reliability that customers expect. Every product undergoes rigorous quality control procedures before leaving the warehouse, while a dedicated technical service department provides professional support, maintenance, and after-sales assistance. This commitment helps dealers and end users alike invest with confidence, knowing that expert assistance is readily available when needed.

With extensive inventory, efficient logistics, and a knowledgeable multilingual team, ADJ Lighting Europe is able to provide fast delivery and responsive customer service to partners throughout Europe. Whether supplying equipment for a mobile DJ, a wedding entertainer, a small rental company, or a retail customer looking to enhance their events, the company remains committed to delivering products that combine innovation, performance, and value.

Today, ADJ Lighting Europe continues to build on the entrepreneurial spirit that helped establish the company within the DJ and entertainment market, while embracing new technologies and evolving customer needs. The result is a complete portfolio of trusted brands designed to help create unforgettable entertainment experiences, backed by the expertise, service, and support of one of Europe's leading entertainment technology suppliers.




TABLE OF CONTENTS

ABOUT US	2
TABLE OF CONTENTS	3
MOVING HEADS & FX	4-15
LED PARS & BARS	16-24
EFFECT MACHINES	25-30
LIGHT CONTROL	31-35
AUDIO	36
STANDS & ACCESSORIES	37-44
FLUIDS	45-48
SOFTBAGS	49-51
CABLES & ADAPTERS	52-57

MOVING HEADS & FX

ELIMINATOR STRYKER MAX

ELIMINATOR.
LIGHTING



- 6 x 40W Quad LEDs
- LED Ring: 60 x 0.5W RGB LEDs
- Motorized Zoom: 4 ~ 55°
- Motorized rotating lens, that allows the unit to output a narrow beam of 4°, a wide wash of 55°, and a kaleidoscopic multi-beam effect
- Create eye candy effects with LED Ring
- Variable White Color Temperatures: 2800K – 8500K
- Built-in Color Macros & Effects
- 0-100% smooth dimming
- Variable speed strobe effect
- DMX Channel Modes: 20 or 26 channels
- Operational Modes: DMX512 / Primary-Secondary / Auto Run / Sound / RDM
- OLED Menu Display
- 3-pin DMX In / Out
- Locking Input & Output connections to daisy chain power
- Pan: 540°
- Tilt: 190°
- Dimensions (LxWxH): 367.5 x 292 x 180mm
- Weight: 7.5 kg



CODE: 1900000046

GTIN/EAN: 810087372941

ELIMINATOR STRYKER SPOT

ELIMINATOR.
LIGHTING



- 150W high power cool white LED
- 50,000 hours average life expectancy
- Motorized Focus
- Motorized zoom (9° - 14°)
- 0-100% smooth dimming
- Variable speed strobe effect (1Hz - 20Hz)
- Color Wheel:
- 7 dichroic colors + open white
- Operating modes: DMX512 / Primary-Secondary / Auto Run / Sound Active
- DMX channel modes: 18 / 13 / 11
- RDM (Remote Device Management)
- OLED Menu Display
- Data in / out: 3-pin DMX
- Locking Input & Output connections to daisy chain power
- Pan: 540°
- Tilt: 210°
- Dimensions (LxWxH): 417 x 292 x 180mm
- Weight: 8.5 kg




CODE: 1900000045

GTIN/EAN: 810087372934

MOVING HEADS & FX

ELIMINATOR STRYKER BEAM

ELIMINATOR.
LIGHTING



- 100W LED Engine
- Full color function display with 4 buttons
- Fast, precise, pan & tilt movements
- Primary / Secondary stand-alone mode
- Frost Filter (50° Wash Effect)
- Color Wheel:
- 13 colors + open
- Separate 6-Color flag for multi-color effects
- Metal wheel with 11 GOBOS + open (2 are beam reducers)
- 2 DMX channel modes: 6 & 19 channels
- Protocols: DMX-512, RDM, Auto and Primary / Secondary control modes
- Variable Strobe: 0-20HZ
- DMX Data In / Out: 3-pin & 5-pin connections
- Pan / Tilt: 540° / 270°
- Power daisy chain: 3 units @230V
- Dimensions (LxWxH): 292 x 302 x 464mm
- Weight: 12.8 kg

CODE: 1900000036

GTIN/EAN: 810087371197



ELIMINATOR STRYKER WASH

ELIMINATOR.
LIGHTING



- 19x 12W RGBW LEDs
- 50,000 Hours Life
- Fast, precise, pan & tilt movements
- Three zone DMX control mode
- Primary / Secondary stand alone mode
- Motorized Zoom: 6 ~ 50°
- Linear CT DMX control channel. 3200K-10000K
- Up to 18 Strobe flashes per second
- DMX Data In / Out: 3-pin XLR
- Power In: Blue Locking indoor power connection
- Power Out: White Locking indoor power connection
- Color LCD display with touch buttons
- 2 DMX channel modes: 13 & 23 channels
- Protocols: DMX-512, Auto and Sound control modes
- Pan / Tilt: 540°s / 210°s
- Maximum power draw: 300W
- Dimensions (LxWxH): 222 x 324 x 399mm
- Weight: 8.2 kg

CODE: 1900000037


GTIN/EAN: 810087371180



MOVING HEADS & FX

ELIMINATOR STINGER SPOT 30

ELIMINATOR.
LIGHTING



- 30W white LED
- Beam Angle: 13°
- 2 DMX Channel Modes: 4 or 12-Channels
- Movement: Pan 540°s / Tilt 190°s + Pan / Tilt Inversion mode
- Control modes: DMX-512, Primary / Secondary, Auto, Sound Active
- 4-button DMX display on rear panel
- 8 internal Programs
- Dimming 0-100%
- Strobe Effects
- Fan cooled
- Color wheel: 7 color + open, rainbow - flow effect
- GOBO wheel: 7 GOBOs + open - flow effect, gobo shake
- Data linkable via 3-pin DMX sockets
- IEC power input
- Dimensions (LxWxH): 271 x 176 x 148mm
- Weight: 3 kg

CODE: 1900000033


GTIN/EAN: 810087370534



CENTERDROID

ELIMINATOR.
LIGHTING

NEW



The Eliminator Lighting CenterDroid is a high-energy lighting effect centerpiece designed to transform any venue with motion, color, and depth. Combining powerful RGBW LED output with precision red and green laser beams, it creates vivid mid-air effects, sweeping beams, and dynamic color patterns that fill the room and energize the dancefloor. Tilting arms and a rotating center lens keep the visuals constantly evolving, while flexible control options make it easy to integrate into any lighting system. Compact, reliable, and built for indoor performance environments, CenterDroid delivers immersive visuals.

CODE: 1900000056

GTIN/EAN: 810087375607



- LEDs: 10 × 15W CREE (RGBW, 4-in-1)
- Lasers: 1 × 100mW Red Laser / 1 × 50mW Green Laser
- Control Mode: DMX512, Manual, Primary-Secondary, Auto Run Sound Active
- DMX Channels: 22
- Dimmer: 0-100% linear dimmer
- Voltage: AC100-240V, 50/60Hz
- Power: 100W
- Dimensions (LxWxH): 310 × 310 × 190mm
- Weight: 3.7 kg




MOVING HEADS & FX

ELEKTRON LED FX

ELIMINATOR.
LIGHTING



- 7x 40W 1800K LEDs + 528x RGB LEDs
- 60 Built-In Visually Impactful Programs
- Dimming: 0~100%
- Shutter: 0~20 Strobe flashes per second
- Control: DMX512, Primary / Secondary & Sound Active
- DMX Channel Modes: 7, 12 or 20-channels
- Display: 4x 8 segment LCE Display
- Power Input: AC100-265V, 50 / 60Hz
- Max Power Consumption: 300W
- Data: 3-Pin DMX IN / Out
- Power: Locking Connectors In / Out
- Cooling System: 3 Fans
- IP Rating: IP20
- Dimensions (LxWxH): 1000 x 100 x 131 mm
- Weight: 5.3 kg



CODE: 1900000049


GTIN/EAN: 810087374297

FANTASY FX

ELIMINATOR.
LIGHTING



- Light Source: Center Beam: 1x40W RGBW (Red, Green, Blue White); Circular Halo: 288x RGB (0.5W, 5050 SMD - Red, Green, Blue)
- 128 Built-In Programs
- Cooling System: Convection Cooled
- Dimming: 0~100%
- Shutter: 0~20 Strobe flashes per second
- Control: DMX512, Primary/Secondary Sound Active
- DMX Channel Modes: 7, 16 152-Channels
- LCD Display: 4 x 8 segment display
- 3-pin DMX In/Out
- Locking Power In/Out
- Power Input: AC100-265V, 50/60Hz
- Max Power: 100W
- Dimensions (LxWxH): 124 x 405 x 351 mm
- Weight: 3.1 kg
- IP Rating: IP20




CODE: 1900000050

GTIN/EAN: 810087374341

MOVING HEADS & FX

VORTEX 150


ELIMINATOR.
LIGHTING



CODE: 1900000048


GTIN/EAN: 810087374365

- Source: 150W White LED (30,000 Hrs.)
- Barrel Movement: X-Axis = 180°, Y-Axis 360°
- Beam Angle: Multiple Beams, 3° each
- Beam Focusing Knob
- Colors/GOBOS:
 - 11 Color / Gobo combinations (2 Beam Reducers)
 - Color/Gobo Shake
- Control:
 - DMX512, RDM, Sound and Show Mode
 - 0.5-33Hz Strobe Rate
 - User selectable LED Refresh Rate
 - 6 Built-In Light Shows
 - DMX Modes: 2 DMX Control Modes (10 12 Channels)
 - 4-Button Digital Display
- Connections:
 - 5-pin DMX In/Out
 - IP65 Locking power input
 - Safety eye to attach a safety cable
- Electrical:
 - Power: 100-230VAC, 50/60HZ
 - Power Consumption: 175W@230V.
- Dimensions / Weight:
 - Dimensions (LxWxH): 236 x 340 x 334 mm
 - Weight: 4.6 kg
- Approvals Rating:
 - IP20
- Included:
 - Adjustable Angle Hanging Bracket
 - Power Cable



FURIOUS THREE RG

ELIMINATOR.
LIGHTING



CODE: 1900000030

GTIN/EAN: 818651029314


- 3-FX-IN-1 dance party lighting effect: LED Moonflower, Wash and laser effects
- Dozens of razor-sharp beams fill a dance floor, ceiling or wall
- Moonflower: 5 x 3W (RGBWY) 5-in-1 LEDs
- Wash: 8 x 3W (RGBY) Quad LEDs
- Laser: Red Green laser diodes
- 4 control mode: DMX, Sound Active, Auto, Primary/Secondary
- 4-button LED display menu
- 9 DMX channels
- Electronic dimming: 0-100%
- 3-pin DMX In/Out
- IEC AC In/Out connectors to daisy chain power
- Laser On/Off with safety key
- Safety eye on rear panel
- Built-in microphone with sensitivity potentiometer
- With wired digital communication network
- Power Draw: 40W max
- Multi-voltage operation: 100-240V, 50/60Hz
- Dimensions: 300 x 312 x 226 mm
- Weight: 3.7 kg
- Included in box:
 - Power cable, Hanging Bracket, Laser safety key



MOVING HEADS & FX

FURIOUS FIVE RG


ELIMINATOR[®]
LIGHTING



CODE: 1900000039


GTIN/EAN: 818651028096

- 5-FX-in-1 dance party lighting effect: LED Moonflower, Wash, UV, Strobe, and Laser effects
- Strobe: 81 SMD 5730 white LED
- Four (4) 3W UV CREE Single Color LEDs
- Six (6) 3W Quad (RGBW) LEDs
- Laser Diodes:
 - Red = 100MW
 - Green = 70MW
- Moonflower effect: 5mm LED (16x Red, 12x Green, 12x Blue 12, 16x White)
- 4 operation modes: Automatic running, DMX, Sound Active and Primary / Secondary
- Sound controlled via built-in microphone
- 0-100% linear dimmer
- Power Consumption: 60W
- 2 DMX Channel modes: 11 or 24 channels
- Voltage: AC110-240V 50/60Hz
- Unit Dimensions (LxWxH): 457 x 178 x 165 mm
- Weight: 3.6 kg



FURIOUS THREE RG UV

ELIMINATOR[®]
LIGHTING



CODE: 1900000044

GTIN/EAN: 810087371906

- 3-FX-in-1 dance party lighting effect: LED Moonflower, Wash, and Laser effects
- Dozens of razor-sharp beams fill a dance floor, ceiling or wall
- Moonflower: 5 x 5W (RGBWA) 5-in-1 LEDs
- Wash: 8x3W UV LEDs
- Laser: Red Green laser diodes
- 4 control mode: DMX, Sound Active, Auto, Primary/Secondary
- 4-button LED display menu
- 9 DMX channels
- Electronic dimming: 0-100%
- 3-pin DMX In/Out
- IEC AC In/Out connectors to daisy chain power
- Laser On/Off with safety key
- Safety eye on rear panel
- Built-in microphone with sensitivity potentiometer
- With wired digital communication network
- Power Draw: 40W max
- Multi-voltage operation: 100-240V, 50/60Hz
- Dimensions: 300 x 312 x 226 mm
- Weight: 3.7 kg



MOVING HEADS & FX

IKON PROFILE PLUS

ELIMINATOR[®]
LIGHTING



CODE: 1221500032


GTIN/EAN: 810087372248

- Source:
 - 40W White LED Source (9500K) @ 50,000 hours.
 - CRI: 80
 - LUX: 4121
- Features:
 - High quality optics - Clear powerful output
 - Adjustable beam angle: 15-30 degrees
 - Manually adjustable Focus
 - 4 manually adjustable Framing Shutters
 - Drop in Gobo Slot for Metal or Glass Gobos
 - Color Frame For Color Filters
 - Run all night – No Duty Cycle
 - Compatible with UC IR wireless remote control (included)
- GOBO:
 - Includes one textured glass GOBO
 - GOBO size: 26.8mm; Viewable size: 24mm
- Control:
 - 2 DMX Channel Modes (3 Ch, 4 Ch)
 - Digital display with 4-button function menu
 - 0-100% Dimming

- Strobe and pulse effects
- 6 Dimmer Curves
- Connections:
 - 3-pin DMX In/Out
 - Locking power In/Out
 - Safety Eyelet on Rear
- Electrical:
 - Multi-voltage: 100-240V, 50/60Hz
 - Power consumption: 44W max
 - Daisy chain power (up to 24 units @ 230V)
- Dimensions Weight:
 - Dimensions (LxWxH): 448 x 150 x 127 mm
 - Weight: 2.7 kg
- What's Included:
 - Includes 1 Glass Gobo, 4 Metal Gobo's and 1 Gobo holder
 - UC-IR wireless remote
 - Gel filter
 - Includes scissor yoke to mount on a wall or hang from trussing
 - Locking power cord

MICRO GALAXIAN THREE

ELIMINATOR[®]
LIGHTING



CODE: 1900000041


GTIN/EAN: 810087371630

- Laser Color: Red 80mW, Green 30mW
- Compact case design
- Control modes: Auto, Sound Active, or Wireless remote
- Built-in programs changeable via the included wireless infrared remote
- Operational Switch: Auto or Sound modes
- Includes built-in microphone for sound active mode
- Operating environment: Indoors
- Electrical:
 - Multi-Voltage: AC100~240V, 50/60 Hz
 - Power Consumption: 10W
- Weight / Dimensions:
 - Dimensions (LxWxH): 170 x 150 x 70 mm
 - Weight: 0.7 kg
- What's Included:
 - 1 x Wireless IR remote
 - 1 x Hanging bracket
 - 1 x Power cable



MOVING HEADS & FX

LED COLOR TUBE II



- 1m / 40-Inch LED Color Tube with UV-resistant polycarbonate tubing
- 32 Bright RGB TRI LEDs (3-in-1)
- 15 Exciting LED Colors plus White
- Rainbow color effect
- Each unit includes one easy-to-use wireless remote to control: Manual Color Change; Auto Color Change; Flash; Rainbow Effect; Slow to Fast Color Strobing; On/Off
- Long life LEDs (Rated at approximately 30,000 hrs.)
- Light Source: 32 x 0.2W TRI RGB's LEDs
- Power Draw: 6W total (All LED's @ Full On)
- Includes AC/DC power supply, two wall mounting brackets and base to stand LED Color Tube up vertically
- Auto sensing power supply: AC 100V/60Hz - 240V/50Hz
- Dimensions (LxWxH): 1016 x 50 x 50 mm
- Weight: 1 kg



CODE: 1211500011

GTIN/EAN: 819730012463

STARBURST



- 5 x 15W 6-in-1 HEX RGBWY+UV LEDs (Red, Green, Blue, White, Yellow Purple)
- Produces 34 crisp, bright beams
- Beam Angle: 1 Degree
- 12 DMX Channels
- 3 Operating Modes - Show Mode; Sound Active; DMX Controlled
- Stand Alone or Primary/Secondary Configuration
- With Wired Digital Communication Network
- IEC Power Cord Daisy Chain 20 units @ 120V
- Multi-voltage operation: AC 100~240V, 50/60Hz
- Dimensions (LxWxH): 318 x 318 x 412.5 mm
- Weight: 3.65 kg
- Power Consumption: 55W



CODE: 1211500012


GTIN/EAN: 819730015174

MOVING HEADS & FX

MINI DEKKER




- DMX-512 LED effect that produces RGBW (red, green, blue white) colored beams from 48 lenses
- Features 2 bright 10-watt RGBW Quad LED's
- Light in weight and portable for entertainers on the go!
- Strobe effect
- 7 Operating Modes: Color Change, Color Fade, Color Change w/ Strobe, Color Fade w/ Strobe, Sound Active, Static Color, DMX Control
- DMX-512 protocol
- With Wired Digital Communication Network
- 4-button DMX LED menu
- 8 DMX Channels
- Stand Alone or Primary/Secondary Configuration
- Adjustable sound active sensitivity dial
- Includes hanging bracket
- Run all night – no duty cycle
- Power consumption: 25W maximum
- Integrated 3-pin XLR In/Out connections to daisy-chain up to 16x Mini Dekker fixtures
- Long life LEDs (50,000 hr. rating)
- Multi-voltage operation: AC 100V-240V 50/60Hz
- Dimensions (LxWxH): 197 x 184 x 245 mm
- Weight: 1.7 kg




CODE: 1222400087

GTIN/EAN: 819730014573

REVO 4 IR



- LED DMX-512 Moonflower from the popular REVO Series with 256 razor sharp Red, Green, Blue White Beams
- Produces unique and exciting LED patterns
- 256 total 5mm LEDs : 64 Red, 64 Green, 64 blue and 64 White
- 2 DMX Channel Modes (4 Channel mode or 256 Channel mode)
- Linkable via XLR connections
- Wide beam spread covers a large area
- 3 Operating Modes - Show Mode; Sound Active; DMX Controlled
- Stand Alone or Primary/Secondary Configuration
- Strobe function
- Beam angle: 35°
- Runs extremely cool! - NO Duty Cycles! – Run all night!
- Includes hanging bracket safety loop
- Power Consumption: 34W maximum
- IEC AC IN/OUT on rear to daisy chain power (up to 21 fixture's @ 230V)
- Multi-voltage Operation: AC 100-240V, 50/60Hz
- Dimensions (LxWxH): 312 x 306 x 334 mm
- Weight: 4.9 kg



CODE: 1222400089

GTIN/EAN: 819730017253


MOVING HEADS & FX

QUAD PHASE HP




CODE: 1226100253

GTIN/EAN: 819730010049



- High output Moonflower effect with 32-Watt Quad-Color LED 4-in-1 (Red, Green, Blue, White) technology produces color-changing beams of light
- Dozens of razor sharp beams fill a dance floor, ceiling or wall
- Using a 1.8 Degree Long Life Stepper motor Technology it can produce quick accurate movement or smooth fluid move movements for mood music
- 4 DMX Channels (Color, Rotation, Strobe, Shutter)
- 3 Operating Modes: Primary/Secondary; Sound Active; DMX Controlled
- Stand Alone or Primary/Secondary Configuration
- Produces 15 Preset Colors
- Linkable via 3-pin XLR cable
- 4-button DMX display on rear panel
- Beam Angle: 65 degree
- Strobe Pulse LED Effect
- DMX-512 Protocol
- Electronic Dimming: 0 - 100%
- Runs extremely cool! - NO Duty Cycles! - Run all night!
- Includes UC IR Wireless Remote
- Compatible with the ADJ Airstream IR App
- IEC AC IN/OUT on rear to daisy chain power (up to 9 Quad Phase HP's @ 230V)
- Safety hook on rear panel
- Power Draw: 64W Max
- Multi voltage: 100V~240V, 50/60Hz
- Long life LEDs (30,000 hr. rating)
- Light Source: 32W RGBW LED 4-in-1
- Dimensions (LxWxH): 312 x 198 x 279 mm
- Weight: 4 kg




STINGER II




CODE: 1237000133

GTIN/EAN: 819730017864




- High output 3-FX-In-1: Moonflower, Strobe and Laser effect with 6 x 5W RGBAWP HEX LED's + 8 x 3W UV LED's + Red Green Lasers technology produces color-changing beams of light
- Dozens of razor sharp beams fill a dance floor, ceiling or wall
- Using a 1.8 Degree Long Life Stepper motor Technology it can produce quick accurate movement or smooth fluid move movements for mood music
- 2 DMX Channel modes: 2 Channels 9 Channels
- 3 Operating Modes - Show Mode; Sound Active; DMX Controlled
- Stand Alone or Primary/Secondary Configuration
- Produces 15 Preset Colors
- Linkable via 3-pin XLR cable
- Strobe Pulse LED Effect
- DMX-512 Protocol
- Electronic Dimming: 0 - 100%
- Runs extremely cool! - NO Duty Cycles! - Run all night!
- IEC AC IN/OUT on rear to daisy chain power
- Safety Loop on rear panel
- Power Consumption: 70W
- Fuse: 2Amp
- Compatible with ADJ UC IR wireless remote
- I.E.C. In Out to Daisy chain Power (Connect up to 10 Fixtures)
- Multi Voltage: 100V~240V, 50/60Hz
- Long life LEDs (Rated at approximately 50,000 hours)
- Light Source: 6 x 5W RGBA + White Pink LED's + 8 x 3W UV LED's + Red Green Laser
- Dimensions (L x W x H): 304 x 230.5 x 248 mm
- Weight: 5 kg



MOVING HEADS & FX

H2O IR




CODE: 1221500023

GTIN/EAN: 819730016973

- Bright 12W LED simulated water flowing effect
- Designed to project on walls, ceilings or floors with or without fog – great for mood or background lighting
- Equipped with 2 glass effect wheels and 1 independent dichroic color wheel
- 5 colors: Orange, Green, Blue, Yellow, Purple + White Split Colors
- High-tech plastic molded ends protect unit during transport and day-to-day use
- Manual focusing lens
- Color wheel rotation on/off button
- 2 operational modes: seamless scrolling colors or single color operation
- Beam angle: 43° or 34° (optional)
- Includes hanging bracket
- Run all night – units stays cool – no duty cycle
- ADJ UC IR Compatible (sold separately)
- Power consumption: 23.8W
- Long life 12W LED (30,000 hr. rating)
- Switchable voltage: 120V/60Hz or 230V/50Hz (IEC Plug)
- Dimensions (LxWxH): 236 x 229 x 187 mm
- Weight: 3.5 kg



H2O TWO



CODE: 1215200044

GTIN/EAN: 810087373214

- Light Source:
 - Bright, 120W Cool White LED
 - Color Temperature: 7000K
 - 50,000 Hour Average LED Life
- Features:
 - Color Wheel with 5 Dichroic Colors Plus White
 - 27° Beam Angle (37° Optical Lens included in the box for wider throw applications)
 - Manual Focus of Lens for Blurry Effects
 - 0.6Hz to 7.5Hz Strobe Rate
 - 3 Built-In Programs
 - Primary / Secondary Mode
 - Fan Cooled
- Control:
 - Control Protocol: DMX and IR Remote
 - 2 DMX Modes: 4 and 9 channel modes
 - Dim Modes: 6 Presets (Standard, Stage, TV, Architectural, Theatre Stage 2)
 - Dim Curves: 4 Presets (Linear, Square Law, Inv. Square Law and S Curve)
 - 0-100% Smooth Dimming
 - Variable, Pulse Random Strobe Modes
 - Max Strobe Rate 7.5Hz. Min Strobe Rate: 0.6Hz.
- With Wired Digital Communication Network
- Display: OLED display with 4-button touch menu
- Connections:
 - Data: IP20 Indoor locking 5-pin DMX In/Out
 - Power: IP20 Indoor locking power In/Out
 - Safety Loop
- Electrical:
 - 100-240V 50Hz/60Hz., Auto Sensing, Power Input
 - Power Out to link multiple like units
 - Max Power Consumption: 125W @220V.
 - Max Power Link: 16pcs @220V.
 - Fuse Protected: T5A/250V Glass Fuse (5*20MM)
- Dimensions (L x W x H): 315 x 231 x 234 mm
- Weight: 5 kg
- What's Included:
 - Power Locking Cable
 - 27° Optical Lens, 37° Optical Lens
 - 1x UC-IR (IR Remote)
 - Safety Cable

MOVING HEADS & FX

IKON IR



- Bright white 80W LED indoor Gobo Projector
- High quality optics - Clear powerful output
- Adjustable dimmer and rotate knob on rear panel
- Includes 4 replaceable metal Gobo patterns
- Gobo size: 54mm; Viewable size: 39.75mm; Thickness: 0.2mm
- Stainless Steel Gobos
- Run all night – No Duty Cycle
- Easy Gobo replacement access
- Manual focus
- Ideal for Mobile DJs, Clubs, Bars, Retail Stores and Promotional Events
- Very low heat output
- Beam Angle: 25, 32 or 43 degrees (Includes 3 different lenses)
- Long life LED (Rated at approximately 50,000 hrs.)
- IEC AC outlet on side to daisy chain power (up to 9 Ikon IR's @ 120V and 17 Ikon IR's @ 230V)
- Color Temperature: 8500K
- Includes yoke to mount on a wall or hang from trussing
- Includes UC IR Remote Control
- Compatible with the Airstream IR App


- Multi-voltage: 100-240V, 50/60Hz
- Power consumption: 74W max
- Dimensions (LxWxH): 236 x 236 x 215 mm
- Weight: 3 kg




CODE: 1221500027

GTIN/EAN: 819730017161

ECO UV BAR DMX



- Bright, high output DMX-512 Ultraviolet Bar with 18x 3-Watt UV LEDs
- 2 Operational modes: Manual Operation and DMX-512 Mode
- 3 DMX Channels
- Beam Angle: 120-degree
- LED Strobe effect, dimming On/off via wireless remote or DMX control
- Includes adjustable mounting brackets for wall/ceiling mount or to set on the floor for wall washing
- Includes UC IR wireless remote
- 3-Button LCD display
- Linkable via 3-pin DMX In/Out cable
- With Wired Digital Communication Network
- IEC AC input and output on rear to daisy chain power (Up to 10 Eco UV Bar DMX's)
- Long Life LEDs (Rated at approximately 50,000 hrs.)
- Power Draw: 60W
- Multi-voltage operation: AC 100V-240V 50/60Hz
- Wavelength: 395-405nm
- Refresh Rate: 1KHz
- Dimensions (LxWxH): 1000 x 60 x 115mm
- Weight: 2.4 kg



CODE: 1224100005


GTIN/EAN: 819730010858

LED PARS & BARS

MEGA COLOR Q18

ELIMINATOR[®]
LIGHTING

NEW



CODE: 1900000055

GTIN/EAN: 810087375584


- Light Source: 18 × 4W RGBA, 4-in-1 LEDs
- Beam Angle: 25°
- LED Lifespan: 50,000 hours
- Fully Pixel Controllable
- Control Modes: DMX512, Auto Mode, Primary-Secondary Mode, Sound Active
- DMX Channel Modes: 4 / 6 / 9 / 72 / 74
- DMX Signal Cable: 3-pin XLR connector

- Built-in Programs, Primary/Secondary control
- Strobe, color selection programs, color changing
- Input Power: AC100–240V, 50/60Hz
- Product Dimensions: 101 × 6 × 10 cm
- Net Weight: 2.1 kg
- IP Rating: IP20

MEGA PAR Z WASH

ELIMINATOR[®]
LIGHTING

NEW



CODE: 1900000053

GTIN/EAN: 810087375577


- Light Source: 19 × 15W RGBW 4-in-1 LEDs
- LED Lifespan: 50,000 hours
- Light Effect: Pure color, excellent color mixing, smooth wash output
- Control Modes: DMX512, Primary-Secondary, Auto/Self-walking, Sound Active, Static Mode, Circle Control
- DMX Channel Modes: 10 / 18
- Dimmer: 0–100% linear dimming

- Electronic Focus and Zoom: 10°–60°
- Display: LED display
- Input Power: AC100–240V, 50/60Hz
- Power Consumption: 200W
- Product Size: 225 × 275 × 337 mm
- Net Weight: 4.5 kg
- IP Rating: IP20

LP 8R

ELIMINATOR[®]
LIGHTING

NEW



CODE: 1900000052

GTIN/EAN: 810087375560

- Light Source: 7 × 8W RGBW 4-in-1 LEDs + 32 × RGB 3-in-1 Ring LEDs
- LED Lifespan: 50,000 hours
- Light Effect: Pure color, excellent color mixing, smooth wash output
- Control Modes: DMX512, Primary-Secondary, Auto Run, Sound Active, Wireless Remote Control
- DMX Channel Modes: 3 / 6 / 13 / 38
- Dimmer: 0–100% linear dimming

- Functions: White balance setting, color cast correction
- Temperature Control Protection
- Strobe: High-speed synchronous strobe
- Input Power: AC100–240V, 50/60Hz
- Power Consumption: 60W
- Product Dimensions: 180 × 130 × 210 mm
- Net Weight: 0.8 kg
- IP Rating: IP20

LED PARS & BARS


LP HEX 12 PLUS

ELIMINATOR[®]
LIGHTING



CODE: 1900000054

GTIN/EAN: 810087375591



- Light Source: 12 x 18W RGBWA+UV 6-in-1 LEDs
- LED Lifespan: 50,000 hours
- Beam Angle: 25°
- Light Effect: Pure color, excellent color mixing, smooth wash output
- DMX Channel Modes: 6 / 10
- Functions: White light balance setting, color cast correction
- Temperature Control Protection
- Control Modes: DMX512, Primary-Secondary, Auto Run, Sound Active
- Dimmer: 0–100% linear dimming
- Strobe: High-speed synchronous strobe
- Input Power: AC100–240V, 50/60Hz
- Power Consumption: 110W
- Metal Housing
- Product Dimensions: 210 x 250 x 190 mm
- Net Weight: 2.5 kg
- IP Rating: IP20

DOTZ TPAR SYS PLUS

ELIMINATOR[®]
LIGHTING



CODE: 1900000043

GTIN/EAN: 810087372002



- Complete lighting system with 4 COB LED PAR fixtures
- 4 x 30W TRI Color COB LEDs
- Smooth RGB color mixing without color shadows
- 90° beam angle with included 25° lens kit
- 1,345 lux output at 3 meters
- 14 built-in lighting programs
- Sound Active, Auto, Program and DMX modes
- 5 DMX channel modes (3 / 5 / 9 / 12 / 18)
- 0–100% electronic dimming with 5 dim curves
- Strobe effect and color chase programs
- RF remote control included (up to 25m range)
- Foot controller for hands-free operation
- Adjustable stand included (max. height 2.7m)
- Carry bag included for easy transport

MEGA HEX L PAR

ELIMINATOR[®]
LIGHTING



CODE: 1900000040

GTIN/EAN: 810087371760



- 4 x 20W 6-in-1 HEX LEDs (RGBLA+UV)
- High CRI >90 for accurate color rendering
- 1,100 lumen output
- 17° beam angle with included 20° frost filter
- Variable white color temperature (2300K–9900K)
- 15 white presets and 63 color macros
- 13 built-in programs
- Flicker-free operation for video applications
- 0–100% electronic dimming with 6 dim curves
- Color strobe effect
- 5 operating modes including DMX and Sound Active
- 7 DMX channel modes (6–17 channels)
- OLED display with intuitive 4-button menu
- IR remote, frost filter and scissor yoke included

LED PARS & BARS


MEGA 64 PROFILE EP

ELIMINATOR.
LIGHTING



CODE: 1900000042

GTIN/EAN: 810087371999



- 12 x 4W Quad LEDs (RGB+UV)
- 3,520 lux output at 2 meters
- 25° beam angle
- Smooth RGB+UV color mixing without color shadows
- Ideal for uplighting, wall washing and stage applications
- Low heat output compared to traditional stage lighting
- Flicker-free operation
- 64 built-in color macros
- 16 color change and 16 color fade programs
- 5 operating modes including DMX and Sound Active
- 5 DMX channel modes (4 / 5 / 6 / 9 / 10)
- 0-100% electronic dimming
- LED pulse and strobe effects
- Scissor yoke and power cable included


MEGA WASH 24

ELIMINATOR.
LIGHTING



CODE: 1900000047

GTIN/EAN: 810087372286



- 24 x 10W 6-in-1 HEX LEDs (RGBWA+UV)
- 25° beam angle
- Vibrant color wash effects
- 6 individually controllable LED zones
- Zone control in 40-channel DMX mode
- 0-100% electronic dimming
- Variable strobe effects
- 4 operating modes including DMX and Sound Active
- 4 DMX channel modes (3 / 6 / 10 / 40)
- OLED display with 4-button menu
- Dual fan cooling system
- Dual IR sensors for reliable remote operation
- Wireless IR remote included
- Mounting bracket included


FROST FX BAR RGBW

ELIMINATOR.
LIGHTING



CODE: 1900000031

GTIN/EAN: 818651029956



- 1-meter LED linear wash and effect fixture
- 14 x 3W RGBW LEDs plus 84 RGB SMD LEDs
- 17° beam angle
- Dynamic color chase and pixel effects
- 64 built-in color macros
- 45 built-in shows
- 4 operating modes including DMX and Sound Active
- 0-100% electronic dimming
- 8 DMX channel modes
- Individual pixel control effects
- 4-button LED display menu
- Locking power In/Out connections
- Adjustable hanging bracket included
- Power cable included

LED PARS & BARS

FROST FX BAR W

ELIMINATOR.
LIGHTING



- 1-meter LED linear wash and effect fixture
- 14 x 3W white LEDs plus 84 RGB SMD LEDs
- 17° beam angle
- Bright white wash with dynamic RGB effects
- 64 built-in color macros
- 45 built-in shows
- 4 operating modes including DMX and Sound Active

- 0-100% electronic dimming
- 9 DMX channel modes
- Individual pixel control effects
- 4-button LED display menu
- Locking power In/Out connections
- Adjustable hanging bracket included
- Power cable included

CODE: 1900000032

GTIN/EAN: 818651029963

5PX HEX



- 5 x 12W RGBAW+UV LEDs
- Smooth RGBAW+UV color mixing
- 25° beam angle
- 63 built-in color macros
- 7 built-in programs
- 5 operating modes including DMX and Sound Active
- 4 DMX channel modes (6 / 7 / 8 / 12)
- 0-100% electronic dimming

- 5 selectable dimming curves
- LED pulse and strobe effects
- Flicker-free operation for video applications
- Compact design for floor, truss and uplighting use
- Locking power In/Out for daisy chaining
- Scissor yoke included

CODE: 1226100363

GTIN/EAN: 818651025217

5PX HEX PEARL



- 5 x 12W RGBAW+UV LEDs
- Smooth RGBAW+UV color mixing
- 25° beam angle
- Elegant pearl white housing
- 63 built-in color macros
- 7 built-in programs
- 5 operating modes including DMX and Sound Active


- 4 DMX channel modes (6 / 7 / 8 / 12)
- 0-100% electronic dimming
- 5 selectable dimming curves
- LED pulse and strobe effects
- Flicker-free operation for video applications
- Locking power In/Out for daisy chaining
- Scissor yoke included

CODE: 1226100364

GTIN/EAN: 818651025408

LED PARS & BARS

DOTZ PAR



CODE: 1223200032

GTIN/EAN: 819730012302

- 1 x 36W TRI Color COB LED
- COB technology for smooth RGB color mixing
- 60° beam angle with included 25° lens kit
- 32 built-in color macros
- Built-in color and effect programs
- 5 operating modes including DMX and Sound Active
- 4 DMX channel modes (3 / 4 / 5 / 9)
- 0-100% electronic dimming
- 5 selectable dimming curves
- LED pulse and strobe effects
- Pixel mapping capabilities
- Flicker-free operation for video applications
- Compact low-profile design for floor or truss mounting
- Single mounting yoke included

DOTZ PAR RGBL




CODE: 1223200107

GTIN/EAN: 810087372835

- 16 x 3.5W RGBL COB LEDs
- RGBL color mixing with enhanced lime LED
- Variable white color temperature (2700K-6500K)
- 18° beam angle with included lens kit
- 64 built-in color macros
- 16-bit fine color control
- 6 operating modes including DMX and Sound Active
- Wireless RF control capability
- RDM support for remote device management
- 0-100% electronic dimming
- 6 dimming modes and 4 dimming curves
- LED pulse and strobe effects
- Scissor yoke included
- Power cord and lens kit included

DOTZ PAR RF REMOTE



CODE: 1223200035

GTIN/EAN: 819730015839


- Wireless RF remote control
- Control compatible fixtures up to 25m away
- Blackout function
- Static color selection
- Color fade mode
- Built-in program control
- Sound Active mode activation
- Auto Run mode with speed control
- Program selection via +/- buttons
- Color selection via +/- buttons
- Easy wireless operation
- Compact handheld design
- Ideal for quick event setup and control
- Compatible with the following ADJ and Eliminator Lighting fixtures:
 - 5P HEX (Pearl), 5PX HEX (Pearl), 12P HEX (Pearl), 12PX HEX (Pearl), 18P HEX, UV Flood 36, WiFly EXR Dotz Par, Dotz Par (100)

LED PARS & BARS

DOTZ TPAR SYSTEM RF REMOTE



RF REMOTE CONTROL



CODE: 1223200036

GTIN/EAN: 818651021974

- Wireless RF remote control
- Designed for Dotz TPAR System fixtures
- Control compatible fixtures up to 25m away
- Blackout function
- Static color selection
- Built-in program control
- Color fade effects
- Sound Active mode activation
- Auto Run mode with speed adjustment
- Independent Light 1 and Light 2 control
- Quick access ON/OFF controls
- Program and color selection via +/- buttons
- Compact handheld transmitter
- Ideal for mobile entertainers and event setups

VPAR PAK




CODE: 1226100280

GTIN/EAN: 819730013149

- 5x 4W, 4-IN-1 QUAD LEDs (50,000 hrs)
- Smooth RGBA Color Mixing (fast or slow color change operation)
- Unique "sit-flat" design: Power & DMX Ins / Outs intelligently designed so the unit can be set flat on the ground or set inside truss
- 8 DMX Channel modes: 1, 2, 3, 4, 5, 6, 7 or 8 channels
- 5 Operational modes: RGBA Dimmer mode, sound active mode, static color mode, auto run mode (3 auto run modes), and DMX Control
- Digital DMX Display with 4-button menu for easy navigation
- Stand-alone or Master / Slave Configuration
- Beam Angle: 40°
- 15 built-in Color Macros
- Color strobe effect
- Linkable via 3-pin XLR cable
- Flicker-free operation
- a scissor yoke to hang on truss, mount on a wall or set on the ground

VBAR PAK



CODE: 1226100281

GTIN/EAN: 819730013156

- 5x 4W, 4-IN-1 QUAD LEDs (50,000 hrs)
- Smooth RGBA Color Mixing (fast or slow color change operation)
- 8 DMX Channel modes: 1, 2, 3, 4, 5, 6, 7 or 8 channels
- 5 Operational modes: RGBA Dimmer mode, sound active mode, static color mode, auto run mode (3 auto run modes), and DMX Control
- Digital DMX Display with 4-button menu for easy navigation
- Stand-alone or Primary/Secondary setup
- Beam Angle: 40°
- 15 built-in Color Macros
- Color strobe effect
- Linkable via 3-pin XLR cable
- Flicker-free operation
- Adjustable mounting brackets; mount on a wall or set on the ground
- Power Draw: 21W Max


LED PARS & BARS

MEGA TRIPAR PROFILE PLUS



CODE: 1226100298

GTIN/EAN: 819730014535



- 5 x 4W, 4-IN-1 (RGB+UV) Quad LEDs
- Smooth Color Mixing (fast or slow color change)
- Unique "sit-flat" design: Power & DMX Ins / Outs intelligently designed so the unit can be set flat on the ground or set inside truss
- 5 DMX Channel modes: 4, 5, 6, 9 or 10 channel modes
- 5 Operational modes: Auto Run (16 Color Change Mode, 16 Color Fade Modes, & 1 Combined Mode), Sound Active (16 Modes), RGB + UV Dimmer Mode, Static Color Mode (64

- Colors), and DMX
- Stand-alone or Primary/Secondary Configuration
- Beam Angle: 40°
- 64 built-in Color Macros
- Color strobe effect
- Flicker-free operation
- a scissor yoke to hang on truss, mount on a wall or set on the ground
- Power Draw: 21W Max

MEGA HEX PAR



CODE: 1226100345

GTIN/EAN: 818651020984



- 5 x 6W, 6-IN-1 Hex LEDs (50,000hrs)
- HEX LEDs allow for a wider pallet of colors like hot pink, lime green and electric blue
- Smooth Color Mixing (fast or slow color change)
- Unique "sit-flat" design: Power & DMX Ins / Outs intelligently designed so the unit can be set flat on the ground or set inside truss
- 5 DMX Channel modes: 6, 7, 8, 11 or 12 channel modes
- 5 Operational modes: Auto Run (16 Color Change Mode, 16 Color Fade Modes, & 1


- Combined Mode), Sound Active (16 Modes), RGBAW + UV Dimmer Mode, Static Color Mode (63 Colors), and DMX
- Stand-alone or Master / Slave Configuration
- Beam Angle: 25°
- 63 built-in Color Macros
- Color strobe effect
- Flicker-free operation
- A scissor yoke to hang on truss, mount on a wall or set on the ground

PINSPOT LED II



CODE: 1212100001

GTIN/EAN: 819730013002



- Bright 3W white LED Pinpoint
- Beam Angle: 3°
- Very low heat output or power consumption
- hanging bracket
- 12° lens included
- Powerdraw 5W
- Dimensions (LxWxH): 170x97x59mm
- Weight: 0,5 kg

LED PARS & BARS

UBL12HB



CODE: 1226200081

GTIN/EAN: 810087374358



- 12 x 20W Ultra bright LEDs
- Long Life LEDs
- Beam Angle: 17°
- CRI >90
- Smooth RGBAL+UV color mixing
- 7 DMX Channel Modes: 6, 11, 13, 16, 36, 43, & 46 Channels
- 6 Groups x2 RGBAL+UV LED pixels controllable via DMX in 36, 43 & 46 channel modes
- Aria X2 Management System
- 5 operational modes: Auto Run, Program Mode, Sound Trigger, RGBAL+UV Manual, and DMX-512 Mode

- LED Refresh Rate: 1.9KHz
- 64 built-in Color Macros
- Built-In Microphone for sound trigger
- LED pulse and strobe effect
- Up to 20-hour Battery Operation
- Dimensions (LxWxH): 1082x87x106mm
- Weight: 4.8 kg
- Operational Temperature Range: -20°C to 45°C
- Storage Temperature: -20°C to 45°C

UBL12H



CODE: 1226200068

GTIN/EAN: 810087371937



- 12 x 20W Ultra bright LEDs
- Long Life LEDs
- Beam Angle: 17°
- CRI >90
- Smooth RGBAL+UV color mixing
- 7 DMX Channel Modes: 6, 11, 13, 16, 36, 43, & 46 Channels
- 6 Groups x2 RGBAL+UV LED pixels controllable via DMX in 36, 43 & 46 channel modes
- 5 operational modes: Auto Run, Program Mode, Sound Trigger, RGBAL+UV Manual, and DMX-512 Mode


- LED Refresh Rate: 1.9KHz
- 64 built-in Color Macros
- Built-In Microphone for sound trigger
- LED pulse and strobe effect
- Linkable: DMX via 5-pin XLR cable
- Dimensions (LxWxH): 75x1082x106.7mm
- Weight: 3.4 kg
- Operational Temperature Range: -20°C ~ 45°C
- Storage Temperature: -20°C ~ 45°C

UBL9H



CODE: 1226200069

GTIN/EAN: 810087371920



- 9 x 20W Ultra bright LEDs
- Long Life LEDs
- Beam Angle: 17°
- CRI >90
- Smooth RGBAL+UV color mixing
- OLED Display with 4-buttons
- 7 DMX Channel Modes: 6, 11, 13, 16, 18, 25, & 28 Channels
- 3 Groups x3 RGBAL+UV LED pixels controllable via DMX in 18, 25 & 28 channel modes
- 5 operational modes: Auto Run, Program Mode, Sound Trigger, RGBAL+UV Manual, and DMX-512 Mode

- LED Refresh Rate: 1.9KHz
- 64 built-in Color Macros
- Built-In Microphone for sound trigger
- LED pulse and strobe effect
- Linkable: DMX via 5-pin XLR cable
- Dimensions (LxWxH): 75x1082x106.7mm
- Weight: 3.3 kg
- Operational Temperature Range: -20°C ~ 45°C
- Storage Temperature: -20°C ~ 45°C

LED PARS & BARS

UBL6H



CODE: 1226200070

GTIN/EAN: 810087371913

- 6 x 20W Ultra bright LEDs
- Long Life LEDs
- Beam Angle: 17°
- CRI >90
- Smooth RGBAL+UV color mixing
- OLED Display with 4-buttons
- 7 DMX Channel Modes: 6, 11, 13, 16, 18, 25, & 28 Channels
- 3 Groups x2 RGBAL+UV LED pixels controllable via DMX in 18, 25 & 28 channel modes
- 5 operational modes: Auto Run, Program Mode,

- Sound Trigger, RGBAL+UV Manual, and DMX-512 Mode
- LED Refresh Rate: 1.9KHz
- 64 built-in Color Macros
- Built-In Microphone for sound trigger
- LED pulse and strobe effect
- Linkable: DMX via 5-pin XLR cable
- Dimensions (LxWxH): 75x568.9x106.7mm
- Weight: 2kg
- Operational Temperature Range: -20°C ~ 45°C
- Storage Temperature: -20°C ~ 45°C

UBL6H 1X40° FILTER



CODE: 1226200076

GTIN/EAN: 810087372774

- 1x40° Linear Diffusion Filter for the ADJ UBL6H Linear Bar
- Changes on the fixtures from a native beam angle of 17° to 1x40°
- Improves the appearance of the beam when washing a wall with light by creating a more even field - especially near the
- Filter slides into the channel on the front of the linear fixture and is held down by the thumbscrew supplied by the fixture



UBL9/12H 1X40° FILTER



CODE: 1226200077

GTIN/EAN: 810087372781

- 1x40° Linear Diffusion Filter for the ADJ UBL9H and UBL12H/HB Linear Bars
- Changes on the fixtures from a native beam angle of 17° to 1x40°
- Improves the appearance of the beam when washing a wall with light by creating a more even field - especially near the
- Filter slides into the channel on the front of the linear fixture and is held down by the thumbscrew supplied by the fixture



EFFECT MACHINES

VF 400 EP

ELIMINATOR
LIGHTING



CODE: 1900000300


GTIN/EAN: 810087372187

- 400W mobile Fog Machine
- High efficiency heater block burns through fog with less residue
- Warm-up time: 2-3 minutes
- Reheating Time: 30 Seconds
- Second Fog Shooting Time: Around 37 Seconds
- Output: 3,000 cubic ft. per min
- Internal fog fluid tank: 0.25 Liter (full tank of fluid last 34 min.)
- Fluid level indicator
- Includes Z-VG400EP-R wired remote

- Only use high quality, water-based fog fluid
- Dimensions: 248 x 205 x 198 mm
- Weight: 1.4 kg

VF 1 100 EP

ELIMINATOR
LIGHTING



CODE: 1900000301

GTIN/EAN: 810087372194

- 850W mobile pro Fog Machine
- High efficiency heater block burns through fog with less residue
- Electronic Thermo Sensing (ETS) for optimum heating levels
- Low fog fluid shut off sensor to protect pump
- Warm-up time: 2 minutes (approximately)
- Reheating Time: 10 Seconds
- Second Fog Shooting Time: 10 Seconds
- Output: 9,000 cubic ft. per min
- Internal fog fluid tank: 1 Liter

- Fluid level indicator
- Includes VFEP5R wired remote
- Includes VFEPWR Wireless remote
- Optional Timer Remote: VPEPT3 (not included)
- Fog output switch on rear panel
- Only use high quality, water-based fog fluid
- Dimensions (LxWxH): 341 x 252 x 261 mm
- Weight: 3 kg

VF 1 300 EP

ELIMINATOR
LIGHTING



CODE: 1900000302

GTIN/EAN: 810087372200

- 1100W mobile Fog Machine
- High efficiency heater block burns through fog with less residue
- Electronic Thermo Sensing (ETS) for optimum heating levels
- LED heating indicator system in tank: Red = Heating; Green = Ready to use; Flashing = Fog fluid tank is low
- Low fog fluid shut off sensor to protect pump
- Warm-up time: 2-3 minutes
- Reheating Time: 17 Seconds

- Second Fog Shooting Time: Around 12 Seconds
- Output: 12,000 cubic ft. per min
- External fog fluid tank: 2.3 Liter
- Includes VEP5R wired remote
- Includes VFEPW2 wireless remote
- Includes IEC power cable
- Optional VFEPT6 timer remote sold separately
- Fog output switch on rear panel
- Only use high quality, water-based fog fluid
- Dimensions (LxWxH): 445 x 315 x 200 mm
- Weight: 7 kg

EFFECT MACHINES

VF 1600 EP

ELIMINATOR
LIGHTING



CODE: 1900000303

GTIN/EAN: 810087372231



- 1500W mobile DMX Fog Machine
- High efficiency heater block burns through fog with less residue
- Electronic Thermo Sensing (ETS) for optimum heating levels
- LED heating indicator system in tank: Red = Heating; Green = Ready to use; Flashing = Fog fluid tank is low
- Low fog fluid shut off sensor to protect pump
- Warm-up time: 8 minutes
- Reheating Time: 15 Seconds

- Second Fog Shooting Time: Around 12 Seconds
- Output: 20,000 cubic ft. per min
- Fog fluid tank: 2.3 Liter (non-removable)
- Includes the VFEPT6 timer wired remote
- Includes the VFEP2 wireless remote
- Fog output switch on rear panel
- 3-pin DMX In/Out
- Safety Loop
- Only use high quality, water-based fog fluid
- Dimensions (LxWxH): 495 x 355 x 230 mm
- Weight: 10 kg

VF VOLCANO EP

ELIMINATOR
LIGHTING



CODE: 1900000304

GTIN/EAN: 810087372217



- 750W professional vertical Fog Machine with 6 x 3W LEDs
- High performance pump for optimum output
- ADJ's Electronic Thermo Sensing (ETS) technology
- 2 Operational modes: Manual & Remote Control
- Convenient carrying handle
- Low Fluid LED Indicator on rear
- Built-In, non-removable fog fluid tank: 1 Liter
- Included Accessory: VFV-WR wireless remote to trigger color / fog output on one or multiple VF

- Volcano's
- 6 x 3W LEDs,
- VFV-WR Remote Functions:
- Button 1 - Fog + Red LEDs
- Button 2 - Fog + Green LEDs
- Button 3 - Fog + Blue LEDs
- Button 4 - Fog + Red, Green, & Blue LEDs
- Button 5 - Fog + Red & Green LEDs
- Button 6 - Fog + Red & Blue LEDs

MISTER KOOL EP

ELIMINATOR
LIGHTING



CODE: 1900000305

GTIN/EAN: 810087372170



- Heater: 700W Heater
- Warm up Time: 3 Minutes
- Reheating Time: 27 Seconds
- Second Fog Shooting Time: Around 36 Seconds
- 120V / 60Hz or 230V / 50Hz (non switchable)
- Low-lying fog stays low to the ground—similar to a dry ice effect
- Uses standard water based fog juice and ice cubes
- No need for expensive fog chillers, bulky air conditioning units or dry ice

- Perfect for Halloween FX and theatrical events; creates popular "grave yard" and "dancing on a cloud" effects
- Load up to 4 pounds of ice in the chiller box
- Power On / Off switch
- Fog fluid container: 0.8 Liter (external)
- Output: 3,000 cubic ft. per minute (85m2)
- Fluid Consumption: 90ml / min
- Water drainage valve system allows for easy clean-up. Water drains directly into the provided plastic bag.

EFFECT MACHINES


BUBBLETRON EX

ELIMINATOR
LIGHTING



CODE: 1900000306

GTIN/EAN: 810087372118



- Portable high output bubble machine - creates hundreds of bubbles per minute
- Durable plastic casing with EZ-Access front fluid tank
- Large high velocity fan makes bubbles rise quickly in the air
- ON/OFF switch on rear of unit
- ON/OFF wired remote with 25 ft./8M cable
- Carrying handle
- Most types of bubble liquid acceptable
- Power Consumption: 24W

- Fluid Consumption Rate: 1 Liter every two hours; 230V: 11ml/min
- Voltage: AC 230V/60Hz
- Dimensions (LxWxH): 352mm x 176mm x 209mm
- Weight: 2kg


BUBBLETRON EXL

ELIMINATOR
LIGHTING



CODE: 1900000307

GTIN/EAN: 810087372132



- Portable high output bubble machine
- Creates hundreds of bubbles per minute
- Extra-large, durable plastic casing with EZ-Access front fluid tank
- Unique dual fan system that push bubbles up in the air so they can travel further
- ON/OFF switch on rear of unit
- Carrying handle
- Includes BUBGO-WR Wireless Remote Control
- Tank Capacity: 2 Liter
- Fluid Consumption Rate: 40ml/ per minute

- Power Consumption: 14W
- Voltage: 230V, 60Hz (non-switchable)
- Dimensions (LxWxH): 359 x 266 x 278 mm
- Weight: 3.7 kg


BUBBLETRON EX GO

ELIMINATOR
LIGHTING



CODE: 1900000308

GTIN/EAN: 810087372224



- Battery powered portable high output bubble machine
- Creates hundreds of bubbles per minute
- Durable plastic casing with EZ-Access front fluid tank
- 1 Liter Fluid Tank
- Large high velocity fan makes bubbles rise quickly in the air
- ON / OFF switch on rear of unit
- ON / OFF Wireless remote controller BUBGO-WR included

- Carrying handle
- Most types of bubble liquid acceptable
- Power Consumption: 17W
- Fluid Consumption Rate: 1 Liter every 50 Mins
- Battery life indicator with charge indicator
- Battery Charge Time: 6 Hours (Per Cycle)
- Battery Life: 5 Hours (Full On)
- (Charger): DC12V 1000mA

EFFECT MACHINES

BUBBLETRON EXL GO

ELIMINATOR
LIGHTING



CODE: 1900000310

GTIN/EAN: 810087372125

- Battery powered portable high output bubble machine
- Creates hundreds of bubbles per minute
- Extra-large, durable plastic casing with EZ-Access front fluid tank
- Unique dual fan system that push bubbles up in the air so they can travel further
- ON/OFF switch on rear of unit
- Carrying handle
- Includes BUBGO-WR Wireless Remote Control
- Tank Capacity: 2 Liter
- Fluid Consumption Rate: 16ml/ per minute
- Battery Capacity: 4.0Ah
- Battery Operating Time (full power): 3 hours
- Battery Charging Time (per cycle): 6 hours
- Power Consumption: 15W @ 120V
- Voltage: AC 100-240V, 50/60Hz (charger) DC 12V, 1000 mA
- Dimensions (LxWxH): 359mm x 266mm x 278mm
- Weight: 4.4 kg

VF SNOW FLURRY HO EP

ELIMINATOR
LIGHTING




CODE: 1900000311

GTIN/EAN: 810087372859

- 1250W mobile DMX Snow Machine
- Spray distance: 8-10 meters
- Volume selection switch: Low or high snow output
- Low snow fluid sensor to protect pump
- Internal snow fluid tank: 2.3 Liter
- Fluid consumption : 505ml/min max
- Fluid level indicator
- Includes wired remote
- ADJ UC IR Compatible (Sold Separately)
- On/Off switch on rear panel
- 3-pin DMX In/Out
- Uses water based snow fluid
- Power Draw: 1250 W
- Dimensions (LxWxH): 510 x 316 x 349mm (With Bracket) 510 x 316 x 268mm (Without Bracket)
- Weight: 8 kg

VF FLURRY EP




CODE: 1900000010

GTIN/EAN: 810087372354

- 600W mobile Snow Machine
- Spray distance: 2-5 meters
- Volume selection switch: Low or high snow output
- Low snow fluid sensor to protect pump
- Internal snow fluid tank: 1 Liter
- Fluid level indicator
- wired remote VFFR
- On / Off switch on rear panel
- Uses water based snow fluid
- Fluid consumption: min 10ml / min, max 170ml / min
- Dimensions (LxWxH): 349 x 261 x 255 mm
- Weight: 3.6 kg

EFFECT MACHINES

FOG FURY JETT




CODE: 1411100017

GTIN/EAN: 819730013835

- 700W professional DMX vertical Fog Machine with 12x 3W LEDs
- High performance pump for optimum output
- ADJ's Electronic Thermo Sensing (ETS) technology
- Automatic circuit cut-off to protect pump if fog fluid tank runs dry
- 3 Operational modes: Manual, Remote Control, or DMX
- 5 DMX modes : 1, 2, 3, 5 or 7 DMX Channels
- 4-button control & LCD display on rear panel

- 3-pin DMX XLR In / Out connections
- Convenient carrying handle
- Low Fluid Indicator on rear
- Warm-up time: 9 min
- External fog fluid tank: 3 Liter
- Fog Output: 20,000 (cu.ft / min)
- Tank can be mounted to either front or rear so that the effect may be pointed up or down
- Included Accessory: ADJ FFJPWR - wireless remote
- Power Connection: IEC AC In

ENTOUR FAZE




CODE: 1411100030

GTIN/EAN: 818651025149

- 450W Faze Machine with DMX protocol
- Rapid Heater Technology - ready to use in 45 seconds
- Uses standard water based fog fluid
- Haze Output: 4000 cubic feet per min (fan and volume full on)
- Fluid Consumption: 4,5ml. per min.
- Automatic circuit cut-off to protect pump if fog fluid tank runs dry
- Tank Capacity: 3-liter
- DMX Channels: 1, 2 or 4-channel mode

- Connection: 3-pin XLR In / Out
- Digital display with on-board controls
- Power Consumption: 465W
- On / Off Switch
- Faze trigger switch
- Safety eye
- unique dual hanging bracket system that allows machine to be angled in an optimum position
- wired remote control with output volume, red power on LED & green ready indicator

ENTOUR CHILL



CODE: 1411100033

GTIN/EAN: 818651028249

- 800W Low-lying fog stays low to the ground – similar to a dry ice effect
- New Heater system for continuous output with no additional warm-up time
- Uses standard water-based fog juice and ice cubes
- Continuous output (run up to one hour)
- No need for expensive fog chillers, bulky air conditioning units or dry ice
- New sophisticated electronic temperature control: heats up in 3 minutes and stays heated

- LED heating indicator system in tank: Red = Heating; Green = Ready to use; Flashing = Fog fluid tank is low
- 1 DMX channel
- On-board controls: timer output, continuous output
- Fire resistant rugged plastic case
- Ice tank capacity: 2.5 kg.
- Fluid tank: 1-liter internal tank
- Water drainage valve system allows for easy clean-up.

EFFECT MACHINES

VPEPT3

ELIMINATOR[®]
LIGHTING



The VPEPT3 is an optional wired timer remote control that is suitable for the following fixtures:

- VF1100 EP
- VF1300 EP
- VF Volcano EP
- Mister Kool EP

- Functions:
- Timing interval knob (1 - 30 sec.)
- Duration knob (1 - 20 sec.)
- Timer on/off button
- Continuous button
- Manual button
- Indicator LEDs

CODE: 1900000309

GTIN/EAN: 810087374006

FF23TR FOG FURY DMX TIMER REMOTE



The FF23TR Fog Fury DMX Timer Remote is an optional wired timer remote control that is suitable for the following fixtures:

- Fog Fury 2000
- Fog Fury 3000

- Control Functions:
- Duration knob
- Function 1: Timer on/off
- Function 2: Timer duration (0.5 - 13 sec.)
- Interval knob (9 sec. - 4 min.)
- Power On/Off Button
- DMX Manual Button
- Manual Fogging button
- DMX 3-Pin Input

CODE: 1221000008

GTIN/EAN: 819730012630

FF23WR WIRELESS REMOTE FOG FURY



The FF23WR Wireless Remote Fog Fury is an optional wireless remote control that is suitable for the following fixtures:

- Fog Fury 2000
- Fog Fury 3000
- Fog Fury 3000 WiFly

- Functions:
- 2 Button wireless control

CODE: 1411100012

GTIN/EAN: 819730012616

LIGHT CONTROL

MYDMX 5



CODE: 1310000173

GTIN/EAN: 810087372460



- Specification
- DMX Lighting Control Software / Hardware for Mac & PC
- Drag & Drop Patch Grid
- Drag & Drop Superscene Timeline
- 3D Visualizer
- 2D Position View
- myDMX 5 Remote App
- Live Mixer for Playback
- Touch Screen Compatible
- MIDI

Note:

- The RJ45 socket is used as an alternative to USB - this does not output Art-Net. The socket also allows the device to be controlled in Stand-Alone with the myDMX 5 Remote iPhone / iPad / Android app.

MYDMX 5 EXPRESS



CODE: 1310000174

GTIN/EAN: 810087372583



- DMX Lighting Control Software / Hardware for Mac & PC
- myDMX5 Express Mode Software
- 256 Live DMX Channels (Upgradeable to 512 Channels)
- 256 Stand-alone DMX Channels (Upgradeable to 512 Channels)
- 50K Memory
- One Zone
- 3 buttons for triggering scenes in Stand-alone mode

- One (1) 3-pin DMX Output
- Drag & Drop Patch Grid
- 2D Position View
- 99 Scenes in Total
- Up to 4 Scenes can play simultaneously
- USB Type C (USB-C Cable included)


Super Scenes, Live Mixer, Midi, 3D Visualizer, myDMX Remote App features and more available only in full version at store.dmxsoft.com

MYDMX GO



CODE: 1226100370

GTIN/EAN: 818651026054



- DMX Lighting Control App for iPad or Android Tablets
- 256 DMX channels (Up to 256 additional channels can be purchased at store.dmxsoft.com for use with mydmx GO. 512 additional channels can be purchased if a second universe is required when using the interface with myDMX 3.0 software only)
- DMX over WIFI & USB (USB Android only)
- Library of 15,000+ lighting fixtures
- Light Position Calibration

- 21 Automatic Effects
 - 50 User Presets
 - Speed / Size / Shift / Fade / Fanning control
 - Master & Submasters
 - Color Wheel selection and RGB Color Picker
 - Upgrades available at store.dmxsoft.com
- Tablet Compatibility:**
- Requires iPadOS 13 or later. Check if your device supports this.
 - Android Tablets or Amazon Fire Tablets 4.0.3 and up

LIGHT CONTROL

DMX FX512



CODE: 1322000064

GTIN/EAN: 810087372491

- 19" Rack-mount DMX Controller
- DMX 512 & RDM protocol.
- 512 DMX channels.
- Control up to 32 intelligent fixtures, up to 18 channels each
- 32 chases, each up to 100 steps, can run 5 chases simultaneously
- 32 programmable scenes
- Soft-patchable faders & control wheels
- 16 built-in effects generator. 9 for moving light and 7 for RGB LED fixtures

- DMX512 and RDM
- RDM to set the DMX addresses and DMX channel mode of the fixtures from controller
- 16 channel control faders
- Sound sensitivity digitally adjustable (0%-100%), built-in Mic.
- 5pin XLR DMX Output
- Min. ambient temperature: 0°C
- Max ambient temperature: 45°C

DMX OPERATOR 384



CODE: 1322000051

GTIN/EAN: 819730014344

- 2 controllers in 1 (DMX and Midi controller)
- 12 Fixtures- 32 DMX channels each, 384 total channels
- 30 programmable scene banks- 240 total programmable scenes
- 12 programmable chases
- 8 control faders x 4 channel banks
- Assignable Joystick
- Speed and Fade faders
- Built-in microphone or Line level RCA audio input for music trigger

- MIDI input for scene, chase or blackout trigger
- Tap Sync button for chase speed over-ride
- Fog Machine input and trigger button (For use with specific ADJ Foggers)
- RS-232 input
- Blackout button

DMX OPERATOR



CODE: 1322000046

GTIN/EAN: 819730011978

- An affordable solution for controlling DMX products
- Assignable Joystick
- Changeable Pan / Tilt Option - Choose between built-in Joystick or optional Rotary Knobs (sold separately)
- Pan / Tilt Fine button
- 192 DMX channels
- 12 Fixtures- 16 DMX channels each
- 30 programmable scene banks- 240 total programmable scenes

- 12 programmable chases
- 8 control faders
- Speed and Fade faders
- USB input for optional "USB Lite" or "USB MemStick"
- Built-in microphone for sound trigger
- Line level RCA audio input for music trigger
- MIDI input for scene, chase or blackout trigger
- LCD display
- DMX polarity switch

LIGHT CONTROL

SCENE SETTER 24



CODE: 1322000048

GTIN/EAN: 819730012043

- 24 channel conventional dimming console
- Two scene operation (A / B faders)
- 11,000 programmable scenes - password protected
- 48 programmable chases (stacks) - password protected
- Up to 1,000 scenes (steps) per chase
- 12 x 4 Pages = 48 total chases
- Solo Pile On chase operation
- Blind Dark functions
- 24 individual channel faders
- 24 bump buttons
- Tap Sync button for chase speed / fade override
- Independent speed fade control
- Full-On button for 100% momentary output to all 24 channels
- Bright LCD display
- Compatible with ADJ or Elation dimmer packs: DP-DMX20L, CYBER PAK, UNI PAK-II, UNI BAR, DP-415, DP-640, RMD620, RMD1210
- Line level audio input and built-in microphone for music sync operation

SDC24




CODE: 1322000065

GTIN/EAN: 810087372675

- 8 individual channel faders and 1 master fader
- 24 DMX channels
- Compact, portable design
- 3-Pin and 5-Pin XLR output
- Battery Type: PP3 9V (not included)
- Control / Connection:
- DIP Switches To Set Starting DMX Channel
- 3pin & 5pin DMX Outputs
- On / Off Switch
- Channel Page button with Indicator LED's
- DC9V-12V Power Supply Input
- 9V Battery slot
- Length: 120mm
- Width: 230mm
- Height: 56.66mm
- DC9V-12V 300mA min or 9V Battery (Not Included)

SDC-6 FADERDESK V2 BLACK



CODE: 1236100095

GTIN/EAN: 837874006575

- No Confusing Configuration
- 6 Direct Channel Access Faders
- One Master Fader
- On / Off Switch
- Power Supply Included
- Compact and Lightweight
- Simple 6 Channel DMX Control
- 6 Individual Fader and One Masterfader
- 6 DMX Channels
- Very compact Design
- Easy Handling
- External Power Supply (9V DC / 500mA)
- DMX Output: 3Pol (2+,3- / 2-,3+)

LIGHT CONTROL

RGBW 4C IR



CODE: 1321000076

GTIN/EAN: 819730016485

- Compact DMX512 controller for RGB, RGBW and RGBA LED fixtures
- Control up to 8 individual fixtures or fixture groups
- 3 user programmable color preset, direct access buttons
- 9 Color preset / Chase program direct access buttons
- Color Macro playback mode
- RGB and Auto modes
- On the fly Speed & Fade control of all chase programs
- Sound active mode via internal microphone
- Adjustable microphone sensitivity
- Variable strobe
- Blackout button
- ADJ LED RC2 Compatible (Sold Separately)
- DMX output connector: 3-pin XLR
- Power In: 12VDC 500mA UL power supply (Included)
- Power consumption: 3.6W

UNI PAK MKII



CODE: 1330000003

GTIN/EAN: 819730012241

- Standard DMX-512 protocol
- Dim Preset
- Dim Limiter
- Direct access dim fader
- Can be changed from a dimmer to a switch pack e.g. when using products with motors
- LED display makes it easy to set DMX channels
- XLR in and out
- one EU earthed socket with lid
- Easy to use mounting bracket
- Maximum power: 10A



**CHECK OUR WEBSITE
FOR MORE INFORMATION
AND SPECIFICATIONS
ABOUT OUR PRODUCTS**

LIGHT CONTROL

LED RC2



CODE: 1226200027

GTIN/EAN: 819730017185

Remote Control for :

- Flat PAR CWWW9, Flat PAR CWWW18, Flat PAR QA5, Flat PAR QA5X, Flat PAR QA5XS, Flat PAR QA12, Flat PAR QA12X, Flat PAR QA12XS, Flat PAR QWH5, Flat PAR QWH5X, Flat PAR QWH5XS, Flat PAR QWH12, Flat PAR QWH12X, Flat PAR QWH12XS, Mega QA PAR 38, Mega TriPar Profile Plus, Mega Par Profile Plus, Mega 64 Profile Plus, VBAR PAK, VPAR PAK, Pinpoint Go Color, RGB 3C IR, RGBW4C IR

UC-IR



CODE: 1321000074

GTIN/EAN: 819730013804

Remote Control for :

- Element Series, Inno Pocket Spot, Inno Pocket Spot Pearl, Inno Pocket Roll, Inno Pocket Scan, Mega QA Go, Monster Duo, Monster Quad, Monster Fun, Rotobeam 4, Quad Phase HP, LED UV Go, Pinpoint LED Quad, Pinpoint LED Quad DMX, Inno Pocket Beam Q4, Inno Pocket Wash, Inno Pocket Spot Twins, Super Spot LED, Zipper, Inno Pocket Fusion, Inno Pocket Z4, KAOS, Ricochet, On-X, Ikon Profile, H2O DMX IR, DUAL GEM Pulse IR, Micro Gobo II, PAR Z4,

Jellyfish IR, Galaxian GEM IR, Revo 4 IR, H2O IR, Gobo Projector IR, Ikon IR, Micro Galaxian II, XS200, XS400, XS600, Pinpoint Gobo, Pinpoint Gobo Color, Encore Profile 1000 WW, Encore Profile 1000 COLOR, Chameleon QBAR, VF Snow Flurry HO, Warlock, Ninja 5RX, Vizi Beam RXONE

WWW.ADJ.EU

AUDIO

DB DISPLAY MKII

AMERICAN AUDIO®



- Designed to set in an amp rack to view your decibel level
- Creates a great light show in your amp rack
- Display progresses from green through amber to red
- Sensitivity adjustment on both left and right channels
- 2 separate modes: dot and bar
- 5V power supply
- Line Inputs: Left & Right RCA
- Line Outputs: Left & Right RCA
- Voltage Operation: DC 5V, 500mA Power Supply included

CODE: 1151800005

GTIN/EAN: 819730019493

MEDIA OPERATOR BT

AMERICAN AUDIO®



- Memory Card* / USB 2.0 / Wireless Audio full functioning MP3 Player
- Track Time Display
- Track Search Buttons
- Easy-to-use
- Bright LCD Display
- Reads standard or High Capacity Memory cards up to 32GB
- Up to 1000 MP3 songs on a 1G Memory Card** (MP3 recorded at 128bit rate**)
- 4x RCA line Inputs and 1x 3.5mm Auxiliary Jack
- Input
 - 1x RCA, 1x L / R Unbalanced 1 / 4" Jack, 1x L / R Balanced XLR Outputs
 - Master music output volume control
 - Individual EQ Treble / EQ Bass control for Music
 - Combo Mic input: 1 / 4" jack and XLR
 - Master mic output volume control
 - Individual EQ Treble / EQ Bass control for Mic
 - Voltage Selector Switch: 115V or 230V 50 / 60Hz

*Memory Card Not Included!

CODE: 1112000005

GTIN/EAN: 819730017086

WM-219

AMERICAN AUDIO®



- 2x Hand Held Wireless Microphones (AA batteries not included)
- 2x Microphone Colored Rings
- 1x 2-Channel UHF Wireless Receiver
- 2x Detachable UHF Antennas and extension cables for front assembly
- 1x Power Cable
- 2x Rack Ears to mount in 19-inch rack mount
- Performance:
 - Wireless Range: 90M line of sight
 - Battery life with full charge: 6-10 hours
 - Frequency Range: UHF 863-865MHz
 - Dynamic Range: >98dB
 - Total Harmonic Distortion: <1%
 - Frequency Response: 50Hz ~ 14KHz 3dB
 - Signal to Noise Ratio: >85dB
 - Audio Output Level: 0-300mV (Balanced: 0-2V)

CODE: 1153100008

GTIN/EAN: 818651024760


STANDS & ACCESSORIES

PRO EVENT TBL2 MB



CODE: 1900000105


GTIN/EAN: 810087371739



- Professional Event Table to use as a greeting table, sales table, live sound or lighting designer console or for DJs
- Matt Black powdercoated finish
- Compact and collapsible to half of its width
- Lightweight, around 18 kg.
- Functional and professional looking
- Tube Diameter 32mm
- Optional transport bag available (PRO-ETBS Pro Event Table Bag II)
- Front board to add custom graphic (one side

- with Accu-Stand logo, other side blank) (Size W x H : 635 x 571,5mm)
- Max table load: 30 kg

PRO EVENT TBL 2



CODE: 1900000106

GTIN/EAN: 810087371722



- Professional Event Table to use as a greeting table, sales table, live sound or lighting designer console or for DJs
- Silver/Aluminium finish
- Compact and collapsible to half of its width
- Lightweight, around 18 kg.
- Functional and professional looking
- Tube Diameter 32mm
- Optional transport bag available (PRO-ETBS Pro Event Table Bag II)
- Front board to add custom graphic (one side

- with Accu-Stand logo, other side blank) (Size W x H : 635 x 571,5mm)
- Max table load: 30 kg

PRO EVENT IBEAM ST



CODE: 1900000103

GTIN/EAN: 810087371852



- Aluminum I-Beam truss for the Accu-Stand Pro Event TBL and ADJ Pro Event Table II to hang lighting fixtures such as light weight par cans, wash fixtures, effect lights or small moving heads
- hardware for mounting to the table
- carry bag
- Use Duratruss Junior Clamp to hang lighting (clamps sold separately)

- Height: 2.2M
- Maximum load: 45 kg. (lighting fixtures should be evenly distributed)
- Collapsed size (LxWxH): 1320x290x110 mm


STANDS & ACCESSORIES

PRO EVENT TABLE SCRIM BLACK



CODE: 1900000101

GTIN/EAN: 810087371876



- Snug fitting black Scrim for the Pro Event Table, Pro Event Table II, Pro Event Table MB, Pro Event TBL 2 MB
- Including a carrying bag
- Material: terylene



Image for reference only!

PRO EVENT TABLE SCRIM WHITE



CODE: 1900000104

GTIN/EAN: 810087371869



- Snug fitting white Scrim for the Pro Event Table, Pro Event Table II, Pro Event Table MB, Pro Event TBL 2 MB
- Including a carrying bag
- Material: terylene



Image for reference only!

PRO EVENT TABLE CORNER SHELF (PAIR)




- Aluminum corner shelf for Pro Event Table / Pro Event TBL. Sold in pairs of 2.

CODE: 1900000102

GTIN/EAN: 810087371883

STANDS & ACCESSORIES

PRO EVENT TABLE 2 BAG




- The Accu-Stand Pro Event Table 2 Bag is a black carrying bag accessory for the Pro event TBL2. Protect your Pro Event TBL from dust, dings and scratches. Carry strap makes it easy to transport and store.

CODE: 1900000100

GTIN/EAN: 810087371890

PRO EVENT TABLE BAG HEAVY DUTY



- Heavy duty bag made out of high grade cordura with padded fabric and a double zipper for extra protection. Easy to carry due to double straps. (Made in the EU)

CODE: 1731000030

GTIN/EAN: 810087370541

SWB40 - WALL MOUNT SPEAKER BRACKET 40KG




- Technical details:
- maximum load: 40kg
- length: 31cm
- max pivoting radius: 180°
- base plate: 20 x 15 cm
- Weight: 2.1 kg

CODE: 1163200003

GTIN/EAN: 818651021509

STANDS & ACCESSORIES

EVENT FAÇADE 2 WHITE



CODE: 1900000107

GTIN/EAN: 810087371715

- Frames made of strong and light weight white metal
- With detachable hinges and frames - breaks down in half, now even easier for transport and for storage
- Includes removable white & black fire retardant scrim
- Includes a carrying bag to protect the frames and scrim during storage and transportation
- Scrim to be washed by hand in cold water, lay flat to dry. Do not twist to avoid deformation

- Dimensions (LxWxH):
Complete Stand: 2800 x 25.4 x 1200mm;
Each Panel: 700 x 25.4 x 1200mm;
Bag: 1265 x 750 x 159mm
- Weight: 16.5 kg

EVENT FAÇADE 2 BLACK




CODE: 1900000109

GTIN/EAN: 810087372385

- Frames made of strong and light weight black metal
- With detachable hinges and frames - breaks down in half, now even easier for transport and for storage
- Includes removable white & black fire retardant scrim
- Includes a carrying bag to protect the frames and scrim during storage and transportation
- Scrim to be washed by hand in cold water, lay flat to dry. Do not twist to avoid deformation

- Dimensions (LxWxH):
Complete Stand: 2800 x 25.4 x 1200 mm;
Each Panel: 700 x 25.4 x 1200 mm;
Bag: 1265 x 750 x 159 mm
- Weight: 16.5 kg

EVENT FAÇADE SCRIMS (4PCS) WHITE



- Set of 4 white scrims for Event Façade 2
- Dimensions of each scrim (W x H): 700 x 1200 mm
- Including carrying bag





CODE: 1731000017

GTIN/EAN: 819730016294

STANDS & ACCESSORIES

EVENT FAÇADE SCRIMS (4PCS) BLACK




- Set of 4 black scrims for Event Facade 2
- Dimensions of each scrim (W x H): 700 x 1200 mm
- Including carrying bag



CODE: 1731000018

GTIN/EAN: 819730016300

OSLIM 2




The ADJ O Slim 2 Clamp is designed to fit in-between the "V" shaped truss braces where larger size clamps will not fit. It can also be used like a traditional ADJ O-Clamp to hang smaller fixtures under 13 kg, it wraps around the entire 2-inch truss pipe to avoid scuffing, scratching and denting of truss.

CODE: 1741000057

GTIN/EAN: 819730012371

MINI O-CLAMP



- Designed to fit on horizontal and diagonal truss braces
- Add a new dimension to your lighting design by using the truss braces in your truss
- Gives lighting designers additional space to hang lighting fixtures
- 360° wrap around tube truss clamp
- Fits 3 / 4 inch / 20mm truss
- Securely mounts fixtures to truss
- Non scuffing - Non scratching - Non scoring - Non denting
- Maximum weight limit: 9 kg.

CODE: 1741000058

GTIN/EAN: 819730014436

STANDS & ACCESSORIES

LTS-6 AS




- Extends up to 3m
- Stand collapses easily for transport and is ideal for mobile DJs, bands or small stage productions
- Includes T-bar with 8 hanging point bolts
- T-Bar Diameter: 2.5cm (1-inch)
- Includes FS-Adapter - designed to mount one light at a time at the top of the stand
- Weight: 5kg

CODE: 1900000108

GTIN/EAN: 810087371838

LSS-3S PRO SPEAKER STAND STEEL, BLACK



- - Very stable metal construction
- - With safety bold
- - 35 mm mast diameter
- - With safety bold
- - Maximum height: 2m
- - Minimum height with safety bold: 1,46m
- - Minimum height w/o safety bold: 1,22m
- - Color: black
- - Max load: 50kg

CODE: 1163900003

GTIN/EAN: 818651021516

COLOR STAND LED



- Height adjustment: 960 - 1800 mm
- Load Capacity 25 kg
- Upper shaft tubing 35 mm
- Material: Steel + PVC
- Includes RF remote, frequency 433.92Mhz
- 22 Dynamic Modes
- 20 Static Colors
- Direct Color Select
- Speed Adjustable
- Brightness adjustment
- Demo Program Mode



- Remote Distance up to 15m in open area
- Power (LED) 12V DC/3A

CODE: 1163000013

GTIN/EAN: 818651020540

STANDS & ACCESSORIES

SPSX2B



- Set of 2 Heavy Duty Speaker Stands
- Weight capacity: 36 kg
- Recommended maximum height: 2 meters
- Pipe Diameter: 35 mm
- Weight: 3.75 kg each

What's included:

- 2 Heavy Duty Speaker Stands
- 1 Carry Bag

CODE: 1163000012

GTIN/EAN: 819730019141

SAT-1 DISTANCE ROD 35MM, STEEL, 40KG MAX



- Distance rod for Subwoofer
- Pipe diameter: 35mm
- Max. Length: 1,25m
- Min. Length: 0,82m
- Max. Load: 40kg
- Color: black

CODE: 1163900005

GTIN/EAN: 818651021523

SAT-2 DISTANCE ROD 35MM, M20 STEEL, 30KG



- Distance rod for Subwoofer
- M20 Threaded Base
- Pipe diameter: 35mm
- Max. Length: 1,20m
- Min. Length: 0,75m
- Max. Load: 30kg
- Color: black

CODE: 1163900007

GTIN/EAN: 818651021530

STANDS & ACCESSORIES

FLOOR STAND 4 LEGS BLACK FS4LB



To turn your PAR can into a floor PAR simply open the floor bracket and fix it to the existing bracket of the (LED) PAR.

- Rubber feet (for floor/surface protection)
- M10 screw included
- Feet length: 23cm (total)
- Height: 3cm
- Max load: 15kg
- Color: black

CODE: 1226100032

GTIN/EAN: 818651021547

BOX-2 ADAPTER FOR LIGHTS & BARS, M8



- Stand adapter with M8 screw
- Inner diameter 35mm
- Durable steel, black coated
- Diameter of dish: 9cm
- Great to mount light effects and PARs on stands
- Suitable for all stands with 35mm tube

CODE: 1163200002

GTIN/EAN: 818651021493

USB LITE LED PRO



- Long life LED gooseneck light
- Three step dimming and power on/off via touch button on shell
- Standard USB-A connector for standard use with all controllers
- Packed in a 1-piece blister pack for retail

CODE: 1154000021

GTIN/EAN: 818651029284





CODE: 1421200029

Kool Fog

GTIN/EAN: 818651029017



CODE: 1421200028

Foam Juice 5l ready mixed

GTIN/EAN: 818651025781



CODE: 1223200004

Snow Juice

GTIN/EAN: 818651021363



CODE: 1422200001

bubble juice ready mixed 5 L

GTIN/EAN: 818651021479



CODE: 1421200006

Fog juice 1 light --- 5 Liter

GTIN/EAN: 818651021370



CODE: 1421200007

Fog juice 2 medium --- 5 Liter

GTIN/EAN: 818651021387



CODE: 1421200008

Fog juice 3 heavy --- 5 Liter

GTIN/EAN: 818651021394



CODE: 1421200009

Fog juice 1 light --- 20 Liter

GTIN/EAN: 818651021400



CODE: 1421200010

Fog juice 2 medium --- 20 Liter

GTIN/EAN: 818651021417



CODE: 1421200011

Fog juice 3 heavy --- 20 Liter

GTIN/EAN: 818651021424



CODE: 1421200022

Fog Juice CO2 – 5 Liter

GTIN/EAN: 818651021431

FLUIDS



CODE: 1421200026

ADJ Haze Fluid oil based 5l

GTIN/EAN: 818651024715



CODE: 1421200027

ADJ Haze Fluid water based 5l

GTIN/EAN: 818651024722



CODE: 1221200004

cleaning fluid 250mL for fog machines

GTIN/EAN: 818651021356



CODE: 1211200003

fog scent cherry 20ml

GTIN/EAN: 818651021233



CODE: 1211200004

fog scent banana 20ml

GTIN/EAN: 818651021240



CODE: 1211200005

fog scent mint 20ml

GTIN/EAN: 818651021257



CODE: 1211200006

fog scent tutti-frutti 20ml

GTIN/EAN: 818651021264



CODE: 1211200007

fog scent apple 20ml

GTIN/EAN: 818651021271



CODE: 1211200008

fog scent coconut 20ml

GTIN/EAN: 818651021288



CODE: 1211200009

fog scent vanilla 20ml

GTIN/EAN: 818651021295



CODE: 1211200011

Fog Scent Champagne 20ML

GTIN/EAN: 818651026832



CODE: 1211200012

Fog Scent Red Energy 20ML

GTIN/EAN: 818651026849



CODE: 1211200013

Fog Scent Passion Fruit 20ML

GTIN/EAN: 818651026856



CODE: 1211200014

Fog Scent Chocolate 20ML

GTIN/EAN: 818651026863



CODE: 1211200015

Fog Scent Coffee 20ML

GTIN/EAN: 818651027051



CODE: 1211200016

Fog Scent Jasmin 20ML

GTIN/EAN: 818651027068



CODE: 1211200017

Fog Scent Grapes 20ML

GTIN/EAN: 818651027075



CODE: 1211200018

Fog Scent Musc 20ML

GTIN/EAN: 818651027082



CODE: 1211200019

Fog Scent Orange 20ML

GTIN/EAN: 818651027099



CODE: 1211200020

Fog Scent Kiwi 20ML

GTIN/EAN: 818651027105



CODE: 1211200021

Fog Scent Melon 20ML

GTIN/EAN: 818651027112



CODE: 1211200022

Fog Scent Strawberry 20ML

GTIN/EAN: 818651027150



CODE: 1211200023

Fog Scent Rapsberry 20ML

GTIN/EAN: 818651027167



CODE: 1211200024

Fog Scent Grapefruit 20ML

GTIN/EAN: 818651027129



CODE: 1211200025

Fog Scent Pine 20ML

GTIN/EAN: 818651027136



CODE: 1211200026

Fog Scent Cotton Candy 20ML

GTIN/EAN: 818651027143



CODE: 1211200010

fog scent lemon 20ml

GTIN/EAN: 818651021301

F4 PAR BAG EP

ELIMINATOR
LIGHTING



- Durable padded Gig Bag for transporting lighting, cables, clamps etc.
- Fits up to 4 Slim LED Pars
- Padded dividers may be removed to fit other effect lighting, cables, clamps, etc.(see case dimensions)
- Front pockets fit cables and/or controllers
- Inner Bag Dimensions (LxWxH): 360x250x220mm

CODE: 1900000150

GTIN/EAN: 810087371968

F8 PAR BAG EP

ELIMINATOR
LIGHTING



- Durable padded gig bag for transporting lighting, cables, clamps, etc.
- Fits up to 8 Slim LED Pars
- Removable padded dividers to accommodate other effect lighting, cables, clamps, etc.
- Front pockets designed for cables and/or controllers
- Inner Bag Dimensions (LxWxH): 735 x 250 x 220 mm

CODE: 1900000151

GTIN/EAN: 810087372897

ASC-AC-1 15

ACCU-CASE
PLAY IT SAFE...



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Great for mobile DJs. Karaoke rigs and working bands
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Bag Dimensions (LxWxH): 230 x 230 x 310 mm

CODE: 6011000019

GTIN/EAN: 819730018571

ASC-AC-1 20

ACCU-CASE
PLAY IT SAFE...



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Great for mobile DJs. Karaoke rigs and working bands
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Bag Dimensions (LxWxH): 460 x 220 x 220 mm

CODE: 6011000020

GTIN/EAN: 819730018595

ASC-AC-1 25

ACCU-CASE
PLAY IT SAFE...



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Great for mobile DJs. Karaoke rigs and working bands
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed.
- Extra wide mouth design allows gear to be removed quickly and easily
- Bag Dimensions (LxWxH): 330 x 330 x 300 mm

CODE: 6011000021

GTIN/EAN: 819730018564

ASC-AC-1 30

ACCU-CASE
PLAY IT SAFE...



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Great for mobile DJs. Karaoke rigs and working bands
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Extra wide mouth design allows gear to be removed quickly and easily
- Bag Dimensions (LxWxH): 310 x 320 x 190 mm

CODE: 6011000022

GTIN/EAN: 819730018601

SOFTBAGS

ASC-AC-135



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Secured zipped pocket for storing extra lamps, clamps, cables and other accessoires
- Great for mobile DJs. Karaoke rigs and working bands
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Bag Dimensions (LxWxH): 480 x 250 x 180 mm

CODE: 6011000023

GTIN/EAN: 819730018618

ASC-AC-140



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Secured zipped pocket for storing extra lamps, clamps, cables and other accessoires
- Great for mobile DJs. Karaoke rigs and working bands
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Bag Dimensions (LxWxH): 580 x 250 x 250 mm

CODE: 6011000024

GTIN/EAN: 819730018625

ASC-AC-142



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Secured zipped pocket for storing extra lamps, clamps, cables and other accessoires
- Great for mobile DJs. Karaoke rigs and working bands
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Bag Dimensions (LxWxH): 620 x 330 x 340 mm

CODE: 6011000025

GTIN/EAN: 819730018632

ASC-AC-144



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Secured zipped pocket for storing extra lamps, clamps, cables and other accessoires
- Great for mobile DJs. Karaoke rigs and working bands
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Bag Dimensions (LxWxH): 762 x 356 x 356 mm

CODE: 6011000026

GTIN/EAN: 819730018649

ASC-AC-145



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Secured zipped pocket for storing extra lamps, clamps, cables and other accessoires
- Extra wide mouth design allows gear to be removed quickly and easily
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Bag Dimensions (LxWxH): 470 x 410 x 270 mm

CODE: 6011000027

GTIN/EAN: 819730018656

ASC-AC-160



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Secured zipped pocket for storing extra lamps, clamps, cables and other accessoires
- Extra wide mouth design allows gear to be removed quickly and easily
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Bag Dimensions (LxWxH): 430 x 370 x 340 mm

CODE: 6011000031

GTIN/EAN: 819730018724

SOFTBAGS

ASC-AC-210



- Affordable padded soft case designed to protect and extend the life of LED Bar lighting fixtures
- Great for mobile DJs, Karaoke rigs and working bands
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Bag Dimensions (LxWxH): 1090 x 165 x 105 mm

CODE: 6011000039

GTIN/EAN: 819730018793

ASC-ATP22



- Affordable heavy duty padded soft case designed to protect and extend the life of mobile lighting fixtures
- Great for mobile DJs, Karaoke rigs and working bands
- Fits onto the ACR-Series rolling bag (sold separately) by use of its rear strap
- Includes two configurable padded dividers / 2/2 Inch Padding
- Bag Dimensions (LxWxH): 560 x 305 x 380 mm

CODE: 6011000049

GTIN/EAN: 819730018847

ASC-AC-126



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Secured zipped pocket for storing extra lamps, clamps, cables and other accessoires
- Extra wide mouth design allows gear to be removed quickly and easily
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Bag Dimensions (LxWxH): 355 x 205 x 200 mm

CODE: 6011000051

GTIN/EAN: 819730018588

ASC-AC-63



- Affordable padded soft case designed to protect and extend the life of LED Bar lighting fixtures or stands
- Great for mobile DJs, Karaoke rigs and working bands
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Extra wide mouth design allows gear to be removed quickly and easily
- Bag Dimensions (LxWxH): 1600 x 225 x 150 mm

CODE: 6011000053

GTIN/EAN: 819730018502

ASC-AC-131



- Affordable padded soft cases designed to protect and extend the life of mobile lighting fixtures
- Secured zipped pocket for storing extra lamps, clamps, cables and other accessoires
- Extra wide mouth design allows gear to be removed quickly and easily
- Saves valuable transport space by allowing fixtures to be stacked without having to be boxed
- Bag Dimensions (LxWxH): 530 x 330 x 215 mm

CODE: 6011000054

GTIN/EAN: 819730013279



CABLES & ADAPTERS



CODE: 1611000072 AC-PRO XLR audio cable 0,3m

GTIN/EAN: 810087371128



CODE: 1611000065 AC-PRO XLR audio cable 1,0m

GTIN/EAN: 818651023091



CODE: 1611000073 AC-PRO XLR audio cable 2m

GTIN/EAN: 810087371135



CODE: 1611000066 AC-PRO XLR audio cable 3,0m

GTIN/EAN: 818651023107



CODE: 1611000074 AC-PRO XLR audio cable 7,5m

GTIN/EAN: 810087371142



CODE: 1611000068 AC-PRO XLR audio cable 10,0m

GTIN/EAN: 818651023121



CODE: 1611000069 AC-PRO XLR audio cable 15,0m

GTIN/EAN: 818651020311



CODE: 1611000085 AC-PRO XLR audio cable 30m

GTIN/EAN: 810087371159



CODE: 1611000008 AC-XXMF/1 microphone cable XLR/XLR 1m

GTIN/EAN: 818651022667



CODE: 1611000013 AC-XXMF/3 microphone cable XLR/XLR 3m

GTIN/EAN: 818651022711



CODE: 1611000010 AC-XXMF/5 microphone cable XLR/XLR 5m

GTIN/EAN: 818651022681



CODE: 1611000011 AC-XXMF/10 microphone cable XLR/XLR 10m

GTIN/EAN: 818651022698



CODE: 1611000009 AC-XXMF/15 microphone cable XLR/XLR 15m

GTIN/EAN: 818651022674



CODE: 1611000012 AC-XXMF/20 microphone cable XLR/XLR 20m

GTIN/EAN: 818651022704



CODE: 1621000018 AC-DMX3/0,5 3 p. XLRm/3 p. XLRf 0,5m DMX

GTIN/EAN: 818651023633



CODE: 1621000007 AC-DMX3/1,5 3 p. XLRm/3 p. XLRf 1,5m DMX

GTIN/EAN: 818651023534



CODE: 1621000008 AC-DMX3/3 3 p. XLRm/3 p. XLRf 3m DMX/110

GTIN/EAN: 818651023541



CODE: 1621000020 AC-DMX3/5 3p.XLRm/3 p. XLRf 5m DMX cab

GTIN/EAN: 818651023640



CODE: 1621000009 AC-DMX3/10 3 p. XLRm/3 p. XLRf 10m DMX

GTIN/EAN: 818651023558



CODE: 1621000010 AC-DMX3/15 3 p. XLRm/3 p. XLRf 15m DMX

GTIN/EAN: 818651023565



CODE: 1621000011 AC-DMX3/30 3 p. XLRm/3 p. XLRf 30m DMX/110

GTIN/EAN: 818651023572

CABLES & ADAPTERS

	CODE: 1621000014 AC-DMX5/1.5-5P XLR M/5P XLR F 1.5M	GTIN/EAN: 818651023602
	CODE: 1621000015 AC-DMX5/3-5p. XLR m/5p.XLRf 3m DMX	GTIN/EAN: 818651023619
	CODE: 1621000021 AC-DMX5/5 - 5 p. XLR m/5 p. XLR f 5m DMX	GTIN/EAN: 818651023657
	CODE: 1621000023 AC-DMX5/10 - 5 p. XLRm/5 p. XLR f 10m	GTIN/EAN: 818651023671
	CODE: 1621000016 AC-DMX5/15 5 p. XLR m/5 p. XLR f 15m DMX	GTIN/EAN: 818651023626
	CODE: 1621000022 AC-DMX3/1,5-90 - 90° XLR Cables 110 OHM	GTIN/EAN: 818651023664
	CODE: 1621000012 AC-DMXT/3M5F 3pin male/5pin female	GTIN/EAN: 818651023589
	CODE: 1621000013 AC-DMXT/5M3F 5pin male/3pin female	GTIN/EAN: 818651023596
	CODE: 1613000030 AC-DMXTERM-3/SET DMX terminator 3pin, SE	GTIN/EAN: 818651023480
	CODE: 1613000031 AC-DMXTERM-5/SET DMX terminator 5pin, SE	GTIN/EAN: 818651023497
	CODE: 1621000082 DMX 3pin IP65 0,5m STR	GTIN/EAN: 819730019967
	CODE: 1621000083 DMX 3pin IP65 1,0m STR	GTIN/EAN: 819730019974
	CODE: 1621000084 DMX 3pin IP65 1,5m STR	GTIN/EAN: 819730019981
	CODE: 1621000085 DMX 3pin IP65 3,0m STR	GTIN/EAN: 819730019998
	CODE: 1621000087 DMX 3pin IP65 7,0m STR	GTIN/EAN: 818651020014
	CODE: 1621000088 DMX 3pin IP65 15m STR	GTIN/EAN: 818651020021
	CODE: 1621000089 DMX 3pin IP65 30m STR	GTIN/EAN: 818651020038
	CODE: 1621000090 DMX 5pin IP65 0,5m STR	GTIN/EAN: 818651020106
	CODE: 1621000091 DMX 5pin IP65 1,0m STR	GTIN/EAN: 818651020113
	CODE: 1621000092 DMX 5pin IP65 1,5m STR	GTIN/EAN: 818651020120
	CODE: 1621000093 DMX 5pin IP65 3,0m STR	GTIN/EAN: 818651020137

CABLES & ADAPTERS

	CODE: 1621000095 DMX 5pin IP65 7,0m STR	GTIN/EAN: 818651020151
	CODE: 1621000096 DMX 5pin IP65 15m STR	GTIN/EAN: 818651020168
	CODE: 1621000097 DMX 5pin IP65 30m STR	GTIN/EAN: 818651020175
	CODE: 1611000033 AC-2J6S-2XM/3 2x jack Stereo 6,3/2x XLR	GTIN/EAN: 818651022919
	CODE: 1611000007 AC-2R-2J6M/3 2x RCA m to 2x 6,3 jack mono	GTIN/EAN: 818651022650
	CODE: 1611000039 AC-2XF-2J6M/1,5 2x XLR female/2x 6,3 jack	GTIN/EAN: 818651022971
	CODE: 1611000027 AC-2XF-2JM/3 2x XLR female to 2 x jack mono	GTIN/EAN: 818651022858
	CODE: 1611000036 AC-2XM-2J6M/1,5 2x XLR male/2x 6,3 Jack	GTIN/EAN: 818651022940
	CODE: 1611000037 AC-2XM-2J6M/3 2x XLR male to 2x 6,3 Jack	GTIN/EAN: 818651022957
	CODE: 1611000038 AC-2XM-2J6M/5 2x XLR male to 2x 6,3 Jack	GTIN/EAN: 818651022964
	CODE: 1611000029 AC-2XM-2RM/1,5 2x XLR male/2 x RCA 1,5m	GTIN/EAN: 818651022872
	CODE: 1611000034 AC-2XM-2RM/3 2x XLR male to 2x RCA cinch	GTIN/EAN: 818651022926
	CODE: 1611000035 AC-2XM-2RM/5 2x XLR male to 2x RCA cinch	GTIN/EAN: 818651022933
	CODE: 1611000044 AC-J3S-2J6M/1,5 Jack 3,5 Stereo/2x 6,3 Jack	GTIN/EAN: 818651023022
	CODE: 1611000040 AC-J3S-2RM/1,5 3,5 Jack St/2x RCA cinch	GTIN/EAN: 818651022988
	CODE: 1611000041 AC-J3S-2RM/3 3,5 Jack Stereo/2x RCA cinch	GTIN/EAN: 818651022995
	CODE: 1611000042 AC-J3S-2XM/1,5 3,5 Jack Stereo to 2x XLR	GTIN/EAN: 818651023008
	CODE: 1611000043 AC-J3S-2XM/3 3,5 Jack Stereo to 2x XLR mono	GTIN/EAN: 818651023015
	CODE: 1611000014 AC-J6M/1,5 Jack cable 6,3mm mono 1,5m	GTIN/EAN: 818651022728
	CODE: 1611000016 AC-J6M/10 Jack-cable 6,3mm mono 10m	GTIN/EAN: 818651022742
	CODE: 1611000015 AC-J6M/5 Jack-cable 6,3mm mono 5m	GTIN/EAN: 818651022735

CABLES & ADAPTERS

	CODE: 1611000017 AC-J6S/1,5 Jack-cable 6,3mm stereo 1,5m	GTIN/EAN: 818651022759
	CODE: 1611000019 AC-J6S/10 Jack-cable 6,3mm stereo 10m	GTIN/EAN: 818651022773
	CODE: 1611000018 AC-J6S/5 Jack-cable 6,3mm stereo 5m	GTIN/EAN: 818651022766
	CODE: 1611000028 AC-J6S-2J6M/3 Jack 6,3mm stereo/2x Jack mono	GTIN/EAN: 818651022865
	CODE: 1611000020 AC-R/0,5 RCA cable 0,5m	GTIN/EAN: 818651022780
	CODE: 1611000021 AC-R/1 RCA cable 1m (cinch)	GTIN/EAN: 818651022797
	CODE: 1611000022 AC-R/3 RCA cable 3m (cinch)	GTIN/EAN: 818651022803
	CODE: 1611000049 AC-R-2J6M/1,5 RCA to 2x mono 6,3 Jack 1,	GTIN/EAN: 818651023077
	CODE: 1611000030 AC-XF-2R/1,5 2x XLR female to 2 x RCA 1,	GTIN/EAN: 818651022889
	CODE: 1611000045 AC-XF-J6S/1,5 XLR female to 6,3 Jack Stereo	GTIN/EAN: 818651023039
	CODE: 1611000046 AC-XF-J6S/3 XLR female to 6,3 Jack Stereo	GTIN/EAN: 818651023046
	CODE: 1611000047 AC-XM-J6S/1,5 XLR male to 6,3 Jack Stereo	GTIN/EAN: 818651023053
	CODE: 1611000048 AC-XM-J6S/3 XLR male to 6,3 Jack Stereo	GTIN/EAN: 818651023060
	CODE: 1611000031 AC-XMXF/1,5-90 90# XLR Cables 1,5m (Audio)	GTIN/EAN: 818651022896
	CODE: 1154000038 ACRJ453PFM	GTIN/EAN: 819730012890
	CODE: 1154000037 ACRJ453PM	GTIN/EAN: 819730012883
	CODE: 1154000039 ACRJ455PFM	GTIN/EAN: 819730012913
	CODE: 1154000040 ACRJ455PM	GTIN/EAN: 819730012906
	CODE: 1226300072 CAT6IP1 0,5m	GTIN/EAN: 818651020687
	CODE: 1226300073 CAT6IP3 1,0m	GTIN/EAN: 818651020700
	CODE: 1226300074 CAT6IP5 1,5m	GTIN/EAN: 818651020717

CABLES & ADAPTERS



CODE: 1226300075 CAT6IP10 3,0m

GTIN/EAN: 818651020724



CODE: 1226300076 CAT6IP16 5,0m

GTIN/EAN: 818651020731



CODE: 1226300077 CAT6IP25 7,5m

GTIN/EAN: 818651020748



CODE: 1226300078 CAT6IP50 15m

GTIN/EAN: 818651020755



CODE: 1226300080 CAT6IP16FC 5,0m

GTIN/EAN: 818651020779



CODE: 1226300081 CAT6IP25FC 7,5m

GTIN/EAN: 818651020786



CODE: 1226300082 CAT6IP50FC 15m

GTIN/EAN: 818651020793



CODE: 1226300083 CAT6IP100FC 30m

GTIN/EAN: 818651020809



CODE: 1613000002 AC-A-J3/J6 3,5 Jack fm stereo to 6,4 Jack

GTIN/EAN: 818651023220



CODE: 1613000017 AC-A-J6/RCA-M Jack 6,3mm mono f to RCA cinch

GTIN/EAN: 818651023367



CODE: 1613000012 AC-A-RF/J6M RCA F - 6,3mm jack mono

GTIN/EAN: 818651023329



CODE: 1613000014 AC-A-RF/RCA RCA F - RCA F

GTIN/EAN: 818651023336



CODE: 1613000003 AC-A-SPF4/SPF4 Coupler female-female

GTIN/EAN: 818651023237



CODE: 1613000015 AC-A-X3F/RCA XLR 3 pol F-RCA female

GTIN/EAN: 818651023343



CODE: 1613000004 AC-A-X3M/J6M XLR 3pol M - jack 6,3mm mono

GTIN/EAN: 818651023244



CODE: 1613000005 AC-A-XF3/J6MXLR3pol F- Jack 6,3mm mono

GTIN/EAN: 818651023251



CODE: 1613000007 AC-A-XF3/J6S XLR 3pol F-jack 6,3mm stereo

GTIN/EAN: 818651023275



CODE: 1613000010 AC-A-XF3/RCA XLR 3 pol F-RCA F

GTIN/EAN: 818651023305



CODE: 1613000011 AC-A-XF3/RM XLR 3 pol M-RCA M

GTIN/EAN: 818651023312



CODE: 1613000009 AC-A-XF3/XF3 XLR 3pol F-XLR 3pol F

GTIN/EAN: 818651023299



CODE: 1613000006 AC-A-XM3/J6M XLR 3pol M - Jack 6,3mm stereo

GTIN/EAN: 818651023268

CABLES & ADAPTERS

	CODE: 1613000016 AC-A-XM3/RF XLR 3 pol M-RCA female	GTIN/EAN: 818651023350
	CODE: 1613000008 AC-A-XM3/XM3 XLR 3pol M-XLR 3pol M	GTIN/EAN: 818651023282
	CODE: 1613000022 AC-C-J6M Plug jack 6,3mm Mono	GTIN/EAN: 818651023411
	CODE: 1613000023 AC-C-J6S Plug jack 6,3mm Stereo	GTIN/EAN: 818651023428
	CODE: 1613000027 AC-C-PJ6S Jack 6,3 stereo panel	GTIN/EAN: 818651023459
	CODE: 1613000025 AC-C-PS4M Speaker 4pin male	GTIN/EAN: 818651023442
	CODE: 1613000029 AC-C-RFG/SET RCA Cinch plug female gold	GTIN/EAN: 818651023473
	CODE: 1613000028 AC-C-RMG/SET RCA Cinch plug male gold	GTIN/EAN: 818651023466
	CODE: 1613000021 AC-C-SP4 Plug Speakon 4pin	GTIN/EAN: 818651023404
	CODE: 1613000018 AC-C-X3F Plug XLR 3pin female	GTIN/EAN: 818651023374
	CODE: 1613000019 AC-C-X3M Plug XLR 3pin male	GTIN/EAN: 818651023381
	CODE: 1613000020 AC-C-XF3 XLR 3pin female panel metal	GTIN/EAN: 818651023398
	CODE: 1613000033 AC-C-XF-90 90# XLR Connector female	GTIN/EAN: 818651023510
	CODE: 1613000024 AC-C-XM3 XLR 3pin male panel metal	GTIN/EAN: 818651023435
	CODE: 1613000034 AC-C-XM-90 90# XLR Connector male	GTIN/EAN: 818651023527

CABLE ON ROLL (100M)



	CODE: 1622100001 AC-DMX3/100R DMX cable on Roll 3 cond/110 Ohm	GTIN/EAN: 818651023688
	CODE: 1622100002 AC-DMX5/100R (5-Pin DMX Cable)	GTIN/EAN: 818651023695
	CODE: 1612100005 AC-MC/100R-B (Microphone Cable, 3 conductors)	GTIN/EAN: 818651023176


ELIMINATOR
LIGHTING

 **ACCU-STAND**TM
PROFESSIONAL SUPPORT SYSTEMS

**SIGN UP FOR THE RETAIL NEWSLETTER
SCAN THE QR CODE BELOW:**



WWW.ADJ.EU/ELIMINATORLIGHTING



EU CATALOGUE V2

JUNE 2026



ELIMINATOR
LIGHTING



AMERICAN AUDIO

WWW.ADJ.EU

Your Contact:

ADJ, Eliminator Lighting,
Accu-Stand, Accu-Cable,
Accu-Case & American Audio
are brands of:

A.D.J. Supply Europe B.V.

Junostraat 2
6468 EW Kerkrade
The Netherlands

+31 45 546 85 00

info@adj.eu



All rights reserved. All specifications are subject to change without prior notice. We assume no liability for typing or printing errors. No printing or copying without explicit consent. Always check our website for the most up-to-date product information.

2026 © Copyright by A.D.J. Supply Europe B.V.