

**ONE[®]
FOR ALL**



reddot award 2019
winner

Specialist in universal
audio-video accessories

Product Feature Brochure

September 2019




**Specialist in universal
audio-video accessories**
www.oneforall.com



Remote Controls	6-7	Antennas	22-23	Mounting Solutions	32-33
Replacement Remotes	8-11	ECO Line	24	Wall Mounts Smart	36-37
URC 1910	8	SV 9015	24	WM 2111	36
URC 1911	8	SV 9125	24	WM 2121	36
URC 1912	8			WM 2141	36
URC 1913	8	Value Line	24	WM 2151	36
URC 1914	8	SV 9033	24	WM 2211	36
URC 1915	8	SV 9143	24	WM 2221	36
URC 1916	10	SV 9153	24	WM 2241	36
URC 1918	10			WM 2251	36
URC 1919	10	Performance Line	25	WM 2411	37
URC 1921	10	SV 9305	25	WM 2421	37
URC 1922	10	SV 9360	25	WM 2441	37
		SV 9365	25	WM 2451	37
Basic - URC	12-13	SV 9405	25	WM 2453	37
URC 1210	12	SV 9460	25	WM 2611	37
URC 1240	12	SV 9465	25	WM 2621	37
URC 1280	12			WM 2651	37
URC 2981	12	Design Line	26-27		
		SV 9311	26	Wall Mounts Solid	38-39
Simple - URC	14	SV 9323	26	WM 4211	38
URC 6810	14	SV 9420	26	WM 4212	38
URC 6820	14	SV 9421	26	WM 4221	38
		SV 9215	26	WM 4241	38
Comfort - URC	16-19	SV 9220	26	WM 4251	38
URC 7110	16	SV 9430	27	WM 4411	38
URC 7120	16	SV 9440	27	WM 4421	38
URC 7130	16			WM 4441	39
URC 7140	16	HD Line	27	WM 4451	39
URC 1000	16	SV 9335	27	WM 4452	39
URC 1035	16	SV 9385	27	WM 4611	39
URC 7115	18	SV 9386	27	WM 4621	39
URC 7125	18	SV 9395	27	WM 4661	39
URC 7145	18			WM 4811	39
Advanced - URC	20-21	Premium Line	28	Wall Mounts Ultra Slim	40-41
URC 7935	20	SV 9425	28	WM 6211	40
URC 7955	20	SV 9435	28	WM 6221	40
		SV 9480	28	WM 6242	40
		SV 9490	28	WM 6252	40
		SV 9494	28	WM 6411	40
		SV 9495	28	WM 6421	40
		Professional Outdoor	29	WM 6452	41
		SV 9354	29	WM 6611	41
		SV 9357	29	WM 6621	41
		SV 9450	29	WM 6652	41
		SV 9453	29	WM 6681	41
		SV 9455	29		

TV Stands	42	Cables	52-53
WM 4471	42	CC 4010	52
WM 4672	42	CC 4012	52
WM 6471	42	CC 4013	52
WM 7471	42	CC 4020	52
WM 7472	42	CC 4030	52
		CC 4040	52
Accessories	44-45	CC 4041	52
WM 5211	44	CC 4045	52
WM 5221	44	CC 4050	53
WM 5311	44	CC 4051	53
WM 5313	45	CC 4052	53
WM 5320	45	CC 4053	53
WM 5330	45	CC 4054	53
		CC 4060	53
Signal Distribution	46-47	CC 4061	53
Signal Amplifier	48	CC 4070	53
SV 9601	48		
SV 9602	48		
SV 9604	48		
SV 9610	48		
SV 9620	48		
SV 9640	48		
Wireless AV distribution	49		
SV 1715	49		
SV 1730	49		
SV 1760	49		
HDMI Switch	50		
SV 1630	50		
Audio Streaming	51		
Bluetooth Music Receiver	51		
Bluetooth Audio Transmitter	51		
SV 1770	51		
SV 1810	51		
SV 1820	51		




COLOURWHEEL
Fully customizable

Set different colours for your favorite streaming services



Which remote do you need?

Universal remotes that are designed to fit perfectly in your hand, can be used effortlessly and, thanks to One For All's SimpleSet, are very easy to install. Whether your home is hectic or relaxed, whether you need a stylish remote or prefer one that can take the knocks of family life, there's a remote to suit your way of fully enjoying your home entertainment equipment.



Universal Remote Controls

Product selector tool
We offer you the perfect remote selector tool.
For a quick and easy search:
www.ofa.com/remotes





FEATURES	SAMSUNG REPLACEMENT	LG REPLACEMENT	SONY REPLACEMENT	PHILIPS REPLACEMENT	PANASONIC REPLACEMENT	GRUNDIG REPLACEMENT
Model number	URC 1910	URC 1911	URC 1912	URC 1913	URC 1914	URC 1915
Number of devices	1	1	1	1	1	1
TV, LCD, LED, Plasma	■	■	■	■	■	■
DVD, Blu-ray player	-	-	-	-	-	-
VCR	-	-	-	-	-	-
Satellite, Cable, DVB-T, IPTV receiver	-	-	-	-	-	-
Amplifier, Tuner, Home Cinema System	-	-	-	-	-	-
Sound Bar	-	-	-	-	-	-
Game Consoles (IR only)	-	-	-	-	-	-
Streaming Devices, Digital Media Player, Home Theatre PC	-	-	-	-	-	-
Up to 21 Device Types via Online Database	-	-	-	-	-	-
Installation						
One For All Codeless Setup	■	■	■	■	■	■
One For All SimpleSet	-	-	-	-	-	-
Code set-up / code search	-	-	-	-	-	-
Setup by learning from original remote	■	■	■	■	■	■
One For All Setup App	-	-	-	-	-	-
Service upgradable	■	■	■	■	■	■
Device mode re-assignment	-	-	-	-	-	-
Code memory retention	■	■	■	■	■	■
Device Control						
Digital TV functions (guide, info, exit)	■	■	■	■	■	■
Internet TV function (apps menu)	■	■	■	■	■	■
PVR functionality (transport keys)	■	■	■	■	■	■
Teletext, Fasttext	■	■	■	■	■	■
OFA Features						
Activities	-	-	-	-	-	-
Macros	-	-	-	-	-	-
Learning	■	■	■	■	■	■
Remote Finder	-	-	-	-	-	-
Volume Lock	-	-	-	-	-	-
Key Magic	-	-	-	-	-	-
Hardware						
Device mode indicator	-	-	-	-	-	-
Feedback LED	■	■	■	■	■	■
Backlight	-	-	-	-	-	-
Big buttons	-	-	-	-	-	-
Anti-shock protection	-	-	-	-	-	-
Anti-slip grip	-	-	-	-	-	-
Wrist Strap	-	-	-	-	-	-
Batteries required	2x AAA	2x AAA	2x AAA	2x AAA	2x AAA	2x AAA
Batteries (incl / not included)	not included	not included	not included	not included	not included	not included
Manual						
Quick Setup Guide (D / UK / F)	-	-	-	-	-	-
Manual + Codelist (all languages)	-	-	-	-	-	-
Quick Setup Guide (all languages)	■	■	■	■	■	■
Separate Manual and Codelist	-	-	-	-	-	-
Separate Codelist	-	-	-	-	-	-



LOGISTICS	SAMSUNG REPLACEMENT	LG REPLACEMENT	SONY REPLACEMENT	PHILIPS REPLACEMENT	PANASONIC REPLACEMENT	GRUNDIG REPLACEMENT
Model number	URC 1910	URC 1911	URC 1912	URC 1913	URC 1914	URC 1915
Dimensions Product (LxWxH / cm)	5.1x2.4x20.6	4.7x2.5x21.3	4.6x2x20.5	5.2x2.2x21.9	5x2.3x22.3	4.6x2.1x21.2
Product Weight Net WEEE (kg)	0.091	0.089	0.085	0.097	0.101	0.083
Packed Product Weight Gross (kg)	0.157	0.154	0.159	0.160	0.170	0.153
Dimensions Packaging (LxWxH / cm)	12x2.8x30	12x3x30	12x2.5x30	12x32.4x30	12x32.8x30	12x32.7x30
EAN Packaging	8716184065644	8716184065675	8716184065798	8716184065767	8716184065705	8716184067280
Inner						
Quantity Inner	3	3	3	3	3	3
EAN Inner	8716184065651	8716184065682	8716184065804	8716184065774	8716184065712	8716184067297
Dimensions Inner / CDU (LxWxH / cm)	31x6x14	31x6x14	31x6x14	31x6x14	31x6x14	30.6x5.6x13.5
Inner Weight Gross (kg)	0.508	0.502	0.462	0.523	0.532	0.483
Master						
Quantity Master	24	24	24	24	24	24
EAN Master	8716184065668	8716184065699	8716184065811	8716184065781	8716184065729	8716184067303
Dimensions Master (LxWxH / cm)	32.5x26.2x30	32.5x26.2x30	32.5x26.2x30	32.5x26.2x30	32.5x26.2x30	31.8x24.5x29
Master Weight Gross (kg)	4.468	4.42	4.096	4.588	4.66	4.264



For more information on our remote features please visit oneforall.com/youtube



FEATURES	HISENSE REPLACEMENT	TELEFUNKEN REPLACEMENT	TOSHIBA REPLACEMENT	SHARP REPLACEMENT	THOMSON REPLACEMENT
Model number	URC 1916	URC 1918	URC 1919	URC 1921	URC 1922
Number of devices	1	1	1	1	1
TV, LCD, LED, Plasma	■	■	■	■	■
DVD, Blu-ray player	-	-	-	-	-
VCR	-	-	-	-	-
Satellite, Cable, DVB-T, IPTV receiver	-	-	-	-	-
Amplifier, Tuner, Home Cinema System	-	-	-	-	-
Sound Bar	-	-	-	-	-
Game Consoles (IR only)	-	-	-	-	-
Streaming Devices, Digital Media Player, Home Theatre PC	-	-	-	-	-
Up to 21 Device Types via Online Database	-	-	-	-	-
Installation					
One For All Codeless Setup	■	■	■	■	■
One For All SimpleSet	-	-	-	-	-
Code set-up / code search	-	-	-	-	-
Setup by learning from original remote	■	■	■	■	■
One For All Setup App	-	-	-	-	-
Service upgradable	■	■	■	■	■
Device mode re-assignment	-	-	-	-	-
Code memory retention	■	■	■	■	■
Device Control					
Digital TV functions (guide, info, exit)	■	■	■	■	■
Internet TV function (apps menu)	■	■	■	■	■
PVR functionality (transport keys)	■	■	■	■	■
Teletext, Fasttext	■	■	■	■	■
OFA Features					
Activities	-	-	-	-	-
Macros	-	-	-	-	-
Learning	■	■	■	■	■
Remote Finder	-	-	-	-	-
Volume Lock	-	-	-	-	-
Key Magic	-	-	-	-	-
Hardware					
Device mode indicator	-	-	-	-	-
Feedback LED	■	■	■	■	■
Backlight	-	-	-	-	-
Big buttons	-	-	-	-	-
Anti-shock protection	-	-	-	-	-
Anti-slip grip	-	-	-	-	-
Wrist Strap	-	-	-	-	-
Batteries required	2x AAA	2x AAA	2x AAA	2x AAA	2x AAA
Batteries (incl / not included)	not included	not included	not included	not included	not included
Manual					
Quick Setup Guide (D / UK / F)	-	-	-	-	-
Manual + Codelist (all languages)	-	-	-	-	-
Quick Setup Guide (all languages)	■	■	■	■	■
Separate Manual and Codelist	-	-	-	-	-
Separate Codelist	-	-	-	-	-



LOGISTICS	HISENSE REPLACEMENT	TELEFUNKEN REPLACEMENT	TOSHIBA REPLACEMENT	SHARP REPLACEMENT	THOMSON REPLACEMENT
Model number	URC 1916	URC 1918	URC 1919	URC 1921	URC 1922
Dimensions Product (LxWxH / cm)	4.6x2x21.5	4.6x2x22	4.6x1.9x20.5	4.6x2.1x22	4.6x2.1x21.5
Product Weight Net WEEE (kg)	0,084	0,082	0,085	0,091	0,084
Packed Product Weight Gross (kg)	0.15	0.156	0.156	0.160	0.157
Dimensions Packaging (LxWxH / cm)	12x2.4x30	12x2.7x30	12x2.5x30	12x2.7x30	12x2.4x30
EAN Packaging	8716184067310	8716184067709	8716184068560	8716184068607	8716184068652
Inner					
Quantity Inner	3	3	3	3	3
EAN Inner	8716184067327	8716184067716	8716184068577	8716184068614	8716184068669
Dimensions Inner / CDU (LxWxH / cm)	30.6x5.6x13.5	30.6x6x13.5	30.6x5.6x13.5	30.6x6x13.5	30.6x5.6x13.5
Inner Weight Gross (kg)	0.474	0.477	0.489	0.504	0.483
Master					
Quantity Master	24	24	24	24	24
EAN Master	8716184067334	8716184067723	8716184068584	8716184068621	8716184068676
Dimensions Master (LxWxH / cm)	31.8x24.5x29.0	31.8x26x29	31.8x24.5x29	31.8x26.0x29.0	31.8x24.5x29.0
Master Weight Gross (kg)	4.192	4.216	4.312	4.432	4.264



For more information on our remote features please visit oneforall.com/youtube



FEATURES	CONTOUR TV	CONTOUR 4	CONTOUR 8	OFA 8
Model number	URC 1210	URC 1240	URC 1280	URC 2981
Number of devices	1	4	8	8
TV, LCD, LED, Plasma	■	■	■	■
DVD, Blu-ray player	-	■	■	■
VCR	-	■	■	■
Satellite, Cable, DVB-T, IPTV receiver	-	■	■	■
Amplifier, Tuner, Home Cinema System	-	-	■	■
Sound Bar	-	-	■	■
Game Consoles (IR only)	-	■	■	■
Streaming Devices, Digital Media Player, Home Theatre PCC	-	■	■	■
Air Conditioner	-	-	-	-
Up to 21 Device Types via Online Database	-	-	-	-
Installation				
One For All Codeless Setup	-	-	-	-
One For All SimpleSet	-	-	-	-
Code set-up / code search	■	■	■	■
Setup by learning from original remote	■	■	■	-
One For All Setup App	-	-	-	-
Service upgradable	■	■	■	-
Device mode re-assignment	-	■	■	-
Code memory retention	■	■	■	■
Device Control				
Digital TV functions (guide, info, exit)	■	■	■	-
Internet TV function (apps menu)	■	■	■	■
PVR functionality (transport keys)	■	■	■	■
Teletext, Fasttext	■	■	■	■
OFA Features				
Activities	-	-	-	-
Macros	-	-	-	-
Learning	■	■	■	■
Remote Finder	-	-	-	-
Volume Lock	-	■	■	■
Key Magic	■	■	■	-
Hardware				
Device mode indicator	-	-	-	-
Feedback LED	■	■	■	■
Backlight	-	-	-	-
Big buttons	-	-	-	-
Anti-shock protection	-	-	-	-
Anti-slip grip	-	-	-	-
Wrist Strap	-	-	-	-
Batteries required	2x AAA	2x AAA	2x AAA	2x AAA
Batteries (incl / not included)	not included	not included	not included	not included
Manual				
Quick Setup Guide (D / UK / F)	-	-	-	-
Manual + Codelist (all languages)	-	-	-	-
Quick Setup Guide (all languages)	■	■	■	■
Separate Manual and Codelist	-	-	-	-
Separate Codelist	■	■	■	-



LOGISTICS	CONTOUR TV	CONTOUR 4	CONTOUR 8	OFA 8
Model number	URC 1210	URC 1240	URC 1280	URC 2981
Dimensions Product (LxWxH / cm)	22.3x4.4x2.0	22.3x4.4x2.0	22.3x4.4x2.0	5.05x2.4x18.2
Product Weight Net WEEE (kg)	0.084	0.084	0.084	0.077
Packed Product Weight Gross (kg)	0.14	0.14	0.14	0.19
Dimensions Packaging (LxWxH / cm)	30.6x9.3x2.8	30.6x9.3x2.8	30.6x9.3x2.8	11.75x3.7x25.85
EAN Packaging	8716184064982	8716184065019	8716184065040	8716184045080
Inner				
Quantity Inner	6	6	6	6
EAN Inner	8716184064999	8716184065026	8716184065057	8716184045097
Dimensions Inner / CDU (LxWxH / cm)	33x22.2x11	33x22.2x11	33x22.2x11	27.5x21.5x12.5
Inner Weight Gross (kg)	0.96	0.96	0.96	1.45
Master				
Quantity Master	48	48	48	48
EAN Master	8716184065002	8716184065033	8716184065064	8716184045103
Dimensions Master (LxWxH / cm)	50x46x37	50x46x37	50x46x37	45x31.5x55
Master Weight Gross (kg)	10.03	10.03	10.03	12.67



For more information on our remote features please visit oneforall.com/youtube



FEATURES	ZAPPER TV	ZAPPER +
Model number	URC 6810	URC 6820
Number of devices	3	3
TV, LCD, LED, Plasma	■	■
DVD, Blu-ray player	-	-
VCR	-	-
Satellite, Cable, DVB-T, IPTV receiver	■	■
Amplifier, Tuner, Home Cinema System	■	■
Sound Bar	■	■
Game Consoles (IR only)	■	■
Streaming Devices, Digital Media Player, Home Theatre PC	■	■
Installation		
One For All Codeless Setup	-	-
One For All SimpleSet	-	■
Code set-up / code search	■	■
Setup by learning from original remote	■	■
One For All Setup App	-	-
Service upgradable	■	■
Device mode re-assignment	-	-
Code memory retention	■	■
Device Control		
Digital TV functions (guide, info, exit)	-	■
OFA Features		
Activities	-	-
Macros	-	-
Learning	■	■
Hardware		
Device mode indicator	-	-
Feedback LED	■	■
Backlight	-	-
Big buttons	■	■
Anti-shock protection	-	-
Anti-slip grip	-	-
Wrist Strap	■	■
Batteries required	2x AAA	2x AAA
Batteries (incl / not included)	not included	not included
Manual		
Quick Setup Guide (D / UK / F)	■	■
Manual + Codelist (all languages)	-	-
Quick Setup Guide (all languages)	■	■
LOGISTICS		
Model number	URC 6810	URC 6820
Dimensions Product (LxWxH / cm)	4.8x2x17.4	4.8x2x17.4
Product Weight Net WEEE (kg)	0.079	0.079
Packed Product Weight Gross (kg)	0.265	0.265
Dimensions Packaging (LxWxH / cm)	15.4x3.2x31.5	15.4x3.2x31.5
EAN Packaging	8716184059902	8716184059933
Inner		
Quantity Inner	3	3
Dimensions Inner / CDU (LxWxH / cm)	16.6x34.5x12.3	16.6x34.5x12.3
Inner Weight Gross (kg)	1.07	1.7
EAN Inner	8716184059919	8716184059940
Master		
Quantity Master	24	24
Dimensions Master (LxWxH / cm)	52.8x36x37.5	52.8x36x37.5
Master Weight Gross (kg)	9.74	9.74
EAN Master	8716184059926	8716184059957

Ultimate home comfort

One For All is the worldwide leader and inventor of universal remote controls to suit any lifestyle.



For more information on our remote features please visit oneforall.com/youtube



FEATURES	ESSENCE TV	ESSENCE 2	ESSENCE 3	ESSENCE 4	IR REMOTE EXTENDER	AIRCON REMOTE
Model number	URC 7110	URC 7120	URC 7130	URC 7140	URC 1000	URC 1035
Number of devices	1	2	3	4	4	1
TV, LCD, LED, Plasma	■	■	■	■	-	-
DVD, Blu-ray player	-	-	■	■	■	-
VCR	-	-	■	■	■	-
Satellite, Cable, DVB-T, IPTV receiver	-	■	■	■	■	-
Amplifier, Tuner, Home Cinema System	-	-	-	■	■	-
Sound Bar	-	-	-	■	■	-
Game Consoles (IR only)	-	-	■	■	■	-
Streaming Devices, Digital Media Player, Home Theatre PC	-	-	■	■	■	-
Air Conditioner	-	-	-	-	-	■
Up to 21 Device Types via Online Database	-	-	-	-	-	-
Installation						
One For All Codeless Setup	-	-	-	-	-	-
One For All SimpleSet	■	■	■	■	-	■
Code set-up / code search	■	■	■	■	-	■
Setup by learning from original remote	-	-	-	■	-	-
One For All Setup App	-	-	-	-	-	-
Service upgradable	■	■	■	■	-	-
Device mode re-assignment	-	■	■	■	-	-
Code memory retention	■	■	■	■	-	■
Device Control						
Digital TV functions (guide, info, exit)	■	■	■	■	-	-
Internet TV function (apps menu)	-	-	-	-	-	-
PVR functionality (transport keys)	-	-	■	■	-	-
Teletext, Fasttext	■	■	■	■	-	-
OFA Features						
Activities	-	■	■	■	-	-
Macros	■	■	■	■	-	-
Learning	-	-	-	■	-	-
Remote Finder	-	-	-	-	-	-
Volume Lock	-	■	■	■	-	-
Key Magic	■	■	■	■	-	-
Hardware						
Device mode indicator	-	■	■	■	-	-
Feedback LED	■	-	-	-	■	-
Backlight	-	-	-	-	-	■
Big buttons	-	-	-	-	-	-
Anti-shock protection	-	-	-	-	-	-
Anti-slip grip	-	-	-	-	-	-
Wrist Strap	-	-	-	-	-	-
Batteries required	4x AAA	4x AAA	4x AAA	4x AAA	None – Power	2x AAA
Batteries (incl / not included)	not included	not included	not included	not included	not included	not included
Manual						
Quick Setup Guide (D / UK / F)	-	-	-	-	-	-
Manual + Codelist (all languages)	-	-	-	-	-	-
Quick Setup Guide (all languages)	■	■	■	■	■	■
Separate Manual and Codelist	-	-	-	-	-	-
Separate Codelist	-	-	-	-	-	-



LOGISTICS	ESSENCE TV	ESSENCE 2	ESSENCE 3	ESSENCE 4	IR REMOTE EXTENDER	AIRCON REMOTE
Model number	URC 7110	URC 7120	URC 7130	URC 7140	URC 1000	URC 1035
Dimensions Product (LxWxH / cm)	4.8x2.3x21.9	4.8x2.3x21.9	4.8x2.3x21.9	4.8x2.3x21.9	236 x 4.12 x 1.62	4.3x2.2x12.9
Product Weight Net WEEE (kg)	0.106	0.106	0.108	0.108	0.106	0.06
Packed Product Weight Gross (kg)	0.2	0.22	0.24	0.24	0.18	0.192
Dimensions Packaging (LxWxH / cm)	15.2x3x31.2	15.2x3x31.2	15.2x3x31.2	15.2x3x31.2	14.5 x 5 x 17.5	12x3x30
EAN Packaging	8716184043123	8716184043154	8716184043185	8716184043215	8716184067679	8716184067730
Inner						
Quantity Inner	3	3	3	3	6	3
Dimensions Inner / CDU (LxWxH / cm)	31.9x7.2x16.5	31.9x7.2x16.5	31.9x7.2x16.5	31.9x7.2x16.5	30 x 16.6 x 18.8	31x6x14
Inner Weight Gross (kg)	0.71	0.77	0.8	0.8	1.25	0.676
EAN Inner	8716184052880	8716184052941	8716184052965	8716184052989	8716184067686	8716184067747
Master						
Quantity Master	48	48	48	48	24	24
Dimensions Master (LxWxH / cm)	33.8x36x62	33.8x36x62	33.8x36x62	33.8x36x62	8716184067693	8716184067754
Master Weight Gross (kg)	12.1	13.06	13.54	13.54	34.8 x 31.2 x 40	32.5x26.2x30
EAN Master	8716184052897	8716184052958	8716184052972	8716184052996	5.45	6



For more information on our remote features please visit oneforall.com/youtube



FEATURES	EVOLVE TV	EVOLVE 2	EVOLVE 4
Model number	URC 7115	URC 7125	URC 7145
Number of devices	1	2	4
TV, LCD, LED, Plasma	■	■	■
DVD, Blu-ray player	-	-	■
VCR	-	-	-
Satellite, Cable, DVB-T, IPTV receiver	-	■	■
Amplifier, Tuner, Home Cinema System	-	-	■
Sound Bar	-	-	■
Game Consoles (IR only)	-	■	■
Streaming Devices, Digital Media Player, Home Theatre PC	-	■	■
Air Conditioner	-	-	-
Up to 21 Device Types via Online Database	-	-	-
Installation			
One For All Codeless Setup	-	-	-
One For All SimpleSet	■	■	■
Code set-up / code search	■	■	■
Setup by learning from original remote	■	■	■
One For All Setup App	-	-	-
Service upgradable	■	■	■
Device mode re-assignment	-	■	■
Code memory retention	■	■	■
Device Control			
Digital TV functions (guide, info, exit)	■	■	■
Internet TV function (apps menu)	■	■	■
PVR functionality (transport keys)	■	■	■
Teletext, Fasttext	■	■	■
OFA Features			
Activities	-	■	■
Macros	■	■	■
Learning	■	■	■
App shortcut key	■	■	■
Remote Finder	-	-	-
Volume Lock	-	■	■
Key Magic	■	■	■
Hardware			
Device mode indicator	-	■	■
Feedback LED	■	-	-
Backlight	-	-	-
Big buttons	-	-	-
Anti-shock protection	-	-	-
Anti-slip grip	-	-	-
Wrist Strap	-	-	-
Batteries required	2x AAA	2x AAA	2x AAA
Batteries (incl / not included)	not included	not included	not included
Manual			
Quick Setup Guide (D / UK / F)	■	■	■
Manual + Codelist (all languages)	-	-	-
Quick Setup Guide (all languages)	■	■	■
Separate Manual and Codelist	-	-	-
Separate Codelist	-	-	-



LOGISTICS	EVOLVE TV	EVOLVE 2	EVOLVE 4
Model number	URC 7115	URC 7125	URC 7145
Dimensions Product (LxWxH / cm)	23.2x4.54x2.1	23.2x4.54x2.1	23.2x4.54x2.1
Product Weight Net WEEE (kg)	0.094	0.094	0.094
Packed Product Weight Gross (kg)	0.258	0.328	0.328
Dimensions Packaging (LxWxH / cm)	31.5x15.5x2.52	31.5x15.5x2.52	31.5x15.5x2.52
EAN Packaging	8716184065415	8716184065446	8716184065477
Inner			
Quantity Inner	3	3	3
EAN Inner	8716184065422	8716184065453	8716184065484
Dimensions Inner / CDU (LxWxH / cm)	35.6x11.7x17	35.6x11.7x17	35.6x11.7x17
Inner Weight Gross (kg)	0.363	1.173	1.173
Master			
Quantity Master	24	24	24
EAN Master	8716184065439	8716184065460	8716184065491
Dimensions Master (LxWxH / cm)	50.3x36.7x38.6	50.3x36.7x38.6	50.3x36.7x38.6
Master Weight Gross (kg)	8.7	10.38	10.38



For more information on our remote features please visit oneforall.com/youtube



FEATURES	STREAMING REMOTE GLOBAL	SMART CONTROL 5
Model number	URC 7935	URC 7955
Number of devices	3	5
TV, LCD, LED, Plasma	■	■
DVD, Blu-ray player	-	■
VCR	-	■
Satellite, Cable, DVB-T, IPTV receiver	■	■
Amplifier, Tuner, Home Cinema System	■	■
Sound Bar	■	■
Game Consoles (IR only)	-	■
Streaming Devices, Digital Media Player, Home Theatre PC	■	■
Air Conditioner	-	-
Up to 21 Device Types via Online Database	-	■
Installation		
One For All Codeless Setup	■	-
One For All SimpleSet	■	■
Code set-up / code search	■	■
Setup by learning from original remote	■	■
One For All Setup App	-	■
Service upgradable	■	■
Device mode re-assignment	■	■
Code memory retention	■	■
Device Control		
Digital TV functions (guide, info, exit)	-	■
Internet TV function (apps menu)	■	■
PVR functionality (transport keys)	-	■
Teletext, Fasttext	-	■
OFA Features		
Activities	■	■
Macros	-	■
Colorwheel Feature (RGB light)	■	-
App short Key	■	■
Learning	■	■
Remote Finder	-	-
Volume Lock	■	■
Key Magic	■	■
Hardware		
Device mode indicator	■	■
Feedback LED	■	-
Backlight	■	-
Big buttons	-	-
Anti-shock protection	-	-
Anti-slip grip	-	-
Wrist Strap	-	-
Batteries required	4x AAA	4x AAA
Batteries (incl / not included)	not included	not included
Manual		
Quick Setup Guide (D / UK / F)	■	■
Manual + Codelist (all languages)	■	-
Quick Setup Guide (all languages)	-	■
Separate Manual and Codelist	-	-
Separate Codelist	-	-



LOGISTICS	STREAMING REMOTE GLOBAL	SMART CONTROL 5
Model number	URC 7935	URC 7955
Dimensions Product (LxWxH / cm)	4.6x2x20.4	1.8x4.3x22.2
Product Weight Net WEEE (kg)	0.085	0.1
Packed Product Weight Gross (kg)	0.156	0.56
Dimensions Packaging (LxWxH / cm)	12x3x30	16.2x4.9x28
EAN Packaging	8716184070648	8716184065590
Inner		
Quantity Inner	3	3
EAN Inner	8716184070655	8716184065606
Dimensions Inner / CDU (LxWxH / cm)	30.6x5.6x13.5	29.3x16.2x15.5
Inner Weight Gross (kg)	0.53	1.874
Master		
Quantity Master	24	12
EAN Master	8716184070662	8716184065613
Dimensions Master (LxWxH / cm)	31.8x24.5x29	33.7x32.2x32
Master Weight Gross (kg)	4.67	8.04



For more information on our remote features please visit oneforall.com/youtube



reddot award 2019
winner



Signal Level Indicator

Indicator lights on the antenna show you when it is positioned correctly, helping you to get the most available channels.

**Crystal Clear
Reception for the best
picture quality
and the purest sound**

Product selector tool

We offer you the perfect antenna selector tool.
For a quick and easy search:
www.ofa.com/antenna

At One For All® we take pride in combining the latest technology, functionality and design. When designing antennas our priority is to ensure the best possible reception of Terrestrial Digital Video Broadcast (DVB-T/DVB-T2).

One For All® has developed a complete new range of indoor and outdoor antennas that anticipates the 4G LTE deployment. Both our indoor and outdoor antennas have a unique built-in 4G LTE block filter to ensure Crystal Clear Reception now and in the future!



0-5 km
0-3 miles
non amplified indoor*



0-15 km
0-9 miles
amplified indoor*



0-25 km
0-15 miles
amplified indoor*



0-50 km
0-30 miles
outdoor model required*



If you live in a built up area you need to purchase a stronger antenna to receive a good reception.
Where you live makes a big difference to the type of antenna you need. The further away from a transmitter you live, the weaker TV reception becomes. If you live in a weaker signal area, it is essential to use an amplified model.



Performance Line Antennas
For crystal clear reception





FEATURES	ECO LINE		VALUE LINE		
Model number	SV 9015	SV 9125	SV 9033	SV 9143	SV 9153
Usage Recommendation					
Strong signal area (0-5km*)	■	■	■	■	■
Medium signal area (0-15km*)	-	■	-	■	■
Weak signal area (0-25km*)	-	-	-	-	■
Very weak signal area (0-50km*)	-	-	-	-	-
Compatibility					
UHF/VHF	■/■	■/■	■/-	■/■	■/■
DVB-T / DVB-T2 (FreeView,TNT,DTT,TDI)	■/■	■/■	■/■	■/■	■/■
HD-ready/Full HD/4K Ultra HD	■/-/-	■/-/-	■/-/-	■/-/-	■/-/-
Features					
Active noise filters/GSM block filter	-/-	■/-	■/■	■/■	■/■
4G LTE block filter	-	■	-	■	■
Signal Clear Technology	-	-	-	■	■
Rotatable/Tilttable	-/■	■/■	-/■	■/■	■/■
Telescopic antennas	■*	■*	■	■	■
Variable gain (dial)	-	■	-	■	■
Automatic gain control (AGC)	-	-	-	-	-
Signal Level Indicator	-	-	-	-	-
Signal Overload Protection (SOP)	-	-	-	-	-
Power indicator (LED)	-	■	-	■	■
Mountable to wall	-	-	-	-	-
Performance					
Noise Figure (dB)	0	3.5	0	3.5	2.5
Impedance (Ω)	75	75	75	75	75
Power via: Mains/Set-Top-Box/USB	-/-/-	■/■/-	-/-/-	■/■/-	■/■/-
Low power consumption (EuP)	-	■	-	■	■
Accessories included					
AC / DC adaptor	-	■	-	■	■
Coaxial cable (meters)	1	1	1	1	1
IEC male connector	■	■	■	■	■
F-type male connector	-	-	-	-	-

* not for UK * not for UK

LOGISTICS	SV 9015	SV 9125	SV 9033	SV 9143	SV 9153
Dimensions Product (LxWxH / Cm)	15.5x4.5x15	5.5x15.5x15	12.5x6x30	16.05x15.4x21.45	16.05x15.4x21.45
Product Weight Net WEEE (kg)	0.25	0.5	0.28	0.47	0.48
Packed Product Weight Gross (kg)	0.36	0.71	0.24	0.78	0.8
Dimensions Packaging (LxWxH / Cm)	16.2x6.2x22	17.5x6.5x28	18x7.3x33	23.2x8.8x35.8	23x8.5x33
EAN Packaging EU	8716184047244	8716184047336	8716184043918	8716184043871	8716184043826
EAN Packaging UK	8716184047275	8716184053528	8716184043932	8716184053153	8716184053184
Inner					
Quantity Inner	-	-	-	-	-
Dimensions Inner / CDU (LxWxH / Cm)	-	-	-	-	-
Inner Weight Gross (kg)	-	-	-	-	-
EAN Inner EU	-	-	-	-	-
EAN Inner UK	-	-	-	-	-
Master					
Quantity Master	6	6	6	6	6
Dimensions Master (LxWxH / Cm)	19.2x18x40.2	22.2x19.5x58.2	25x20x67.5	28.5x25x67.5	67.5x28.5x25
Master Weight Gross (kg)	2.1	4.1	3.94	4.9	5.2
EAN Master EU	8716184047268	8716184047343	8716184043925	8716184043888	8716184043840
EAN Master UK	8716184047299	8716184053535	8716184043949	8716184053160	8716184053191




FEATURES	PERFORMANCE LINE					
Model number	SV 9305	SV 9360	SV 9365	SV 9405	SV 9460	SV 9465
Usage Recommendation						
Strong signal area (0-5km*)	■	■	■	■	■	■
Medium signal area (0-15km*)	-	■	■	-	■	■
Weak signal area (0-25km*)	-	-	■	-	■	■
Very weak signal area (0-50km*)	-	-	-	-	-	-
Compatibility						
UHF/VHF	■/■	■/-	■/-	■/■	■/■	■/■
DVB-T / DVB-T2 (FreeView,TNT,DTT,TDI)	■/■	■/■	■/■	■/■	■/■	■/■
HD-ready/Full HD/4K Ultra HD	■/-/-	■/■/-	■/■/-	■/-/-	■/■/-	■/■/■
Features						
Active noise filters/GSM block filter	■/■	■/■	■/■	■/■	■/■	■/■
4G LTE block filter	-	■	■	■	■	■
Signal Clear Technology	-	■	■	-	-	-
Rotatable/Tilttable	-/■	■/■	■/■	-/■	-/■	-/■
Telescopic antennas	■	■	■	■	■	■
Variable gain (dial)	-	■	■	-	-	-
Automatic gain control (AGC)	-	-	-	-	-	■
Signal Level Indicator	-	-	-	-	-	-
Signal Overload Protection (SOP)	-	-	-	-	■	-
Power indicator (LED)	-	■	■	-	■	■
Mountable to wall	-	-	-	-	-	-
Performance						
Noise Figure (dB)	0	3	2	0	2.5	2
Impedance (Ω)	75	75	75	75	75	75
Power via: Mains/Set-Top-Box/USB	-/-/-	■/■/-	■/■/-	-/-/-	■/-/-	■/-/-
Low power consumption (EuP)	-	■	■	-	■	■
Accessories included						
AC / DC adaptor	-	■	■	-	■	■
Coaxial cable (meters)	1.5	1.5	1.5	1.5	1.5	1.5
IEC male connector	■	■	■	■	■	■
F-type male connector	-	-	-	-	-	-

LOGISTICS	SV 9305	SV 9360	SV 9365	SV 9405	SV 9460	SV 9465
Dimensions Product (LxWxH / Cm)	15x24.5x12.5	19.2x16.5x23.5	18x23x18	10.6x12.4x20.5	10.6x12.3x20.5	10.6x12.3x20.5
Product Weight Net WEEE (kg)	0.307	0.549	0.667	0.200	0.210	0.210
Packed Product Weight Gross (kg)	0.58	1.032	1.032	0.41	0.42 (EST)	0.42
Dimensions Packaging (LxWxH / Cm)	18x8x33	23x10x32.5	23x10x33.5	15x9.2x30 (EST)	15x9.2x30	15x9.2x30
EAN Packaging EU	8716184028311	8716184028342	8716184028434	8716184068010	8716184068058	8716184067952
EAN Packaging UK	8716184029844	8716184068485	8716184053238	8716184068034	8716184068072	8716184067976
Inner						
Quantity Inner	-	-	-	-	-	-
Dimensions Inner / CDU (LxWxH / Cm)	-	-	-	-	-	-
Inner Weight Gross (kg)	-	-	-	-	-	-
EAN Inner EU	-	-	-	-	-	-
EAN Inner UK	-	-	-	-	-	-
Master						
Quantity Master	6	6	6	3	3	3
Dimensions Master (LxWxH / Cm)	68.5x27.5x21.5	68.5x32.5x26	32x26x68.5	29.5x16.2x35.2 (EST)	29.5x16.2x35.2 (EST)	29.5x16.2x35.2 (EST)
Master Weight Gross (kg)	3.8	6.97	5.55	1.44 (EST)	1.47 (EST)	1.47 (EST)
EAN Master EU	8716184028335	8716184056703	8716184028458	8716184068027	8716184068065	8716184067969
EAN Master UK	8716184029837	8716184068492	8716184053245	8716184068041	8716184068089	8716184067983



FEATURES	DESIGN LINE					
Model number	SV 9311	SV 9323	SV 9420	SV 9421	SV 9215	SV 9220
Usage Recommendation						
Strong signal area (0-5km*)	■	■	■	■	■	■
Medium signal area (0-15km*)	-	■	■	■	■	■
Weak signal area (0-25km*)	-	-	-	-	■	-
Very weak signal area (0-50km*)	-	-	-	-	-	-
Compatibility						
UHF/VHF	■ / -	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
DVB-T / DVB-T2 (FreeView,TNT,DTT,TDI)	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
HD-ready/Full HD/4K Ultra HD	■ / ■ / -	■ / ■ / -	■ / ■ / -	■ / ■ / -	■ / ■ / -	■ / ■ / -
Features						
Active noise filters/GSM block filter	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
4G LTE block filter	■	■	■	■	■	■
Signal Clear Technology	-	-	-	-	-	-
Rotatable/Tilttable	- / ■	- / -	- / -	- / -	■ / ■	■ / -
Telescopic antennas	-	-	-	-	-	-
Variable gain (dial)	-	-	-	-	-	-
Automatic gain control (AGC)	-	-	-	-	-	-
Signal Level Indicator	-	-	-	-	-	-
Signal Overload Protection (SOP)	-	-	-	-	-	-
Power indicator (LED)	■	-	-	-	-	-
Mountable to wall	-	-	-	-	■	■
Performance						
Noise Figure (dB)	3.5	3	4	4	4	2.5
Impedance (Ω)	75	75	75	75	75	75
Power via: Mains/Set-Top-Box/USB	■ / ■ / -	■ / ■ / -	■ / ■ / -	■ / ■ / -	■ / ■ / -	■ / ■ / ■
Low power consumption (EuP)	■	■	■	■	■	■
Accessories included						
AC / DC adaptor	■	■	■	■	■	■
Coaxial cable (meters)	1	1.5	1.5	1.5	3	1.8
IEC male connector	■	■	■	■	■	■
F-type male connector	-	-	-	-	-	-

LOGISTICS	DESIGN LINE					
Product	SV 9311	SV 9323	SV 9420	SV 9421	SV 9215	SV 9220
Dimensions Product (LxWxH / Cm)	7.9x5.4x32.5	10.6x2.8x18.9	21x5.4x11	21x5.4x11	23x0.3x24.5 (PVC PART)	30.9x1x8.6
Product Weight Net WEEE (kg)	0.295	0.267	0.24	0.24	0.49	0.29
Packed Product Weight Gross (kg)	0.47	0.34	0.3	0.3	0.754	0.514
Dimensions Packaging (LxWxH / Cm)	9.5x9.8x35.1	10.6x2.8x18.9	22.6x8.6x16.6	22.5x8.6x16.6	18x5.5x33.5	12.5 (+ 3.0 eurolock)x34.0x7.1
EAN Packaging EU	8716184045271	8716184042706	8716184067808	8716184060052	8716184037054	8716184052613
EAN Packaging UK	8716184053030	8716184053085	8716184067839	8716184060083	8716184068508	8716184054235
Inner						
Quantity Inner	6	3	3	3	6	-
Dimensions Inner / CDU (LxWxH / Cm)	35.5x29x20	24.2x27.2x12.4	21x27.2x23.1	27.2x23.1x21	66.8x 19.2x 19.1	-
Inner Weight Gross (kg)	3.1	1.14	1.6	1.6	4.3	-
EAN Inner EU	8716184045288	8716184056710	8716184067815	8716184060069	8716184037061	-
EAN Inner UK	8716184053047	8716184056734	8716184067846	8716184060090	8716184068539	-
Master						
Quantity Master	24	12	12	12	12	6
Dimensions Master (LxWxH / Cm)	37.5x43x59.5	56.5x27.5x27	56.2x47.5x22.5	47.5x22.5x56.2	40.1x21.1x68.3	27.5x24.5x37
Master Weight Gross (kg)	12.15	5.47	7.2	7.2	9.3	3.45
EAN Master EU	8716184045295	8716184056727	8716184067822	8716184060076	8716184037078	8716184052620
EAN Master UK	8716184053054	8716184056741	8716184067853	8716184060106	8716184068546	8716184054242



FEATURES	DESIGN LINE		HD LINE			
Model number	SV 9430	SV 9440	SV 9335	SV 9385	SV 9386	SV 9395
Usage Recommendation						
Strong signal area (0-5km*)	■	■	■	■	■	■
Medium signal area (0-15km*)	■	■	■	■	■	■
Weak signal area (0-25km*)	■	■	-	■	■	■
Very weak signal area (0-50km*)	-	-	-	-	-	-
Compatibility						
UHF/VHF	■ / ■	■ / -	■ / ■	■ / -	■ / -	■ / ■
DVB-T / DVB-T2 (FreeView,TNT,DTT,TDI)	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
HD-ready/Full HD/4K Ultra HD	■ / ■ / -	■ / ■ / -	■ / ■ / ■	■ / ■ / ■	■ / ■ / ■	■ / ■ / ■
Features						
Active noise filters/GSM block filter	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
4G LTE block filter	■	■	■	■	■	■
Signal Clear Technology	■	-	■	■	■	■
Rotatable/Tilttable	- / -	- / -	■ / -	- / -	- / -	■ / ■
Telescopic antennas	-	-	-	-	-	-
Variable gain	-	-	-	■	■	■
Automatic gain control (AGC)	-	-	-	-	-	-
Signal Level Indicator	-	-	-	-	-	-
Signal Overload Protection (SOP)	-	-	-	-	-	-
Power indicator (LED)	-	-	-	-	-	■
Mountable to wall	-	■	-	-	-	■
Performance						
Noise Figure (dB)	3.5	3	4	3	3	3.5
Impedance (Ω)	75	75	75	75	75	75
Power via: Mains/Set-Top-Box/USB	■ / ■ / -	■ / ■ / -	■ / ■ / -	■ / ■ / -	■ / ■ / -	■ / - / -
Low power consumption (EuP)	■	■	■	■	■	-
Accessories included						
AC / DC adaptor	■	■	■	■	■	■
Coaxial cable (meters)	1.5	3	1.5	1.5	1.5	2.75
IEC male connector	■	■	■	■	■	■
F-type male connector	-	-	-	-	-	-

LOGISTICS	DESIGN LINE		HD LINE			
Product	SV 9430	SV 9440	SV 9335	SV 9385	SV 9386	SV 9395
Dimensions Product (LxWxH / Cm)	24x4.8x8.8	23.8x4.4x14.1	17.6x3.65x9.2	28x4.8x13.8	28x4.8x13.8	25.9x2.2x26.6
Product Weight Net WEEE (kg)	0.1925	0.247	0.32	0.76	0.587	0.8
Packed Product Weight Gross (kg)	0.49	0.391	0.55	0.946	0.86	1.2
Dimensions Packaging (LxWxH / Cm)	34.3x18x8.9	25x7.5x18	20x8.5x18.5	31.3x8.5x21.5	31.3x8.6x18.5	31.5x9x33
EAN Packaging EU	8716184064746	8716184064685	8716184049682	8716184049866	8716184055416	8716184049743
EAN Packaging UK	8716184070068	8716184064715	8716184049712	8716184049897	8716184055447	8716184049774
Inner						
Quantity Inner	6	3	3	6	3	4
Dimensions Inner / CDU (LxWxH / Cm)	37x28.0x35.6	29x24x19.7	26.5x20.8x23	38x29.5x33.5	23.3x32.3x27.2	67x20x32.8
Inner Weight Gross (kg)	3.44	1.36	1.6	6,080	2.8	5.1
EAN Inner EU	8716184064753	8716184064692	8716184056796	8716184049873	8716184055423	8716184049750
EAN Inner UK	8716184070075	8716184064722	8716184056819	8716184049903	8716184055454	8716184049781
Master						
Quantity Master	12	12	12	12	12	8
Dimensions Master (LxWxH / Cm)	57.8x38.5x38.0	49.7x30.7x41.8	28x48.3x43.5	40x34x59.5	56.5x35x49.5	68.5x42x34.5
Master Weight Gross (kg)	8.4	5.89	4	12,160	11.93	11.1
EAN Master EU	8716184064760	8716184064708	8716184056802	8716184049880	8716184055430	8716184049767
EAN Master UK	8716184070082	8716184064739	8716184056826	8716184049910	8716184055461	8716184049798



FEATURES	PREMIUM LINE					
Model number	SV 9425	SV 9435	SV 9480	SV 9490	SV 9494	SV 9495
Usage Recommendation						
Strong signal area (0-5km*)	■	■	■	■	■	■
Medium signal area (0-15km*)	■	■	■	■	■	■
Weak signal area (0-25km*)	■	■	■	■	■	■
Very weak signal area (0-50km*)	-	-	-	-	-	-
Compatibility						
UHF/VHF	■ / -	■ / ■	■ / ■	■ / -	■ / -	■ / -
DVB-T / DVB-T2 (FreeView,TNT,DTT,TDI)	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
HD-ready/Full HD/4K Ultra HD	■ / ■ / ■	■ / ■ / ■	■ / ■ / ■	■ / ■ / ■	■ / ■ / ■	■ / ■ / ■
Features						
Active noise filters/GSM block filter	- / ■	- / ■	- / ■	- / ■	- / ■	- / ■
4G LTE block filter	■	■	■	■	■	■
Signal Clear Technology	■	■	■	■	■	■
Rotatable/Tilttable	- / -	- / -	- / -	- / -	■ / -	- / -
Telescopic antennas	-	-	-	-	-	-
Variable gain (dial)	-	-	-	-	-	-
Automatic gain control (AGC)	■	■	■	■	■	■
Signal Level Indicator	-	-	-	-	■	■
Power indicator (LED)	■	■	■	■	■	■
Mountable to wall	■	■	-	■	-	■
Performance						
Noise Figure (dB)	3.5	3.5	3.5	3.5	3.5	3.5
Impedance (Ω)	75	75	75	75	75	75
Power via: Mains/Set-Top-Box/USB	■ / ■ / -	■ / - / -	■ / - / -	■ / - / -	■ / - / -	■ / - / -
Low power consumption (EuP)	■	■	■	■	■	■
Accessories included						
AC / DC adaptor	■	■	■	■	■	■
Coaxial cable (meters)	1.5	1.5	1.5	3	3	1.75
IEC male connector	■	■	■	■	■	■
F-type male connector	-	-	-	-	-	-

LOGISTICS	PREMIUM LINE					
Product	SV 9425	SV 9435	SV 9480	SV 9490	SV 9494	SV 9495
Dimensions Product (LxWxH / Cm)	9.0 x 4.3 x 16	24.8 x 1.98 x 12.8	28.8 x 1.4 x 16.8	28.8 x 1.86 x 27.3	16.8x16.8x14.1	25.3 x 1.86 x 30
Product Weight Net WEEE (kg)	0.1672	0.48	0.56	0.768	0.769	0.608
Packed Product Weight Gross (kg)	0.3188	0.75	0.84	1.13	1.3673	1.1838
Dimensions Packaging (LxWxH / Cm)	11.4 x 7.5 x 22.7	18.2x8.2x34.8	32.9 x 8.2 x 20.9	31.5 x 8.2 x 33	18.6x18.6x22.0	31.5 x 8.0 x 36
EAN Packaging EU	8716184066412	8716184066474	8716184066597	8716184066658	8716184069208	8716184066535
EAN Packaging UK	8716184066443	8716184070099	8716184066627	8716184066689	8716184069222	8716184066566
Inner						
Quantity Inner	3	3	3	3	n/a	3
Dimensions Inner / CDU (LxWxH / Cm)	23.9 x 12.4 x 24.4	25.8 x 19 x 35.6	33.5 x 25.8 x 22,7	32.1 x 25.8 x 34.8	n/a	37.0 x 25.4 x 33.5
Inner Weight Gross (kg)	1.04	2.4	2.7	3.7	n/a	3.7708
EAN Inner EU	8716184066429	8716184066481	8716184066603	8716184066665	n/a	8716184066542
EAN Inner UK	8716184066450	8716184070105	8716184066634	8716184066696	n/a	8716184066573
Master						
Quantity Master	6	6	6	6	2	6
Dimensions Master (LxWxH / Cm)	40.6 x 23.9 x 13.4	39.8 x 27.5 x 38	53.4 x 35 x 24.5	53.4 x 33.6 x 36.6	38.5x19.5x26.5	52.7 x 38.7 x 35.7
Master Weight Gross (kg)	2.34	5.4	5.9	8	3.0397	8.3216
EAN Master EU	8716184066436	8716184066498	8716184066610	8716184066672	8716184069215	8716184066559
EAN Master UK	8716184066467	8716184070112	8716184066641	8716184066702	8716184069239	8716184066580



FEATURES	PROFESSIONAL OUTDOOR				
Model number	SV 9354	SV 9357	SV 9450	SV 9453	SV 9455
Usage Recommendation					
Strong signal area (0-5km*)	■	■	■	■	■
Medium signal area (0-15km*)	■	■	■	■	■
Weak signal area (0-25km*)	■	■	■	■	■
Very weak signal area (0-50km*)	■	■	-	■	■
Compatibility					
UHF/VHF	■ / -	■ / ■	■ / -	■ / -	■ / ■
DVB-T / DVB-T2 (FreeView,TNT,DTT,TDI)	■ / ■	■	■ / ■	■ / ■	■ / ■
HD-ready/Full HD/4K Ultra HD	■ / ■ / -	■ / ■ / -	■ / ■ / ■	■ / ■ / ■	■ / ■ / ■
Features					
Active noise filters/GSM block filter	- / -	- / -	■ / ■	■ / ■	■ / ■
4G LTE block filter	■	■	■	■	■
Signal Clear Technology	-	-	■	■	■
Rotatable/Tilttable	■ / -	■ / -	■ / ■	■ / ■	■ / ■
Telescopic antennas	-	-	-	-	-
Variable gain (dial)	-	-	-	-	-
Automatic gain control (AGC)	-	-	-	-	-
Signal Level Indicator	-	-	-	-	-
Power indicator (LED)	-	-	-	-	■
Mountable to roof / pole	■	■	■	■	■
Performance					
Noise Figure (dB)	0	0	2	0	2
Impedance (Ω)	75	75	75	75	75
Power via: Mains/Set-Top-Box/USB	- / - / -	- / - / -	■ / ■ / -	- / - / -	■ / - / -
Low power consumption (EuP)	-	-	■	-	■
Accessories included					
AC / DC adaptor	-	-	■	-	■
Coaxial cable (meters)	10	10	6	10	10
IEC male connector	■	■	■	■	■
F-type male connector	■	■	-	■	-

LOGISTICS	PROFESSIONAL OUTDOOR				
Product	SV 9354	SV 9357	SV 9450	SV 9453	SV 9455
Dimensions Product (LxWxH / cm)	93.2x36x42	87x42x73.7	12.1x3.6x27	76x39x44	20x6.3x32.2
Product Weight Net WEEE (kg)	1.13	1.19	0.83	1.4	1.67
Packed Product Weight Gross (kg)	1.48	1.59	1.2	2	2.13
Dimensions Packaging (LxWxH / cm)	56x7.5x24.7	58.8x7.5x24.7	18.5x9.5x31.5	46x8x42	33x10x33
EAN Packaging EU	8716184063961	8716184063411	8716184050633	8716184045721	8716184050725
EAN Packaging UK	-	-	8716184050664	-	8716184050749
Inner					
Quantity Inner	-	-	3	-	-
Dimensions Inner / CDU (LxWxH / cm)	-	-	34.5x30x19.5	-	-
Inner Weight Gross (kg)	-	-	3.03	-	-
EAN Inner EU	-	-	8716184050640	-	-
EAN Inner UK	-	-	8716184050671	-	-
Master					
Quantity Master	3	3	9	5	3
Dimensions Master (LxWxH / cm)	53.5x23.5x25	60x24x26.5	61x31.5x37	41.9x43.9x47.4	34.5x32x36
Master Weight Gross (kg)	4.985	5.4	9.83	11.5	6.82
EAN Master EU	8716184063978	8716184063428	8716184050657	8716184045738	8716184050732
EAN Master UK	-	-	8716184050688	-	8716184050756

The specialist in universal audio-video accessories

As the specialist in universal audio-video accessories we not only care about developing best-in-class products with consumer-driven innovations, we also understand that we have an obligation to help our retail partners in helping their customers in finding the right product that fulfills their needs. With our Smart Selector Program we do just that.


We help the shopper to find the right remote control that operates their brand of TV, cable box or DVD, we help him finding the right antenna that works in his postal code area, and we help her to find the right wall mount that fits their flat screen TV. As we understand that the world gets more complex, we know we have to deliver just a little more of our expertise and help. Just scan the QR code or type in our website address and you have direct access to our database filled with specialist know-how.



At One For All we are totally focused on enhancing your home entertainment experiences. One of those is a perfect view of your TV. All One For All® mounting designs are inspired by the latest trends to complement ultra slim TV designs. There are solutions for all screen sizes and for each application to ensure the best viewing experience from all angles.

One For All has also developed highly efficient product selector tools to find compatible wall mounts for each TV.

Enjoy your new viewing experience



Toolbox app

The One For All toolbox app contains handy tools including a height advisor, installation movies and digital manuals.





Product selector tool

We offer you the perfect wall mount selector tool. For a quick and easy search: www.ofa.com/tvbrackets

Part of the furniture

It's the little things in life that matter. That's why we are meticulous about the finer details – even in our TV stands. We design to save space by creating a clean and minimalistic look which complements any stylish interior.



Discover the unique features



Smooth guided movement

The gas spring provides a smooth guided movement from and towards the wall



Bumper protection system

Bumper protection system to minimize the risk of bumping your TV into the wall




Cable management

Integrated cable management

FLUX

Flux Gas Spring Unique smooth movement






COMPATIBILITY	SMART SERIES							
Model number	WM 2111	WM 2121	WM 2141	WM 2151	WM 2211	WM 2221	WM 2241	WM 2251
Flat	■	-	-	-	■	-	-	-
Tilt	-	■	■	■	-	■	■	■
Turn	-	-	90	180	-	-	90	180

FEATURES	SMART SERIES							
VESA compatible	■	■	■	■	■	■	■	■
Universal Adjustable	-	-	-	-	-	-	-	-
Cable Management	-	-	■	-	-	-	-	-
Auto lock & Easy release	-	-	-	-	-	-	-	-
Smart leveling system	-	-	-	-	-	-	-	-
Soft touch rubber	-	-	-	-	-	-	-	-
Advanced one-way tilt	-	-	-	-	-	-	-	-
Zero position tilt lock	-	-	-	-	-	-	-	-
Adjustable tilt lock	-	-	-	-	-	-	-	-
Ideal for corners	-	-	-	■	-	-	-	■
Can be secured by screw.	■	■	■	■	■	■	■	■
Leveler	-	-	-	-	-	-	-	-
Fischer plugs	-	-	-	-	-	-	-	-
Wall Mount drilling template	■	■	■	■	■	■	■	■
Instruction video	-	-	-	-	-	-	-	-
One For All Smartphone App	■	■	■	■	■	■	■	■
Warranty Period	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years

Performance	SMART SERIES							
Min size (inch)	13	13	13	13	13	13	13	13
Min size (cm)	33	33	33	33	33	33	33	33
Max size (inch)	27	27	27	27	40	40	40	40
Max size (cm)	69	69	69	69	102	102	102	102
VESA sizes	75x75, 100x100	75x75, 100x100	75x75, 100x100	75x75, 100x100	75x75, 100x100, 200x100, 200x200	75x75, 100x100, 200x100, 200x200	75x75, 100x100, 200x100, 200x200	75x75, 100x100, 200x100, 200x200
Max weight (kg)	50	50	30	30	50	50	30	30
Max mounting H (mm)	100	100	100	100	200	200	200	200
Max mounting W (mm)	100	100	100	100	200	200	200	200
Wall distance D min (mm)	14	36	49	49	14	39	49	49
Wall distance D max (mm)	-	-	184	393	-	-	184	393
Tilt (°)	-	0-15	0-15	0-15	-	0-15	0-15	0-15
Turn (°)	-	-	90	180	-	-	90	180

Accessories Included	SMART SERIES							
Wall Plugs & Screws	■	■	■	■	■	■	■	■
Screw Types	M4, M5	M4, M5	M4, M5	M4, M5	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8
Spacers	■	■	■	■	■	■	■	■
Allan Key	-	-	-	-	-	-	-	-
Cable Clip	-	-	-	-	-	-	-	-

LOGISTICS	SMART SERIES							
Product	WM 2111	WM 2121	WM 2141	WM 2151	WM 2211	WM 2221	WM 2241	WM 2251
Dimensions Product (LxWxH / cm)	12x1.4x12	12x3.6x12	15x4.9x21.4	13x3.9x22	22x1.4x22	22x3.7x22	24x4.9x26.4	24x4.9x24.9
Product Weight Net WEEE (kg)	0.369	0.455	0.778	1.36	0.68	0.63	1.154	1.803
Packed Product Weight Gross (kg)	0.473	0.495	0.933	1.69	0.96	0.86	1.42	2
Dimensions Packaging (LxWxH / cm)	15.3x2.5x12.5	12.5x4x13	23x7.3x15.5	26x6.3x22.5	23.5x2.8x22.5	22.5x4.3x22.8	28x7.3x24.5	26.5x6.3x24.5
EAN Packaging	8716184064074	8716184064098	8716184064111	8716184064135	8716184064159	8716184064173	8716184064197	8716184064210
Master								
Quantity Master	12	12	6	6	6	6	6	6
Dimensions Master (LxWxH / cm)	27x17x17	27x26x14.5	46x24.5x17	40x27.5x24	25x24x19	28.5x24.5x24	46x29.5x26	40x28x26
Master Weight Gross (kg)	6.3	6.8	6.4	10.58	6.04	5.52	9.8	12.8
EAN Master	8716184064081	8716184064104	8716184064128	8716184064142	8716184064166	8716184064180	8716184064203	8716184064227




COMPATIBILITY	SMART SERIES							
Model number	WM 2411	WM 2421	WM 2441	WM 2451	WM 2453	WM 2611	WM 2621	WM2651
Flat	■	-	-	-	-	■	-	-
Tilt	-	■	■	■	■	-	■	■
Turn	-	-	90	180	180	-	-	180

FEATURES	SMART SERIES							
VESA compatible	■	■	■	■	■	■	■	■
Universal Adjustable	■	■	-	-	■	■	■	■
Cable Management	-	-	-	-	■	-	-	■
Auto lock & Easy release	-	-	-	-	-	-	-	-
Smart leveling system	-	-	-	-	-	-	-	-
Soft touch rubber	-	-	-	-	-	-	-	-
Advanced one-way tilt	-	-	-	-	-	-	-	-
Zero position tilt lock	-	-	-	-	-	-	-	-
Adjustable tilt lock	-	-	-	-	-	-	-	-
Ideal for corners	-	-	-	■	■	-	-	■
Can be secured by screw.	■	■	■	■	■	■	■	■
Leveler	■	■	-	-	■	■	■	-
Fischer plugs	-	-	-	-	■	-	-	■
Wall Mount drilling template	■	■	■	■	■	■	■	■
Instruction video	-	-	-	-	■	-	-	-
One For All Smartphone App	■	■	■	■	■	■	■	■
Warranty Period (months)	10 years	10 years	10 years	10 years	10 years	10 years	10 years	10 years

Performance	SMART SERIES							
Min size (inch)	32	32	13	13	32	32	32	32
Min size (cm)	81	81	33	33	81	81	81	81
Max size (inch)	65	65	65	65	65	84	84	84
Max size (cm)	165	165	165	165	165	213	213	213
VESA sizes	200x200, 300x200, 300x300, 400x300, 400x400, Universally Adjustable, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, Universally Adjustable, 400x200	75x75, 100x100, 200x100, 200x200, 300x200, 300x300, 400x300, 400x400, 400x200	75x75, 100x100, 200x100, 200x200, 300x200, 300x300, 400x300, 400x400, 400x200	200x100, 200x200, 300x200, 300x300, 400x300, 400x400, Universally Adjustable, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, 600x400, Universally Adjustable, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, 600x400, Universally Adjustable, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, 600x400, Universally Adjustable, 400x200
Max weight (kg)	100	80	30	30	50	100	80	50
Max mounting H (mm)	400	400	400	400	400	400	400	400
Max mounting W (mm)	400	400	400	400	400	600	600	600
Wall distance D min (mm)	25	25	49	49	60	25	25	60
Wall distance D max (mm)	-	-	184	393	473	-	-	473
Tilt (°)	-	0-15	0-15	0-15	15	-	0-15	0-20
Turn (°)	-	-	90	180	180	-	-	180

Accessories Included	SMART SERIES							
Wall Plugs & Screws	■	■	■	■	■	■	■	■
Screw Types	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M5, M6, M8	M6, M8	M5, M6, M8	M5, M6, M8
Spacers	■	■	■	■	■	■	■	■
Allan Key	-	-	-	-	-	-	-	-
Cable Clip	-	-	-	-	-	-	-	-

LOGISTICS	SMART SERIES							
Product	WM 2411	WM 2421	WM 2441	WM 2451	WM 2453	WM 2611	WM 2621	WM 2651
Dimensions Product (LxWxH / cm)	20.6x2.5x47.9	47.9x20.6x2.5	24x4.9x26.4	24x4.9x24.9	48x60x43	20.6x2.5x67.9	20.6x2.5x67.9	66x47.3x43
Product Weight Net WEEE (kg)	0.163	1.07	1.483	2.214	3.76	1.445	1.385	3.14
Packed Product Weight Gross (kg)	1.35	1.45	1.749	2.329	4.26	1.715	1.645	4.655
Dimensions Packaging (LxWxH / cm)	21.5x3x48	48.5x21.5x3	28x7.3x24.5	26.5x6.3x24.5	52x6.5x27	21.5x3x68.5	21.5x3x68.5	70x6.5x27
EAN Packaging	8716184064234	8716184064258	8716184064272	8716184064296	8716184071096	8716184064319	8716184064333	8716184064357
Master								
Quantity Master	6	6	6	6	3	6	6	3
Dimensions Master (LxWxH / cm)	23x20x50	20x51.5x23	46x29.5x26	40x28x26	54x28.5x21.5	70x23x20	70x23x20	71.5x28.5x21.5
Master Weight Gross (kg)	8.80	9.15	11.7	15.8	13.4	10.86	11.00	14.6
EAN Master	8716184064241	8716184064265	8716184064289	8716184064302	8716184071102	8716184064326	8716184064340	8716184064364




COMPATIBILITY	SOLID SERIES						
Model number	WM4211	WM4212	WM4221	WM4241	WM4251	WM4411	WM4421
Flat	■	■	-	-	-	■	-
Tilt	-	-	■	■	■	-	■
Turn	-	-	-	90	180	-	-

FEATURES	SOLID SERIES						
VESA compatible	■	■	■	■	■	■	■
Universal Adjustable	-	■	-	-	-	■	■
Cable Management	-	-	-	■	■	-	-
Auto lock & Easy release	-	-	-	-	-	-	-
Smart leveling system	-	-	-	-	-	-	-
Soft touch rubber	-	-	-	-	-	-	-
Advanced one-way tilt	-	-	-	-	-	-	-
Zero position tilt lock	-	-	-	-	-	-	-
Adjustable tilt lock	-	-	-	-	-	-	-
Ideal for corners	-	-	-	-	■	-	-
Can be secured by screw.	■	-	■	■	■	■	■
Leveler	■	■	■	■	■	■	■
Fischer plugs	-	■	-	-	■	■	■
Wall Mount drilling template	■	■	■	■	■	■	■
Instruction video	■	■	■	■	■	■	■
One For All Smartphone App	■	■	■	■	■	■	■
Warranty Period	10 years	10 years	10 years	10 years	10 years	10 years	10 years

Performance	SOLID SERIES						
Min size (inch)	19	13	19	19	19	32	32
Min size (cm)	42	33	42	42	42	81	81
Max size (inch)	42	43	42	42	42	60	60
Max size (cm)	107	109	107	107	107	152	152
VESA sizes	75x75, 100x100, 200x100, 200x200	75x75, 100x100, 200x100, 200x200, Universally Adjustable	75x75, 100x100, 200x100, 200x200	75x75, 100x100, 200x100, 200x200	75x75, 100x100, 200x100, 200x200	200x200, 300x200, 300x300, 400x300, 400x400, Universally Adjustable, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, Universally Adjustable, 400x200
Max weight (kg)	50	40	50	30	30	100	100
Max mounting H (mm)	200	200	200	200	200	400	400
Max mounting W (mm)	200	200	200	200	200	400	400
Wall distance D min (mm)	21	20	40	62	62	25	25
Wall distance D max (mm)	-	-	-	186	395	-	-
Tilt (°)	-	-	0-15	0-15	0-15	-	0-15
Turn (°)	-	-	-	90	180	-	-

Accessories Included	SOLID SERIES						
Wall Plugs & Screws	■	■	■	■	■	■	■
Screw Types	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8
Spacers	■	■	■	■	■	■	■
Allan Key	-	■	-	■	■	-	-
Cable Clip	-	-	-	■	■	-	-

LOGISTICS	SOLID SERIES						
Product	WM 4211	WM 4212	WM 4221	WM 4241	WM 4251	WM 4411	WM 4421
Dimensions Product (LxWxH / cm)	24x2.15x24	24.3x23.1x2.2	24x4x24	24x6.2x24	24x6.2x24	43.5x2.5x47.9	43.5x2.5x47.9
Product Weight Net WEEE (kg)	0.656	0.541	0.95	1.35	1.35	1.055	1.125
Packed Product Weight Gross (kg)	0.96	0.622	1.24	1.42	1.42	1.645	1.72
Dimensions Packaging (LxWxH / cm)	25.5x2.8x25	33x3.5x7.7	25x5x30	25x6.3x30	25x6.3x30	49.5x5x25	49.5x5x25
EAN Packaging	8716184064371	8716184071973	8716184064395	8716184064418	8716184064432	8716184064456	8716184064470
Master	6	6	6	6	6	6	6
Quantity Master	6	6	6	6	6	6	6
Dimensions Master (LxWxH / cm)	27x26.5x19	35x23x10	32x27x32	32x27x40	40x32x27	51.5x33x26.5	51.5x33.6x26.5
Master Weight Gross (kg)	6.06	4.0	7.99	10.25	10.50	10.44	10.97
EAN Master	8716184064388	8716184071980	8716184064401	8716184064425	8716184064449	8716184064463	8716184064487



COMPATIBILITY	SOLID SERIES						
Model number	WM 4441	WM 4451	WM 4452	WM 4611	WM 4621	WM 4661	WM 4811
Flat	-	-	-	■	-	-	■
Tilt	■	■	■	-	■	■	-
Turn	90	180	180	-	-	120	-

FEATURES	SOLID SERIES						
VESA compatible	■	■	■	■	■	■	■
Universal Adjustable	-	-	■	■	■	■	■
Cable Management	■	■	-	-	-	-	-
Auto lock & Easy release	-	-	-	-	-	-	-
Smart leveling system	-	-	-	-	-	-	-
Soft touch rubber	-	-	-	-	-	-	-
Advanced one-way tilt	-	-	-	-	-	-	-
Zero position tilt lock	-	-	-	-	-	-	-
Adjustable tilt lock	-	-	-	-	-	-	-
Ideal for corners	-	■	■	-	-	■	-
Can be secured by screw.	■	■	■	■	■	■	-
Leveler	■	■	■	■	■	■	-
Fischer plugs	-	-	■	■	■	■	-
Wall Mount drilling template	■	■	■	■	■	■	■
Instruction video	■	■	■	■	■	■	■
One For All Smartphone App	■	■	■	■	■	■	■
Warranty Period	10 years	10 years	10 years	10 years	10 years	10 years	10 years

Performance	SOLID SERIES							
Min size (inch)	13	13	32	32	32	32	13	
Min size (cm)	33	33	81	81	81	81	33	
Max size (inch)	60	60	65	84	84	84	90	
Max size (cm)	152	152	165	213	213	213	229	
VESA sizes	75x75, 100x100, 200x100, 200x200, 300x200, 300x300, 400x300, 400x400, 400x200	75x75, 100x100, 200x100, 200x200, 300x200, 300x300, 400x300, 400x400, 400x200	200x100, 200x200, 300x200, 300x300, 400x300, 400x400, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, 400x200	75x75, 100x100, 200x100, 200x200, 300x200, 300x300, 400x300, 400x400, 600x400, 600x600
Max weight (kg)	50	50	50	100	100	60	100	
Max mounting H (mm)	400	400	400	400	400	400	1000	
Max mounting W (mm)	400	400	400	600	600	600	1000	
Wall distance D min (mm)	60	60	60	25	25	64	17	
Wall distance D max (mm)	238	365	473	-	-	510	-	
Tilt (°)	0-15	0-15	0-15	-	-	0-30	-	
Turn (°)	90	180	180	-	-	120	-	

Accessories Included	SOLID SERIES						
Wall Plugs & Screws	■	■	■	■	■	■	■
Screw Types	M4, M5, M6, M8	M4, M5, M6, M8	M5, M6, M8	M5, M6, M8	M5, M6, M8	M5, M6, M8	M4, M5, M6, M8
Spacers	■	■	■	■	■	■	■
Allan Key	■	■	■	-	-	■	-
Cable Clip	■	■	-	-	-	-	-

LOGISTICS	SOLID SERIES						
Product	WM 4441	WM 4451	WM 4452	WM 4611	WM 4621	WM 4661	WM 4811
Dimensions Product (LxWxH / cm)	44x5.5x43.4	44x5.5x43.4	48x60x43	67.9x2.5x43.5	67.9x2.5x43.5	66x51x43	6.5x1.2x8.1
Product Weight Net WEEE (kg)	3.16	3.625	5.36	1.32	1.4	7.4	0.877
Packed Product Weight Gross (kg)	3.95	4.425	5.74	2.01	2.8	8.0	1.06
Dimensions Packaging (LxWxH / cm)	47.1x7x29.8	47.1x7x29.8	52x6.5x22	69.5x5x25	69.5x5x25	71.5x26.5x16.5	27.5x3.5x17.3
EAN Packaging	8716184064494	8716184064517	8716184071119	8716184064531	8716184064555	8716184064579	8716184067105
Master	3	3	3	6	6	2	9
Quantity Master	3	3	3	6	6	2	9
Dimensions Master (LxWxH / cm)	48.3x31.2x24.5	48.2x31.5x24.5	54x23.5x21.5	71.5x33x26.5	71.5x33x26.5	71.5x26.5x16	37x30x20
Master Weight Gross (kg)	12.38	13.84	17.74	12.8	13.3	16.5	10.4
EAN Master	8716184064500	8716184064524	8716184071126	8716184064548	8716184064562	8716184064586	8716184067112



COMPATIBILITY	ULTRA SLIM SERIES					
Model number	WM 6211	WM 6221	WM 6242	WM 6252	WM 6411	WM 6421
Flat	■	-	-	-	■	-
Tilt	-	■	■	■	-	■
Turn	-	-	90	180	-	-

FEATURES	ULTRA SLIM SERIES					
VESA compatible	■	■	■	■	■	■
Universal Adjustable	-	-	-	-	■	■
Cable Management	-	-	■	■	-	-
Auto lock & Easy release	■	■	■	■	■	■
Smart leveling system	■	■	■	■	■	■
Soft touch rubber	■	■	■	■	■	■
Advanced one-way tilt	-	-	-	-	-	-
Zero position tilt lock	-	-	-	-	■	■
Adjustable tilt lock	-	-	-	-	-	-
Ideal for corners	-	-	-	■	-	-
Can be secured by screw.	■	■	■	■	-	-
Leveler	■	■	■	■	■	■
Fischer plugs	■	■	■	■	■	■
Wall Mount drilling template	■	■	■	■	■	■
Instruction video	■	■	■	■	■	■
One For All Smartphone App	■	■	■	■	■	■
Warranty Period	lifetime	lifetime	lifetime	lifetime	lifetime	lifetime

Performance	ULTRA SLIM SERIES					
Min size (inch)	13	13	13	13	32	32
Min size (cm)	33	33	33	33	81	81
Max size (inch)	43	43	43	43	65	65
Max size (cm)	109	109	109	109	165	165
VESA sizes	75x75, 100x100, 200x100, 200x200	75x75, 100x100, 200x100, 200x200	75x75, 100x100, 200x100, 200x200	75x75, 100x100, 200x100, 200x200	200x200, 300x200, 300x300, 400x300, 400x400, Universally Adjustable, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, Universally Adjustable, 400x200
Max weight (kg)	40	40	25	25	80	80
Max mounting H (mm)	200	200	200	200	400	400
Max mounting W (mm)	200	200	200	200	400	400
Wall distance D min (mm)	13	25	45	45	13	20
Wall distance D max (mm)	-	-	256	495	-	-
Tilt (°)	-	0-15	0-15	0-15	-	0-15
Turn (°)	-	-	90	180	-	-

Accessories Included	ULTRA SLIM SERIES					
Wall Plugs & Screws	■	■	■	■	■	■
Screw Types	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8
Spacers	■	■	■	■	■	■
Allan Key	-	-	-	-	-	-
Cable Clip	-	-	-	-	-	-

LOGISTICS	ULTRA SLIM SERIES					
Product	WM 6211	WM 6221	WM 6242	WM 6252	WM 6411	WM 6421
Dimensions Product (LxWxH / cm)	23.5x1.3x23.5	23.5x2.97x24.8	23.5x4.8x23.5	23.5x4.8x23.5	47.4x1.38x43	47.4x2x48.1
Product Weight Net WEEE (kg)	0.85	1.1135	1.75	2.375	1.3825	2.352
Packed Product Weight Gross (kg)	1.033	1.3	1.86	2.415	1.6	2.6
Dimensions Packaging (LxWxH / cm)	29.3x26.1x4.8	29.3x26.1x5	39x26x6.8	39x26x6.8	52.5x18.8x4.4	52.5x21.7x4.4
EAN Packaging	8716184066177	8716184066207	8716184071133	8716184070877	8716184066276	8716184066290
Master						
Quantity Master	3	3	3	3	3	3
Dimensions Master (LxWxH / cm)	30.5x27.5x16.5	30.5x27.5x16.5	40.5x27.5x23	40.5x27.5x23	54x20x15.5	54x23.5x15.5
Master Weight Gross (kg)	3.42	4.24	6.88	8.72	5.2	8.2
EAN Master	8716184066184	8716184066214	8716184071140	8716184070884	8716184066283	8716184066306



COMPATIBILITY	ULTRA SLIM SERIES				
Model number	WM 6452	WM 6611	WM 6621	WM 6652	WM 6681
Flat	-	■	-	-	-
Tilt	■	-	■	■	■
Turn	180	-	-	180	180

FEATURES	ULTRA SLIM SERIES				
VESA compatible	■	■	■	■	■
Universal Adjustable	■	■	■	■	-
Cable Management	■	-	-	■	■
Auto lock & Easy release	■	■	■	■	-
Smart leveling system	■	■	■	■	■
Soft touch rubber	■	■	■	■	■
Advanced one-way tilt	-	-	-	-	-
Zero position tilt lock	■	■	■	■	■
Adjustable tilt lock	■	-	-	■	-
Ideal for corners	■	-	-	■	-
Can be secured by screw.	■	-	-	■	■
Leveler	■	■	■	■	■
Fischer plugs	■	■	■	■	-
Wall Mount drilling template	■	■	■	■	■
Instruction video	■	■	■	■	■
One For All Smartphone App	■	■	■	■	■
Warranty Period (months)	lifetime	lifetime	lifetime	lifetime	lifetime

Performance	ULTRA SLIM SERIES				
Min size (inch)	32	32	32	32	32
Min size (cm)	81	81	81	81	81
Max size (inch)	65	90	90	90	84
Max size (cm)	165	229	229	229	213
VESA sizes	100x100, 200x100, 200x200, 300x200, 300x300, 400x300, 400x400, Universally Adjustable, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, 600x400, Universally Adjustable, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, 600x400, Universally Adjustable, 400x200	200x200, 300x200, 300x300, 400x300, 400x400, 600x400, Universally Adjustable	200x200, 300x200, 300x300, 400x300, 400x400, 600x400, Universally Adjustable, 400x200
Max weight (kg)	40	80	80	40	30
Max mounting H (mm)	400	400	400	400	400
Max mounting W (mm)	400	600	600	600	600
Wall distance D min (mm)	35	13	20	35	70
Wall distance D max (mm)	600	-	-	600	700
Tilt (°)	0-20	-	0-15	0-20	15
Turn (°)	180	-	-	180	180

Accessories Included	ULTRA SLIM SERIES				
Wall Plugs & Screws	■	■	■	■	■
Screw Types	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8
Spacers	■	■	■	■	■
Allan Key	-	-	-	-	-
Cable Clip	■	-	-	■	■

LOGISTICS	ULTRA SLIM SERIES				
Product	WM 6452	WM 6611	WM 6621	WM 6652	WM 6681
Dimensions Product (LxWxH / cm)	47.4x3.8x42.3	67.4x1.38x43	67.4x2x48.1	67.4x3.8x42.3	77.2x7x44.3
Product Weight Net WEEE (kg)	4.985	1.525	2.525	5.21	10.64
Packed Product Weight Gross (kg)	5.905	1.805	2.83	6.36	13.18
Dimensions Packaging (LxWxH / cm)	51.9x7.3x37	72x18.5x4.4	72x21.7x4.4	71.9x39x7.3	86.6x14.5x51.9
EAN Packaging	8716184070808	8716184066337	8716184066351	8716184070822	8716184067082
Master					
Quantity Master	3	3	3	3	1
Dimensions Master (LxWxH / cm)	53.5x38.5x24	73.5x20x15.5	73.5x23.5x15.5	73.5x38.5x24	91x57x16
Master Weight Gross (kg)	18.48	5.85	9	20.04	14.4
EAN Master	8716184070815	8716184066344	8716184066368	8716184070839	8716184067099



COMPATIBILITY	TV STANDS				
Model number	WM 4471	WM 4672	WM 6471	WM 7471	WM 7472
Flat	-	-	■	-	-
Tilt	■	■	■	-	-
Turn	90	90	-	360	360

FEATURES	TV STANDS				
VESA compatible	■	■	■	■	■
Universal Adjustable	■	■	-	■	■
Height adjustable	■	■	■	■	■
Soundbar holder	-	-	-	■	■
Cable Management	■	■	■	■	■
Soft touch rubber	■	■	-	■	■
Equipment storage	-	■	-	-	-
Ideal for corner mount	■	■	-	■	■
Instruction video	■	■	■	■	■
One For All Smartphone App	■	■	■	■	■
Warranty Period	10 years	10 years	lifetime	lifetime	lifetime

Performance	TV STANDS				
Min size (inch)	32	32	32	32	32
Min size (cm)	81	81	81	81	81
Max size (inch)	65	70	60	65	65
Max size (cm)	165	178	152	165	165
VESA sizes	200x100, 200x200, 300x200, 300x300, 400x300, 400x400, Universally Adjustable, 400x200	200x100, 200x200, 300x200, 300x300, 400x300, 400x400, 600x400, Universally Adjustable, 400x200	200x200, 300x300, 400x400	200x100, 200x200, 300x200, 300x300, 400x300, 400x400, 400x200	200x100, 200x200, 300x200, 300x300, 400x300, 400x400, 400x200
Max weight (kg)	40	30	30	30	30
Max mounting H (mm)	400	400	400	400	400
Max mounting W (mm)	400	600	400	400	400
Wall distance D min (mm)	-	-	80	-	-
Wall distance D max (mm)	-	-	-	-	-

Accessories Included	TV STANDS				
Screw Types	M5, M6, M8	M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8	M4, M5, M6, M8
Spacers	■	■	■	■	■
Allan Key	■	■	■	■	■

LOGISTICS	TV STANDS				
Product	WM 4471	WM 4672	WM 6471	WM 7471	WM 7472
Dimensions Product (LxWxH / Cm)	0x0x0	0x0x0	68x33.5x120	138.5x42x87.3	138.5x42x87.3
Product Weight Net WEEE (kg)	tbd	tbd	7	5.0	5.0
Packed Product Weight Gross (kg)	tbd	tbd	9.5	6.2	5.5
Dimensions Packaging (LxWxH / Cm)	0x0x0	0x0x0	52.7x21x49.7	86.5x19x15	86.5x19x15
EAN Packaging	8716184071379	8716184071355	8716184067068	8716184071782	8716184071836
Master	TV STANDS				
Quantity Master	2	1	2	1	1
Dimensions Master (LxWxH / Cm)	0x0x0	0x0x0	54.5x51x43.5	88x20.5x16.5	88x20.5x16.5
Master Weight Gross (kg)	tbd	tbd	18.3	6.9	6.9
EAN Master	8716184071386	8716184071362	8716184067075	8716184071799	8716184071829

Part of the furniture

It's the little things in life that matter. That's why we are meticulous about the finer details – even in our TV stands. We design to save space by creating a clean and minimalistic look which complements any stylish interior.





COMPATIBILITY	UNIVERSAL SOUNDBAR HOLDER	UNIVERSAL MEDIA PLAYER/ HDD HOLDER	UNIVERSAL STORAGE SHELF
Model number	WM 5211	WM 5221	WM 5311

FEATURES	ACCESSORIES		
VESA compatible	■	■	-
Universal Adjustable	■	■	-
Cable Management	-	■	-
Ideal for corner mount	-	-	-
One For All Smartphone App	■	■	■
Warranty Period	10 years	10 years	10 years
Performance			
Max weight (kg)	-	-	8
Tilt (°)	-	-	-
Turn (°)	-	-	-
Accessories Included			
Wall Plugs & Screws	-	-	■
Screw Types	-	-	-
Spacers	-	-	■
Allan Key	-	-	-
Cable Clip	-	-	-

LOGISTICS	ACCESSORIES		
Product	WM 5211	WM 5221	WM 5311
Dimensions Product (LxWxH / Cm)	14x0.2x43	9.5x2.73x11.1	25x3.1x36
Product Weight Net WEEE (kg)	0.505	0.1	1.42
Packed Product Weight Gross (kg)	0.845	0.24	1.63
Dimensions Packaging (LxWxH / Cm)	45x18.7x4	12 x 4.5 x 18.5	26x3.4x38
EAN Packaging	8716184067020	8716184067044	8716184058943
Inner			
Quantity Inner	-	-	3
Dimensions Inner / CDU (LxWxH / Cm)	-	-	39.5X26.8X11.7
Inner Weight Gross (kg)	-	-	5.19
EAN Inner	-	-	8716184059384
Master			
Quantity Master	3	3	9
Dimensions Master (LxWxH / Cm)	47x20x14	20x16x14	38.9x28.8x41.5
Master Weight Gross (kg)	3.035	0.848	16
EAN Master	8716184067037	8716184067051	8716184058950



COMPATIBILITY	ACCESSORIES		
Model number	WM 5313	WM 5320	WM 5330

FEATURES	ACCESSORIES		
VESA compatible	-	-	-
Universal Adjustable	-	■	■
Cable Management	-	■	-
Ideal for corner mount	-	■	■
One For All Smartphone App	■	■	■
Warranty Period	10 years	10 years	10 years
Performance			
Max weight (kg)	35	15	3
Tilt (°)	-	180	30
Turn (°)	-	360	120
Accessories Included			
Wall Plugs & Screws	■	■	■
Screw Types	-	M4;M5;M6;M8	M5
Spacers	■	-	-
Allan Key	-	Yes	-
Cable Clip	-	-	-

LOGISTICS	ACCESSORIES		
Product	WM 5313	WM 5320	WM 5330
Dimensions Product (LxWxH / Cm)	13.5x4.5x29	31x31x22	6x8.7x4.75
Product Weight Net WEEE (kg)	1.06	1.45	0.135
Packed Product Weight Gross (kg)	1.24	1.75	0.186
Dimensions Packaging (LxWxH / Cm)	10.7x5.5x26	28.5x20x9	11.5x7x8.5
EAN Packaging	8716184058981	8716184065880	8716184065910
Inner			
Quantity Inner	3	3	6
Dimensions Inner / CDU (LxWxH / Cm)	34x27.5x6.5	29.5x21x28.5	27x15X12.5
Inner Weight Gross (kg)	3.92	5.9	1.3
EAN Inner	8716184059377	8716184065903	8716184065927
Master			
Quantity Master	9	6	24
Dimensions Master (LxWxH / Cm)	29.5x22x36	44x31x30	32x28.5x28
Master Weight Gross (kg)	12.5	12.8	5.5
EAN Master	8716184058998	8716184065897	8716184065934

Ever since the day television was invented, the technology has continued to evolve into generations of increasingly smart devices. New technologies are changing the way people watch TV and listen to music. Flat screens and a range of audio/video peripherals now offer features that create intense entertainment experiences.

One For All® Signal Distribution products are designed to get the most out of your devices. They simplify their use, add wireless capabilities and smart features at the same high audio and video quality that you are used to.



Maximise your TV experience




Product videos

Scan the QR code below to visit One For All's YouTube channel, giving you access to the latest product information, features and handy tips to get the most of of your One For All accessory.

Bluetooth

TV audio transmitter

Send TV sound to your Bluetooth Headphones and enjoy your favourite TV programmes, without bothering other people in same room.





COMPATIBILITY	SIGNAL AMPLIFIERS					
Model number	SV 9601	SV 9602	SV 9604	SV 9610	SV 9620	SV 9640
UHF/VHF/FM	■/■/■	■/■/■	■/■/■	■/■/■	■/■/■	■/■/■
Analogue/Digital	■/■	■/■	■/■	■/■	■/■	■/■
DVB-T / DVB-T2 (FreeView.TNT.DTT.TDT)	■/■	■/■	■/■	■/■	■/■	■/■
DAB/DAB+	■/■	■/■	■/■	■/■	■/■	■/■
DVB-C/DVB-C2	■/■	■/■	■/■	■/■	■/■	■/■
HD-ready/Full HD/4K Ultra HD	■/■/■	■/■/■	■/■/■	■/■/■	■/■/■	■/■/■

FEATURES	SIGNAL AMPLIFIERS					
Number of outputs	1	2	4	1	2	4
4G LTE block filter	■	■	■	■	■	■
SKY TV LINK compatible	-	-	-	-	-	-
Variable gain dial	-	-	-	■	■	■
Power on / off switch	-	-	-	■	■	■
Mountable to wall	■	■	■	-	-	■
Performance						
Gain (dB)	23	20	20	20	20	20
Noise Figure (dB)	4	4	4	3	3	3
Impedance (Ω)	75	75	75	75	75	75
Low power consumption (EuP)	■	■	■	■	■	■
Accessories Included						
Mains powered	■	■	■	■	■	■
Coaxial cable (meters)	-	-	-	-	-	1
IEC male connector	-	-	-	■	■	■
F-type male connector	-	-	-	-	-	-

LOGISTICS	SIGNAL AMPLIFIERS					
Product	SV 9601	SV 9602	SV 9604	SV 9610	SV 9620	SV 9640
Dimensions Product (LxWxH / cm)	6.5x5.5x2.75	6.5x5.5x2.75	6.5x5.5x2.75	7x7.2x10.3	7x7.2x10.3	15.4x3.7x9
Product Weight Net WEEE (kg)	0.11	0.15	0.12	0.19	0.2	0.35
Dimensions Packaging (LxWxH / cm)	8.2x7.7x8.4	8.2x7.7x8.4	8.2x7.7x8.4	10.6x7.7x8.8	10.6x7.7x8.8	10.6x7.7x16
Packed Product Weight Gross (kg)	0.16	0.165	0.17	0.25	0.26	0.44
EAN Packaging	8716184054556	8716184054587	8716184054617	8716184053825	8716184053887	8716184053948
Inner						
Quantity Inner	6	6	6	3	3	3
Dimensions Inner / CDU (LxWxH / cm)	25.2x9x18.3	25x9x18.3	25.2x9x18.3	24x12.3x9.5	24x12.3x9.5	24x12.2x16.6
Inner Weight Gross (kg)	1.03	1.06	1.32	0.81	0.84	1.42
EAN Inner	8716184056635	8716184056659	8716184056673	8716184053832	8716184053894	8716184053955
Master						
Quantity Master	48	48	48	24	24	24
Dimensions Master (LxWxH / cm)	26.5x38.7x38.2	26.5x38.7x38.2	38.2x38.7x26.5	19.7x20.4x49.5	19.7x20.4x49.4	26.4x34.5x49.5
Master Weight Gross (kg)	8.77	9.01	11.09	6.93	7.17	12.05
EAN Master	8716184056642	8716184056666	8716184056680	8716184053849	8716184053900	8716184053962



COMPATIBILITY	WIRELESS AV DISTRIBUTION		
Model number	SV 1715	SV 1730	SV 1760
PVR/DVR	■/■	■/■	- / -
Blu-Ray/DVD	■/■	■/■	■/■
Digital TV/Satellite/Terrestrial DVB	■/■/■	■/■/■	■/■/■
Laptop Camera/Video Camera	■/■	■/■	■/■

FEATURES	WIRELESS AV DISTRIBUTION		
Interference Free Technology	■	■	■
RCA connectors	-	■	-
S-Video	-	■	-
SCART cable included	■	■	-
Video signal input	Composite (CVBS)	Composite (CVBS);S-Video	HDMI
Video signal output	Composite (CVBS)	Composite (CVBS);S-Video	HDMI
HDMI standard	-	-	1.3a (incl 3D)
Sound	-	-	Dolby Digital 5.1 / PCM 2
Resolution	-	-	HD 1080 / 60 Hz
HDCP	-	-	2.0
Security	-	-	128/256 bit AES Encryption
Performance			
Frequency (GHz)	2.4	5.8	5.0
Channels	4	4	automatic
Range clear line of sight (m)	50	100	30
Antenna type	External	External Patch Type	Internal
Frequency RC Extender (MHz)	433.92	433.92	5800
IR Remote signals (kHz)	30-60	30-60	30-60
Antenna (IR)	External	External	Internal
AC / DC Adaptor	9V DC / 300mA	9V DC / 350mA	5V DC / 1000 mA micro USB
Remote Control Extender	■	■	■
3.5mm - SCART	■	-	-
3RCA - SCART	-	■	-

LOGISTICS	WIRELESS AV DISTRIBUTION		
Product	SV 1715	SV 1730	SV 1760
Dimensions Product (LxWxH / cm)	12x3.1x14.2	10.7x3.4x11.4	9x8.6x2.48
Product Weight Net WEEE (kg)	0.92	0.51	0.174
Dimensions Packaging (LxWxH / cm)	17.8x9.1x26.4	25.2x8.2x20.5	25.2 x8.2 x20.3
Packed Product Weight Gross (kg)	1.23	0.91	0.72
EAN Packaging EU	8716184025198	8716184047183	8716184063626
EAN Packaging UK	8716184025228	8716184047213	8716184063657
Inner			
Quantity Inner	3	3	1
Dimensions Inner / CDU (LxWxH / cm)	29x28x20	26.3x25.9x21.7	26.2 x 9.1 x 22.3
Inner Weight Gross (kg)	4.05	3	0.85
EAN Inner EU	8716184025204	8716184047190	8716184063633
EAN Inner UK	8716184025235	8716184047220	8716184063701
Master			
Quantity Master	6	6	3
Dimensions Master (LxWxH / cm)	31.5x23x57	28x46x28.5	30.3 x 27.5 x 24.4
Master Weight Gross (kg)	9.27	6.9	3.5
EAN Master EU	8716184025211	8716184047206	8716184063640
EAN Master UK	8716184025242	8716184047237	8716184063718



FEATURES	SMART HDMI SWITCH
Model number	SV 1630
Full HD video support	up to 1080p, 12-bit deep color
3D video support	■
Smart Switch Technology	■
HDMI device support	
Set Top Box Satellite	■
Set Top Box Cable	■
Set Top Box Terrestrial	■
Remote Control	■
Blu-Ray	■
DVD	■
Game consol	■
Digital Camera	■
Camcorders	■
Smartphones	■
Connections	
# of HDMI inputs	3
# of HDMI outputs	1
Power Supply	via HDMI
HDMI features	
Version	v1.4b
HDCP compliant	Yes
Digital audio compliancy	up to DTS HD and Dolby True HD
HDMI-CEC compatible	Yes
LOGISTICS	SMART HDMI SWITCH
Product	SV 1630
Dimensions Product (LxWxH / cm)	6.4x1.9x11.5
Product Weight Net WEEE (kg)	0.065
Dimensions Packaging (LxWxH / cm)	5x18x9.5
Packed Product Weight Gross (kg)	0.13
EAN Packaging	8716184058097
Inner	
Quantity Inner	6
Dimensions Inner / CDU (LxWxH / cm)	32.8x19.5x10.5
Inner Weight Gross (kg)	1.15
EAN Inner	8716184058103
Master	
Quantity Master	48
Dimensions Master (LxWxH / cm)	40x22.5x67
Master Weight Gross (kg)	10.2
EAN Master	8716184058110



FEATURES	BLUETOOTH AUDIO TRANSMITTER	BLUETOOTH MUSIC RECEIVER	BLUETOOTH MUSIC RECEIVER HD OPTICAL
Model number	SV 1770	SV 1810	SV 1820
Bluetooth version	Bluetooth 3.0	Bluetooth 4.0	Bluetooth 3.0
Bluetooth profiles	A2DP	A2DP	A2DP
Bluetooth codecs	SBC - aptX - aptX LL	SBC	SBC - aptX normal
Performance			
Signal Noise Ratio (SNR)	>= 95 dB	>= 80 dB	>= 90 dB
Total Harmonic Distortion (THD)	<=0.05%	<=0.04%	<=0.05%
Range clear line of sight (m)	10	10	10
Concurrent connections	2	2	3
Memorized devices	2	3	8
Wolfson DAC/ADC	Yes	No	Yes
Connections			
3.5mm audio	Yes	Yes	Yes
RCA audio	Yes	Yes	Yes
Digital Optical Out (Toslink, S/PDIF)	No	No	Yes
Power	USB from TV / 5V	AC/DC micro USB / 5V - 300mA	AC/DC 5V / 600mA
LOGISTICS	BLUETOOTH AUDIO TRANSMITTER	BLUETOOTH AUDIO RECEIVER	BLUETOOTH MUSIC RECEIVER HD OPTICAL
Product	SV 1770	SV 1810	SV 1820
Dimensions Product (LxWxH / Cm)	17 x 4 x 1.6	6 x 6 x 2	9.4 x 6.2 x 2.2
Product Weight Net WEEE (kg)	0.031	0.032	0.062
Dimensions Packaging (LxWxH / Cm)	14.4 x 5 x 17.6	9.6 x 5.0 x 17.6	14.4 x 5.0 x 17.6
Packed Product Weight Gross (kg)	0.153	0.176	0.247
EAN Packaging	8716184067525	8716184063664	8716184063749
EAN Packaging UK	-	8716184063695	8716184063770
Inner			
Quantity Inner	3	6	3
Dimensions Inner / CDU (LxWxH / Cm)	16.4 x 15.4 x 19.3	32 x 10.6 x 19.3	16.4x15.4x19.3
Inner Weight Gross (kg)	0.54	1.12	0.816
EAN Inner EU	8716184067532	8716184063671	8716184063756
EAN Inner UK	-	8716184063725	8716184063787
Master			
Quantity Master	12	24	12
Dimensions Master (LxWxH / Cm)	33.5 x 18.5 x 42	44.7 x 33.7 x 21.5	32.7x18.1x41
Master Weight Gross (kg)	2.455	5.12	3.61
EAN Master EU	8716184067549	8716184063688	8716184063763
EAN Master UK	-	8716184063732	8716184063794



FEATURES	ESSENTIAL CABLE RANGE							
Model number	CC 4010	CC 4012	CC 4013	CC 4020	CC 4030	CC 4040	CC 4041	CC 4045
Length (cm)	150	100	300	150	150	100	300	150
TOSLINK (Male) to TOSLINK (Male)	-	-	-	-	■	-	-	-
IEC male to female	-	-	-	■	-	-	-	-
HDMI (Male) to HDMI (Male)	■	■	■	-	-	-	-	-
USB-A (Male) to MICRO USB-A (Male)	-	-	-	-	-	■	■	-
USB-A (Male) to USB-C (Male)	-	-	-	-	-	-	-	■
Connectors	Gold plated	Gold plated	Gold plated	Nickel plated	Nickel plated	Nickel plated	Nickel plated	Nickel plated
OFC Copper Cores	■	■	■	■	■	-	-	-
Pro Shielding	■	■	■	■	■	-	-	-
Durable Molded Plug	■	■	■	■	■	-	-	-
Durable ABS Plated Plug	■	-	-	-	-	■	■	■

FEATURES	ESSENTIAL CABLE RANGE							
Product	CC 4010	CC 4012	CC 4013	CC 4020	CC 4030	CC 4040	CC 4041	CC 4045
Product Weight Net WEEE (kg)	0.0785	0.056	0.123	0.0575	0.0118	0.0184	0.0603	0.0336
Dimensions Product (LxWxH / cm)	150	100	300	150	150	100	300	150
Packed Product Weight Gross (kg)	0.0887	0.07	0.1323	0.0677	0.016	0.0226	0.064	0.0376
Dimensions Packaging (LxWxH / cm)	19x1.8x24.25	18x1.8x24.25	19x1.8x24.25	19x1.8x24.25	10x1.1x19	10x1.1x19	10x1.1x19	10x1.1x19
EAN Packaging	8716184057908	8716184068119	8716184068140	8716184057939	8716184057960	8716184057991	8716184068171	8716184068201
Inner								
Quantity Inner	10	10	10	10	10	10	10	10
Dimensions Inner / CDU (LxWxH / cm)	17x19.5x25	19.5x17x25	19.5x18x25	17x19.5x25	11x10.5x20	11x10.5x20	16x10.5x20	11x10.5x20
Inner Weight Gross (kg)	1.0875	0.8575	1.53	0.8775	0.2437	0.3097	0.75	0.4597
EAN Inner	8716184057915	8716184068126	8716184068157	8716184057946	8716184057977	8716184058004	8716184068188	8716184068218
Master								
Quantity Master	50	60	50	50	60	60	50	50
Dimensions Master (LxWxH / cm)	53x44x21.5	54x41x26	57x45x21.5	44x21.5x53	22x23x36	22x23x36	34x28x21	42x32x12
Master Weight Gross (kg)	6.2875	6.045	8.565	5.2375	1.7622	2.1582	4.18	2.727
EAN Master	8716184057922	8716184068133	8716184068164	8716184057953	8716184057984	8716184058011	8716184068195	8716184068225



FEATURES	ESSENTIAL CABLE RANGE							
Model number	CC 4050	CC 4051	CC 4052	CC 4053	CC 4054	CC 4060	CC 4061	CC 4070
Length (cm)	100	150	150	300	300	100	300	150
2RCA (Male) to 3.5mm (Male)	-	-	-	-	-	-	-	■
3.5mm (Male) to 3.5mm (Male)	-	-	-	-	-	■	■	-
USB-A (Male) to APPLE 30PIN (Male)	■	-	-	-	-	-	-	-
USB-A (Male) to APPLE LIGHTNING (Male)	-	■	■	■	■	-	-	-
Connectors	Nickel plated	Nickel plated	Nickel plated	Nickel plated	Nickel plated	Nickel plated	Nickel plated	Nickel plated
Pro Shielding	-	-	-	-	-	■	■	■
Durable Molded Plug	-	-	-	-	-	■	■	■
Durable ABS Plated Plug	■	■	■	■	■	-	-	-
Made for iPhone	■	■	■	■	■	-	-	-

FEATURES	ESSENTIAL CABLE RANGE							
Product	CC 4050	CC 4051	CC 4052	CC 4053	CC 4054	CC 4060	CC 4061	CC 4070
Product Weight Net WEEE (kg)	0.0214	0.0186	0.0174	0.094	0.0928	0.0282	0.0704	0.0406
Dimensions Product (LxWxH / cm)	100	100	100	300	300	100	300	150
Packed Product Weight Gross (kg)	0.0256	0.0223	0.0214	0.0976	0.0968	0.0324	0.0723	0.0438
Dimensions Packaging (LxWxH / cm)	10x1.1x19	10x1.1x19	10x1.1x19	10x1.1x19	10x1.1x19	10x1.1x19	10x1.1x19	10x1.1x19
EAN Packaging	8716184058028	8716184068232	8716184068263	8716184068294	8716184068324	8716184058059	8716184068355	8716184068386
Inner								
Quantity Inner	10	10	10	10	10	10	10	10
Dimensions Inner / CDU (LxWxH / cm)	11x10.5x20	11x10.5x20	11x10.5x20	22x10.5x20	22x10.5x20	11x10.5x20	19.5x10.5x20	13x10.5x20
Inner Weight Gross (kg)	0.256	0.3067	0.2977	1.116	1.108	0.4077	0.849	0.534
EAN Inner	8716184058035	8716184068249	8716184068270	8716184068300	8716184068331	8716184058066	8716184068362	8716184068393
Master								
Quantity Master	60	60	60	50	50	60	50	50
Dimensions Master (LxWxH / cm)	22x23x36	36x22x23	36x22x23	42x32x23	42x32x23	22x23x36	42x32x21	42x34x12
Master Weight Gross (kg)	1.836	2.14	2.08	6.166	6.126	2.7462	4.8	3.12
EAN Master	8716184058042	8716184068256	8716184068287	8716184068317	8716184068348	8716184058073	8716184068379	8716184068409

**Want to learn more
about our products?
www.oneforall.com**



Sales companies Europe

One For All BV

Colosseum 2
7521 PT Enschede
The Netherlands
Tel: +31 53 488 80 00
Fax: +31 53 432 70 80
www.oneforall.com

One For All GmbH

Postfach 1763
48578 Gronau
Germany
Tel: +49 2562 81 88 66
Fax: +49 2562 81 88 68
www.oneforall.com

One For All UK Ltd.

P.O. Box 3332
7500 DH Enschede
The Netherlands
Tel: +31 53 488 80 00
Fax: +31 53 432 70 80
www.oneforall.com

Sales companies International

One For All Argentina

Mariscal Antonio José de Sucre 1530 5to piso oficina 507
Torre de oficinas Liberateur
CP 1428 DUT Ciudad Autónoma de Buenos Aires
Argentina
Tel: +54 11 4807-3434
www.oneforall-argentina.com.ar

One For All France

C/o Juridom
12 rue Pernelle
75004 Paris
France
Tel: +31 53 488 80 00
Fax: +31 53 432 70 80
ofafrance@uebv.com
www.oneforall.com

One For All Iberia S.L.

Gran Vía Carles III, nº 84, 3ª planta
08028 Barcelona
Spain
Tel: +34 93 496 57 11
Fax: +34 93 496 57 01
ofaiberia@uebv.com
www.oneforall.com

Universal Electronics

Italia S.r.l.
Via Valtellina 32
20159 Milano
Italy
Tel: +39 023 657 1452
Fax: +39 023 657 6931
www.oneforall.com

Distributors Europe

Country	Name	Ad dress	Zip	City	Tel. no.	Website or fax no.
Belgium	Lucodex	Hoek 76/58	2850	Boom	+32 3 844 72 82	www.lucodex.be
Belgium	Elka Pieterman	Vosveld 14	2110	Wijnegem	+32 3 326 32 40	www.elkapieterman.be
Bulgaria	Infotel 2000 Ltd.	11 bul. Arsenalski	1421	Sofia	+359 2963 2230	www.infotel2000.bg
Croatia	Tehnocentar d.d.	Prilaz Ivana Visina 7	10020	Zagreb	+00385 1 4816 806	www.tehnocentar.hr
Czech Republic + Slovakia	EMOS spol. s r.o.	Šírava 295/17	75002	Přerov	+420581261 219	+420581261 112
Czech Republic + Slovakia	VeGa solutions s.r.o.	str. Ernestova bašta 2	940 02	Nové Zámky	+421 948 534 215	-
Denmark	Aurora Group	Lautruphøj 5-7	2750	Ballerup	+45 44 858 200	www.auroragroup.dk
Finland	AV-Komponentti Oy	Koronakatu 1a	02210	Espoo	+358 (9) 867 80 20	www.avkomponentti.fi
Greece	Digitech S.A.	Pythagora 1 & Iroon Polytechniou 227	412 21	Larissa	+30 (2410) 284 800	www.dtsa.gr
Hungary	EMOS HU Kft.	Szabadság út 117	2040	Budaörs	+36 23 428 024	-
Ireland	EA Accessories Ltd	14 Drummartin Close, Goatstown	-	Dublin 14	+353 862 569 520	-
Netherlands	Beekman BV	Weegschaalstraat 15	7324 BE	Apeldoorn	+31 (0)55 538 1100	www.beekman.nl
Netherlands	Elka Pieterman Nederland	Prinsenhil 1	4825 AX	Breda	+31 (0)76 593 9393	-
Poland	ENAN S. A.	ul. Strefowa 4	58-200	Dzierżoniów	+48 74 832 23 22	-
Portugal	Esotérico	Praceta alves redol 2 Figueiro	2670-353	Loures	+351 219 839 550	www.esoterico.pt
Russia	ADDC	Avtomobil'nyy Proyezd, 4	101000	Moskva	+7 495 988 46 85	-
Slovenia	EMOS SI, d.o.o.	Ločica ob Savinji 81	3313	Polzela	+386 8 205 17 20	-
Sweden	Aurora Group	Lautruphøj 5-7	2750	Ballerup	+45 44 858 200	www.auroragroup.dk
Switzerland	Soundtrade	Erlenstrasse 27	2555	Brügg	-	-
United Kingdom	Rashmian Limited	Unit J, Braintree Industrial Estate, Braintree Road, Ruislip	HA4 0EJ	Middlesex	-	-
United Kingdom	Mount Technologies Limited	Eastgate Business Centre, Eastern Avenue, Burton upon Trent	DE13 0AT	Staffordshire	-	-
United Kingdom	GJ Electronics	Units 10-12, Wembdon Business Centre, Bower Road, Smeeth, Ashford	TN25 6SZ	Kent	-	-
U.S.	Petra Industries	2101 S Kelly Ave	73013	Edmond OK	1-405-216-2100	www.petra.com

Distributors International

Country	Name	Adress	Zip	City	Tel. no.	Website
Australia	Amber Technology Pty Ltd	Unit 1, 2 Daydream Street, Warriewood	2102	Sydney	w +61 2 9998 7600	www.ambertech.com.au
Canada	Erikson Consumer	21000 Trans-Canadienne, Baie D'Urfe	H9X 4B7	Quebec City	+1 514 457 2555	www.eriksonconsumer.com
New Zealand	Amber Technology	77 Porana Road, Hillcrest	0627	Auckland	+64 9 443 0753	www.amber.co.nz
South Africa	Connoisseur Electronics	The Mediterranean Conference Centre 72 Concorde Rd East, Bedfordview	2007	Gauteng	+27 11 450 1122	www.connoisseur.co.za
UAE	International Traders (ME) Ltd.	Cosmos Lane, Off Al Fahidi Street, Dubai	-	Dubai	+971 4 352 1155	www.itgroupdubai.com